

APRIL 1975

HAND SETS

(File as card A on Hand Sets)

MANUFACTURE
DISCONTINUED

The manufacture of the following hand sets has been discontinued and it is not considered necessary to maintain complete information in the catalogue.

For information on codes not listed below, see other cards on hand sets.

CODES	REPLACED BY
NE-G3Q6A-3	NE-G3AR-3
NE-G3Q6A-50	NE-G3AR-50
NE-G3Q6A-51	NE-G3AR-51
NE-G3Q6A-53	NE-G3AR-53
NE-G3Q6A-56	NE-G3AR-56
NE-G3Q6A-58	NE-G3AR-58
NE-G3Q6A-59	NE-G3AR-59
NE-G3Q6A-60	NE-G3AR-60
NE-G3Q6A-61	NE-G3AR-61
NE-G3Q6A-62	NE-G3AR-62
NE-G3Q6A-64	NE-G3AR-64



JULY 1966

HAND SETS

(File as Card 1 on Hand Sets)

MANUFACTURE
DISCONTINUED

The manufacture of the following hand sets has been discontinued and it is not considered necessary to maintain complete information in the catalogue.

For information on codes not listed below, see other cards on hand sets.

Codes	Replaced by	Code	Replaced by	Code	Replaced by
1001A	(a)	1003A to T	-	1012A to C	-
1001B	1001F	1003U	1003D	1012N to R	-
1001C	1012C (b)	1003W	1003E	1102AC	-
1001D & E	-	1003Y	1003AB	E1A	E1B
1001F	1001H	1003AA to AD	-	E1B-3	E1E-3
1001G	-	1004A & B	-	E1B-4	E1E-4
1001H	(c)	1005A to D	-	E1B-5	E1E-5
1001J	(d)	1008A	-	E1B-6	E1E-6
1001K to M	-	1009A	-	E1B-7	E1E-7
1001N	(e)	1011A	1011AN1	E1B-8	E1E-8
1001P	1012P	1011B	1011BN1	E1B-11	E1E-11
1002A	1002AC	1011C	1011G (h)	E1B-12	E1E-12
1002C	FLDW-3 (f)	1011D	1011G (i)	E1D	-
1002D	FLDW-3 (f)	1011E	1011G (j)	E1E type	FLA type
1002F	FLDW-3 (g)	1011F	1011G (k)	E2A-3	F2A-3
1002AC	FLDW-3 (g)	1011G	1011GN1	E2B type	F2B type

- (a) 1012A for common battery and 1012B for local battery.
 (b) Local battery service.
 (c) 1012C for local battery and 1012H for common battery.
 (d) 1012J for local battery and 1012K for common battery.
 (e) 1012N for common battery and 1012R for local battery.
 (f) Plus a G2-3 hand set mounting.

- (g) Plus a G1-3 hand set mounting.
 (h) Plus a 2W37A or 2W41A cord.
 (i) Plus a 2W38A cord.
 (j) Plus a 2W39A or 2W40A cord.
 (k) Plus a 3W8A cord.



JULY 1966

HAND SETS

(File as Card 2 on Hand Sets)

MANUFACTURE
DISCONTINUED

Code	Replaced by	Code	Replaced by	Code	Replaced by
E2C type	F2B type	F1DW-3	-	F3P-3	F3PN-3
E2E & F	-	F1FW-3	-	F3R-3	-
E3A	E3B	F1HW	-	F3S-3	-
E3B	F3AW-3	F2A-3	F5AQ1A-3	F3T-3	F3U-3
E4A	F3B-3	F2B-3	F5BQ1A-3	F3U-3	-
E5A	-	F2B-4	-	F3AN-3	F3AQ1A-3
F1A-3	F1G-3	F2B-6	-	F3AW-3	F3AN-3
F1A-4	-	F2B-7	-	F3BN-3	F3BQ1A-3
F1A-6	-	F2B-8	-	F3CN-3	F3CQ1A-3
F1A-7	-	F2B-12	-	F3CW-3	F3CN-3
F1A-8	-	F2B-16	-	F3DW-3	F3DQ1A-3
F1A-12	-	F2B-18	-	F3EW-3	-
F1A-16	-	F2B-19	-	F3FN-3	F3FRN-3
F1A-18	-	F2B-20	-	F3FW-3	-
F1A-20	-	F2C-3	F5CQ1A-3	F3GW-3	-
F1B-3	F1BR-3	F2E-3	F2ER-3	F3HN-3	F3HRN-3
F1C-3	F4CQ1A-3	F2F-3	F5FQ1A-3	F3JN-3	F3JQ1A-3
F1E-3	F4EQ1A-3	F2G-3	F5GQ1A-3	F3KN-3	F3KQ1A-3
F1E-6	-	F2H-3	-	F3LN-3	F3LQ1A-3
F1G-3	F4G1QA-3	F2BN-3	F5BQ3A-3	F3NN-3	F3NRN-3
F1H	-	F2BR-3	F5BQ2A-3	F3PN-3	F3PQ1A-3
F1J-3	F1GR-3	F2BW-3	-	F3YW-3	-
F1J-4	F1GR-4	F2ER-3	F5AR-3	F3WN-3	F3WQ1A-3
F1K-3	F4KQ1A-3	F3B-3	F3BN-3	F3WW-3	F3WN-3
F1AN-3	F4AQ1A-3	F3F-3	F3FN-3	F3AAW-3	-
F1BR-3	F4BR-3	F3H-3	F3HN-3	F3ABW-3	-
F1GR-3	F4GQ2A-3	F3J-3	F3JN-3	F3ACW	F1H recom
F1GR-4	-	F3K-3	F3KN-3	F3ADW-3	-



JULY 1966

HAND SETS

(File as Card 3 on Hand Sets)

MANUFACTURE
DISCONTINUED

Code	Replaced by	Code	Replaced by	Code	Replaced by
F3AEW-3	-	G2AR-3	G2ARN-3	G3AR-52	-
F3FRN-3	F3FQ1A-3	G2CR-3	G2CRN-3	G3AR-54	-
F3HRN-3	F3HQ1A-3	G2DR-3	G2DRN-3	G3AR-55	-
F3NRN-3	F3NQ1A-3	G2GR-3	G2GRN-3	G3AR-57	-
F4A-3	F4AR-3 recom	G2ARN-3	G5ARQ1A-3	G3BR-52	G3BR-61
F4B-3	F4BR-3	G2BRN-3	G5BRQ1A-3	G3DR-52	G3DR-61
F5A-3	F5AR-3	G2CRN-3	G5CRQ1A-3	G3ER-50	-
F6A-3	F6AR-3	G2DRN-3	-	G3ER-51	-
F6B	F6BR-3	G2GRN-3	G5GRQ1A-3	G3ER-60	-
F6C-3	F6CR-3	G3A-3	G3AR-3	G3ER-61	-
F6CRW-3	-	G3A-50	G3AR-50	G3GR-50	-
G1A-3	G1AR-3	G3A-51	G3AR-51	G3GR-58	-
G1B-3	G1BR-3	G3A-52	G3AR-52	G3GR-59	-
G1C-3	G1AR-3	G3A-53	G3AR-53	G3GR-60	-
G1AR-3	G3AR-3	G3A-54	G3AR-54	G3GR-62	-
G1BR-3	G3R-3	G3A-55	G3AR-55	G4A-3	G4AR-3
G1DR-3	G3DRN-3	G3A-56	G3AR-56	G4AR-3	-
G1FR-3	G3FRN-3	G3A-57	G3AR-57	G5ER-52	-
G2A-3	G2AR-3	G3B-50	G3AR-50	G5ER-54	-
G2B-3	G2BR-3	G3B-51	G3AR-51	G5ER-55	-
G2C-3	G2CR-3	G3B-53	G3AR-53	G5ER-57	-
G2D-3	G2DR-3	G3B-55	G3AR-55	FN2C-3	F5CQ2A-3
G2E-3	G2ER-3	G3N-3	G3R-3		

PROPERTY *Northern Electric Company* LIMITED

T-15-AK



DECEMBER 1967

NE-F3 TYPE HAND SETS

(Card 1)





FIG. 1




FIG. 2




FIG. 3




FIG. 4




FIG. 5



NE-F3 TYPE HAND SETS

(Card 2)




FIG. 6




FIG. 7




FIG. 8




FIG. 9




FIG. 10




FIG. 11



NE-F3 TYPE HAND SETS

(Card 4)

SEE RATINGS
BELOW


Code	Schematic Figure	Hand Set Handle	Transmitter Unit	Receiver Unit	Cord	Plug	Replaces	Rating
(b)NE-F3KQ1A-3	7	NE-F3Q1A-3	NE-T1	NE-U1	NE-H4BW-3	-	NE-F3KN-3	Standard
(c)NE-F3LQ1A-3	8	NE-F3Q1A-3	NE-T1	NE-U1	NE-H4BW-3	-	NE-F3LN-3	"
(a)(d)NE-F3NQ1A-3	2 & 3	NE-F3Q1A-3	NE-T1	NE-U2	NE-H4QE-3	NE-396A	NE-F3NRN-3	"
(d)(e)NE-F3PQ1A-3	9	NE-F3Q1A-3	NE-T1	NE-U2	NE-H5R-3	-	NE-F3PN-3	"
(e)(f)NE-F3WQ1A-3	10	NE-F3Q1A-3	NE-T1	NE-U1	NE-H5T-3	-	NE-F3WN-3	"
(g)NE-F3QA-3	11	NE-FX-3	NE-F2	NE-HA2	(h)	-	NE-FXA-3	"

- (a) When push bar switch is depressed, transmitter is connected into the circuit.
 (b) When push bar switch is depressed, a short circuiting shunt across the transmitter is removed and an external circuit is closed.
 (c) When push bar switch is depressed, a short circuiting shunt across the transmitter is removed.
 (d) Intended for use in NE-102A key equipment at airports.
 (e) When push bar switch is depressed, an external circuit is closed.
 (f) Intended for use in the 41A control unit.
 (g) Intended for use with N9A telephone set.
 (h) Drawing 110452.



APRIL 1977

NE-G15A TYPE HAND SETS

SEE RATINGS
BELOW

Each consists of a thermoplastic hand set equipped with a NE-U3 receiver unit and a NE-T1 transmitter unit. Also equipped with a transmitter cup mounted jack assembly which is arranged to accept an NE-H4DU type cord which is not furnished.

Intended for use as a hand set for modular telephone sets.


Available in the following colours.

Code No.	Colour	Rating
NE-G15A-3	Black	Standard
NE-G15A-20	Warm White	"
NE-G15A-29	Orange	"
NE-G15A-35	Chameleon Grey	"
NE-G15A-50	Ivory	"
NE-G15A-51	Green	"
NE-G15A-53	Red	"
NE-G15A-56	Yellow	"
NE-G15A-58	White	"
NE-G15A-59	Rose Pink	"
NE-G15A-60	Light Beige	"
NE-G15A-61	Light Grey	"
NE-G15A-62	Aqua Blue	"

MARCH 1978

NE-G6AQIA TYPE HAND SETS

SEE RATINGS
BELOW



Intended to provide receive amplification for persons with impaired hearing. A volume control button is mounted in the handle.

Receive amplification is provided by a single-stage transistor-type amplifier assembled within the handle.

Each set also contains a NE-T1 transmitter unit, a NE-U1 receiver unit and a polarity guard, and is equipped with an NE-H4CT type cord having a vinyl jacket corresponding in colour to the handle and caps.


Intended for use with NE-500, NE-600, and NE-700 series telephone sets. The hand sets are not furnished with the telephone sets and must be ordered separately.

CODE	COLOUR OF HANDLE AND CAPS	RATING
NE-G6AQ1A-3	Black	Standard
NE-G6AQ1A-20	Warm White	"
NE-G6AQ1A-26	Cocoa Brown	"
NE-G6AQ1A-29	Orange	"
NE-G6AQ1A-31	Harvest Gold	"
NE-G6AQ1A-35	Chameleon Grey	"
NE-G6AQ1A-38	Light Cherry	"
NE-G6AQ1A-50	Ivory	"
NE-G6AQ1A-51	Green	"
NE-G6AQ1A-53	Red	"
NE-G6AQ1A-56	Yellow	"
NE-G6AQ1A-58	White	"
NE-G6AQ1A-59	Rose Pink	"
NE-G6AQ1A-60	Light Beige	"
NE-G6AQ1A-61	Light Grey	"
NE-G6AQ1A-62	Aqua Blue	"
NE-G6AQ1A-64	Turquoise	"


JUNE 1978

NE-H TYPE HAND SETS


(Card 1)




NE-H1QA, B & J TYPE




NE-H1QC TYPE



NE-H1QD TYPE



NE-H1QH, NE-H2QA, B,
E, F & G TYPE



NE-H3QA TYPE

JUNE 1978

NE-H TYPE HAND SETS

(Card 2)

SEE RATINGS
BELOW

NE-H1QA: Intended for use on the QSK100A & QSK100B; QSK110A and QSK191A CONTEMPRA Telephone Sets.

NE-H1QC: Intended for use on the QSK100D CONTEMPRA Telephone Sets.

CODE	COLOUR	RECEIVER UNIT	TRANSMITTER UNIT	DIAL	CORD	RATING
NE-H1QA-20	Warm White	NE-U1	NE-T1	NE-10QA	NE-H5QE-20	Standard
NE-H1QA-21	Deep Turquoise	NE-U1	NE-T1	NE-10QA	NE-H5QE-21	"
NE-H1QA-22	Mauve	NE-U1	NE-T1	NE-10QA	NE-H5QE-22	"
NE-H1QA-23	Bright Red	NE-U1	NE-T1	NE-10QA	NE-H5QE-23	"
NE-H1QA-24	Pale Yellow	NE-U1	NE-T1	NE-10QA	NE-H5QE-24	"
NE-H1QA-25	Deep Blue	NE-U1	NE-T1	NE-10QA	NE-H5QE-25	"
NE-H1QA-26	Cocoa Brown	NE-U1	NE-T1	NE-10QA	NE-H5QE-26	"
NE-H1QA-29	Orange	NE-U1	NE-T1	NE-10QA	NE-H5QE-29	"
NE-H1QA-31	Harvest Gold	NE-U1	NE-T1	NE-10QA	NE-H5QE-31	"
NE-H1QA-50	Ivory	NE-U1	NE-T1	NE-10QA	NE-H5QE-50	"
NE-H1QA-51	Green	NE-U1	NE-T1	NE-10QA	NE-H5QE-51	"
NE-H1QA-60	Beige	NE-U1	NE-T1	NE-10QA	NE-H5QE-60	"
NE-H1QC-20	Warm White	NE-U1	NE-T1	NE-10QD	NE-H5QE-20	"
NE-H1QC-21	Deep Turquoise	NE-U1	NE-T1	NE-10QD	NE-H5QE-21	"
NE-H1QC-22	Mauve	NE-U1	NE-T1	NE-10QD	NE-H5QE-22	"
NE-H1QC-23	Bright Red	NE-U1	NE-T1	NE-10QD	NE-H5QE-23	"
NE-H1QC-24	Pale Yellow	NE-U1	NE-T1	NE-10QD	NE-H5QE-24	"
NE-H1QC-25	Deep Blue	NE-U1	NE-T1	NE-10QD	NE-H5QE-25	"
NE-H1QC-26	Cocoa Brown	NE-U1	NE-T1	NE-10QD	NE-H5QE-26	"
NE-H1QC-29	Orange	NE-U1	NE-T1	NE-10QD	NE-H5QE-29	"
NE-H1QC-31	Harvest Gold	NE-U1	NE-T1	NE-10QD	NE-H5QE-31	"
NE-H1QC-50	Ivory	NE-U1	NE-T1	NE-10QD	NE-H5QE-50	"

NE-H TYPE HAND SETS

(Card 3)

SEE RATINGS
BELOW

NE-H1QD: Intended for use on the QSK100E "CONTEMPRA" Telephone Sets.

NE-H1QH: Intended for use with Export "CONTEMPRA" Telephone Sets.

CODE	COLOUR	RECEIVER UNIT	TRANSMITTER UNIT	DIAL	CORD	RATING
NE-H1QC-51	Green	NE-U1	NE-T1	NE-10QD	NE-H5QE-51	Standard
NE-H1QC-60	Beige	NE-U1	NE-T1	NE-10QD	NE-H5QE-60	"
NE-H1QD-20	Warm White	NE-U1	NE-T1QC	NE-10QB	NE-H5QE-20	"
NE-H1QD-21	Deep Turquoise	NE-U1	NE-T1QC	NE-10QB	NE-H5QE-21	"
NE-H1QD-22	Mauve	NE-U1	NE-T1QC	NE-10QB	NE-H5QE-22	"
NE-H1QD-23	Bright Red	NE-U1	NE-T1QC	NE-10QB	NE-H5QE-23	"
NE-H1QD-24	Pale Yellow	NE-U1	NE-T1QC	NE-10QB	NE-H5QE-24	"
NE-H1QD-25	Deep Blue	NE-U1	NE-T1QC	NE-10QB	NE-H5QE-25	"
NE-H1QD-26	Cocoa Brown	NE-U1	NE-T1QC	NE-10QB	NE-H5QE-26	"
NE-H1QD-29	Orange	NE-U1	NE-T1QC	NE-10QB	NE-H5QE-29	"
NE-H1QD-31	Harvest Gold	NE-U1	NE-T1QC	NE-10QB	NE-H5QE-31	"
NE-H1QD-50	Ivory	NE-U1	NE-T1QC	NE-10QB	NE-H5QE-50	"
NE-H1QD-51	Green	NE-U1	NE-T1QC	NE-10QB	NE-H5QE-51	"
NE-H1QD-60	Beige	NE-U1	NE-T1QC	NE-10QB	NE-H5QE-60	"
NE-H1QD-62	Aqua Blue	NE-U1	NE-T1QC	NE-10QB	NE-H5QE-62	"
NE-H1QH-20	Warm White	NE-R7	QUAH2A	QDC1D1	NE-H7QA-20	"
NE-H1QH-23	Bright Red	NE-R7	QUAH2A	QDC1D1	NE-H7QA-23	"
NE-H1QH-24	Pale Yellow	NE-R7	QUAH2A	QDC1D1	NE-H7QA-24	"
NE-H1QH-25	Deep Blue	NE-R7	QUAH2A	QDC1D1	NE-H7QA-25	"
NE-H1QH-26	Cocoa Brown	NE-R7	QUAH2A	QDC1D1	NE-H7QA-26	"
NE-H1QH-29	Orange	NE-R7	QUAH2A	QDC1D1	NE-H7QA-29	"
NE-H1QH-31	Harvest Gold	NE-R7	QUAH2A	QDC1D1	NE-H7QA-31	"
NE-H1AH-38	Light Cherry Red	NE-R7	QUAH2A	QDC1D1	NE-H7QA-38	"

JUNE 1978

NE-H TYPE HAND SETS

(Card 4)

SEE RATINGS
BELOW

NE-H1QJ: Has two sets of contacts on recall button which break both tip and ring.
Intended for use with QSK100G Telephone Set.

NE-H2QA: Used on the QSK2100A; QSK2100B; QSK2110A and QSK2191A Telephone Sets.

CODE	COLOUR	RECEIVER UNIT	TRANSMITTER UNIT	DIAL	CORD	RATING
NE-H1QH-50	Ivory	NE-R7	QUAH2A	QDC1D1	NE-H7QA-50	Standard
NE-H1QH-51	Moss Green	NE-R7	QUAH2A	QDC1D1	NE-H7QA-51	"
NE-H1QH-60	Beige	NE-R7	QUAH2A	QDC1D1	NE-H7QA-60	"
NE-H1QH-62	Aqua Blue	NE-R7	QUAH2A	QDC1D1	NE-H7QA-62	"
NE-H1QJ-20	Warm White	NE-U1	NE-T1	NE-10QA	NE-H7QA-20	"
NE-H1QJ-23	Bright Red	NE-U1	NE-T1	NE-10QA	NE-H7QA-23	"
NE-H1QJ-24	Pale Yellow	NE-U1	NE-T1	NE-10QA	NE-H7QA-24	"
NE-H1QJ-25	Deep Blue	NE-U1	NE-T1	NE-10QA	NE-H7QA-25	"
NE-H1QJ-26	Cocoa Brown	NE-U1	NE-T1	NE-10QA	NE-H7QA-26	"
NE-H1QJ-29	Orange	NE-U1	NE-T1	NE-10QA	NE-H7QA-29	"
NE-H1QJ-31	Harvest Gold	NE-U1	NE-T1	NE-10QA	NE-H7QA-31	"
NE-H1QJ-50	Ivory	NE-U1	NE-T1	NE-10QA	NE-H7QA-50	"
NE-H1QJ-51	Moss Green	NE-U1	NE-T1	NE-10QA	NE-H7QA-51	"
NE-H1QJ-60	Beige	NE-U1	NE-T1	NE-10QA	NE-H7QA-60	"
NE-H2QA-20	Warm White	NE-U1	NE-T1	QDC1A1	NE-H5QE-20	"
NE-H2QA-21	Deep Turquoise	NE-U1	NE-T1	QDC1A1	NE-H5QE-21	"
NE-H2QA-22	Mauve	NE-U1	NE-T1	QDC1A1	NE-H5QE-22	"
NE-H2QA-23	Bright Red	NE-U1	NE-T1	QDC1A1	NE-H5QE-23	"
NE-H2QA-24	Pale Yellow	NE-U1	NE-T1	QDC1A1	NE-H5QE-24	"
NE-H2QA-25	Deep Blue	NE-U1	NE-T1	QDC1A1	NE-H5QE-25	"
NE-H2QA-26	Cocoa Brown	NE-U1	NE-T1	QDC1A1	NE-H5QE-26	"
NE-H2QA-29	Orange	NE-U1	NE-T1	QDC1A1	NE-H5QE-29	"

JUNE 1978

NE-H TYPE HAND SETS

(Card 5)

SEE RATINGS
BELOW

NE-H2QB: Intended for use on the QSK2110A "CONTEMPRA" Telephone Set.

NE-H2QE: Intended for use with the QSK3100 "CONTEMPRA" Telephone Set.

NE-H2QF: Intended for use with QSK2100G "CONTEMPRA" Telephone Set. Has two sets of contacts on recall button which break both the tip and ring.

CODE	COLOUR	RECEIVER UNIT	TRANSMITTER UNIT	DIAL	CORD	RATING
NE-H2QA-31	Harvest Gold	NE-U1	NE-T1	QDC1A1	NE-H5QE-31	Standard
NE-H2QA-50	Ivory	NE-U1	NE-T1	QDC1A1	NE-H5QE-50	"
NE-H2QA-51	Green	NE-U1	NE-T1	QDC1A1	NE-H5QE-51	"
NE-H2QA-60	Beige	NE-U1	NE-T1	QDC1A1	NE-H5QE-60	"
NE-H2QB-29	Orange	NE-U1	NE-T1	QDC1A1	NE-H6QA-29	"
NE-H2QE-20	Warm White	NE-U1	NE-T1	QDC3A	NE-H7QA-20	"
NE-H2QE-23	Bright Red	NE-U1	NE-T1	QDC3A	NE-H7QA-23	"
NE-H2QE-24	Pale Yellow	NE-U1	NE-T1	QDC3A	NE-H7QA-24	"
NE-H2QE-25	Deep Blue	NE-U1	NE-T1	QDC3A	NE-H7QA-25	"
NE-H2QE-26	Cocoa Brown	NE-U1	NE-T1	QDC3A	NE-H7QA-26	"
NE-H2QE-29	Orange	NE-U1	NE-T1	QDC3A	NE-H7QA-29	"
NE-H2QE-31	Harvest Gold	NE-U1	NE-T1	QDC3A	NE-H7QA-31	"
NE-H2QE-50	Ivory	NE-U1	NE-T1	QDC3A	NE-H7QA-50	"
NE-H2QE-51	Moss Green	NE-U1	NE-T1	QDC3A	NE-H7QA-51	"
NE-H2QE-60	Beige	NE-U1	NE-T1	QDC3A	NE-H7QA-60	"
NE-H2QF-20	Warm White	NE-U1	NE-T1	QDC1A1	NE-H7QA-20	"
NE-H2QF-23	Bright Red	NE-U1	NE-T1	QDC1A1	NE-H7QA-23	"
NE-H2QF-24	Pale Yellow	NE-U1	NE-T1	QDC1A1	NE-H7QA-24	"
NE-H2QF-25	Deep Blue	NE-U1	NE-T1	QDC1A1	NE-H7QA-25	"
NE-H2QF-26	Cocoa Brown	NE-U1	NE-T1	QDC1A1	NE-H7QA-26	"
NE-H2QF-29	Orange	NE-U1	NE-T1	QDC1A1	NE-H7QA-29	"

JUNE 1978

NE-H TYPE HAND SETS

(Card 6)

SEE RATINGS
BELOW

NE-H2QG: Intended for use with EXPORT "CONTEMPRA" Telephone Sets.

NE-H3QA: Intended for use on the QSK100C "CONTEMPRA" Telephone Set.

CODE	COLOUR	RECEIVER UNIT	TRANSMITTER UNIT	DIAL	CORD	RATING
NE-H2QF-31	Harvest Gold	NE-U1	NE-T1	QDC1A1	NE-H7QA-31	Standard
NE-H2QF-50	Ivory	NE-U1	NE-T1	QDC1A1	NE-H7QA-50	"
NE-H2QF-51	Moss Green	NE-U1	NE-T1	QDC1A1	NE-H7QA-51	"
NE-H2QF-60	Beige	NE-U1	NE-T1	QDC1A1	NE-H7QA-60	"
NE-H2QG-20	Warm White	NE-R7	QUAH2A	QDC1D1	NE-H7QA-20	"
NE-H2QG-23	Bright Red	NE-R7	QUAH2A	QDC1D1	NE-H7QA-23	"
NE-H2QG-24	Pale Yellow	NE-R7	QUAH2A	QDC1D1	NE-H7QA-24	"
NE-H2QG-25	Deep Blue	NE-R7	QUAH2A	QDC1D1	NE-H7QA-25	"
NE-H2QG-26	Cocoa Brown	NE-R7	QUAH2A	QDC1D1	NE-H7QA-26	"
NE-H2QG-29	Orange	NE-R7	QUAH2A	QDC1D1	NE-H7QA-29	"
NE-H2QG-31	Harvest Gold	NE-R7	QUAH2A	QDC1D1	NE-H7QA-31	"
NE-H2QG-50	Ivory	NE-R7	QUAH2A	QDC1D1	NE-H7QA-50	"
NE-H2QG-51	Moss Green	NE-R7	QUAH2A	QDC1D1	NE-H7QA-51	"
NE-H2QG-60	Beige	NE-R7	QUAH2A	QDC1D1	NE-H7QA-60	"
NE-H3QA-20	Warm White	NE-R7	NE-T1	-	NE-H5QE-20	"
NE-H3QA-21	Deep Turquoise	NE-R7	NE-T1	-	NE-H5QE-21	"
NE-H3QA-22	Mauve	NE-R7	NE-T1	-	NE-H5QE-22	"
NE-H3QA-23	Bright Red	NE-R7	NE-T1	-	NE-H5QE-23	"
NE-H3QA-24	Pale Yellow	NE-R7	NE-T1	-	NE-H5QE-24	"
NE-H3QA-25	Deep Blue	NE-R7	NE-T1	-	NE-H5QE-25	"
NE-H3QA-26	Cocoa Brown	NE-R7	NE-T1	-	NE-H5QE-26	"

JUNE 1978

NE-H TYPE HAND SETS

(Card 7)




SEE RATINGS
BELOW

CODE	COLOUR	RECEIVER UNIT	TRANSMITTER UNIT	DIAL	CORD	RATING
NE-H3QA-29	Orange	NE-U1	NE-T1	-	NE-H5QE-29	Standard
NE-H3QA-31	Harvest Gold	NE-U1	NE-T1	-	NE-H5QE-31	"
NE-H3QA-50	Ivory	NE-U1	NE-T1	-	NE-H5QE-50	"
NE-H3QA-51	Moss Green	NE-U1	NE-T1	-	NE-H5QE-51	"
NE-H3QA-60	Beige	NE-U1	NE-T1	-	NE-H5QE-60	"

MARCH 1968

QSEI TYPE HAND SETS

(Card 1)



PROPERTY OF THE *Northern Electric* COMPANY LIMITED

T.15-AK



MARCH 1968

QSEI TYPE HAND SETS

(Card 2)

SEE RATINGS
BELOW

Intended for use in transcribed announcement services.
Each consists of apparatus listed in the table.

Code	Colour	Hand Set Handle	Transmitter Unit	Receiver Unit	Cord	Rating
QSE1A-3	Black	P97M705	QUW4A	NE-U1	NE-H5U-3	Standard
QSE1A-60	Light Beige	P97M707	QUW4A	NE-U1	NE-H5U-60	"
QSE1B-3	Black	P97M706	QUW4A	NE-U1	NE-H5W-3	"







FIG.1

Equipped with a push bar switch in the handle.

Consists of:

- 1 P96T061 hand set handle
- 1 NE-T1 transmitter unit
- 1 NE-U1 receiver unit
- 1 NE-H5P-61 cord
- 1 P80A261 transmitter cap
- 1 P80A161 receiver cap

Furnished in light grey.



NE-F4 TYPE & NE-F5 TYPE HAND SETS

(Card 1)





FIG 1



FIG 2




FIG 3



SEPTEMBER 1971

NE-F4 TYPE & NE-F5 TYPE HAND SETS

(Card 2)

SEE RATINGS
BELOW

Black finished hand sets each consisting of a P456235 transmitter cap, a P456236 receiver cap and the apparatus as listed in the table.

Code	Schematic Figure	Hand Set Handle	Transmitter Unit	Receiver Unit	Cord	Plug	Rating
(a)NE-F4AQ2A-3	2	NE-F4-3	NE-T1	NE-U1	NE-H3AJN-3	-	Standard
NE-F4BR-3	2	NE-F4-3	NE-T1	NE-U1	NE-H3QC-3	-	"
NE-F4CQ1A-3	2	NE-F4-3	NE-T1	NE-U1	NE-H3QD-3	-	"
(a)NE-F4GQ2A-3	2	NE-F4-3	NE-T1	NE-U1	NE-H3AR-3	-	"
(b)NE-F5AQ1A-3	1 & 3	NE-F5-3	NE-T1	NE-U1	NE-H4QD-3	-	"
NE-F5AQ3A-3	1	NE-F5-3	NE-T1	NE-U1	NE-H4AXB-3	-	"
NE-F5BQ2A-3	1	NE-F5-3	NE-T1	NE-U1	NE-H4CB-3	-	"
NE-F5DQ1A-3	1 & 3	NE-P97M793	NE-T1	NE-HA2	NE-H4QF-3	NE-396A	"


- (a) When specified in the order, may be obtained with a NE-129F capacitor connected across the transmitter unit terminals.
- (b) When specified in the order, may be obtained equipped with an NE-396A plug.




DECEMBER 1967

NE-F6 TYPE HAND SETS

(Card 1)



NE-F6Q1A ALSO GENERAL DESIGN
AND DIMENSIONS OF NE-F6 TYPE



DECEMBER 1967

NE-F6 TYPE HAND SETS

(Card 2)

SEE RATINGS
BELOW

Black finished hand sets.

Constructed so as to confine any possible burning of explosive gases to the interior of the instrument and prevent the ignition of gases outside of the instrument.

NE-F6Q1A-3:

Intended for use with the QSK3A, 4A, 5A & 6A telephone sets.

NE-F5QB-3:

Intended for use with the 320 type telephone sets.

Code	Schematic Figure	Includes			Cord	Rating
		Hand set Handle	Transmitter Unit	Receiver Unit		
NE-F6Q1A-3	2	P97L114	NE-T2	NE-HA1	NE-H4Q4A-3	Standard
NE-F6QB-3	1	P97M396	NE-T2	NE-HA1	NE-H3AN-3	"



GI TYPE HAND SETS

Technical drawing of a telephone handset. The drawing shows the handset from a side profile. Two dimensions are indicated with arrows: a width of $2 \frac{11}{16}$ inches at the top and a height of $8 \frac{5}{16}$ inches on the right side.





FIG. 1

FIG. 2



PROPERTY *Northern Electric Company* LIMITED

T15-AK



JULY 1966

GI TYPE HAND SETS

(Card 2)

SEE RATINGS

BELOW

Black finished hand sets.

G1AR-3: Intended for use in the 500 series telephone sets.

G1DR-3: Intended for use in private branch exchanges.

G1FR-3: Forms part of the 570 type telephone sets.

G1QA-3: Forms part of the 570Q type telephone sets.

Code	Schematic Figure	Transmitter Unit	Receiver Unit	Cord	Plug	Replaces	Rating
G1AR-3	1	T1	U1	H4CJ-3	-	G1A-3 & G1C-3	Mfr Disc.
G1DR-3	2	T1	U1	H4BL-3	289B	G1D-3	"
G1FR-3	1	T1	U1	H4BN-3	-	-	"
G1QA-3	1	T1	U1	H4BH-3	-	-	Standard

PROPERTY *Northern Electric Company* LIMITED

T-15-AK



DECEMBER 1967

NE-G3 TYPE HAND SETS

(Card 1)






FIG. 1




FIG. 2




FIG. 3




FIG. 4




FIG. 5



PROPERTY OF THE *Northern Electric* COMPANY LIMITED

T-15-AK



MARCH 1976

NE-G3 TYPE HAND SETS

(Card 2)

SEE RATINGS
BELOW

NE-G3A-3: Forms part of the NE-500 type telephone sets.

NE-G3AR-26 & -31: Intended for use on the NE-500DQF, the NE-2500DOE and the NE-554BR for the Alberta Government.

NE-G3AR-20 and NE-G3AR-35: Intended for the QSK200 logic 10 Telephone sets.

NE-G3AR-29: Intended for the centurion Coin Telephone Sets.

CODE	COLOUR	SCHEMATIC FIGURE	RECEIVER UNIT	TRANSMITTER UNIT	CORD	RATING
NE-G3K-61	Light Grey	(a)	NE-U1	NE-T1		Standard
NE-G3R-3	Black	1	NE-U1	NE-T2	NE-H4DA	"
NE-G3R-50	Ivory	1	NE-U1	NE-T2	NE-H4DA	"
NE-G3R-51	Green	1	NE-U1	NE-T2	NE-H4DA	"
NE-G3R-52	Grey	1	NE-U1	NE-T2	NE-H4DA	"
NE-G3R-53	Red	1	NE-U1	NE-T2	NE-H4DA	"
NE-G3R-56	Yellow	1	NE-U1	NE-T2	NE-H4DA	"
NE-G3R-58	White	1	NE-U1	NE-T2	NE-H4DA	"
NE-G3R-59	Rose Pink	1	NE-U1	NE-T2	NE-H4DA	"
NE-G3R-60	Light Beige	1	NE-U1	NE-T2	NE-H4DA	"
NE-G3R-61	Light Grey	1	NE-U1	NE-T2	NE-H4DA	"
NE-G3R-62	Aqua Blue	1	NE-U1	NE-T2	NE-H4DA	"
NE-G3R-64	Turquoise	1	NE-U1	NE-T2	NE-H4DA	"
NE-G3AR-3	Black	1	NE-U1	NE-T2	NE-H4CJ-3	"
NE-G3AR-20	Warm White	1	NE-U1	NE-T1	NE-H4CJ-20	"
NE-G3AR-26	Cocoa Brown	1	NE-U1	NE-T1	NE-H4CJ-26	"
NE-G3AR-29	Orange	1	NE-U1	NE-T1	NE-H4CJ-29	"
NE-G3AR-31	Harvest Gold	1	NE-U1	NE-T1	NE-H4CJ-31	"
NE-G3AR-35	Chameleon Grey	1	NE-U1	NE-T1	NE-H4CJ-35	"

(a) Same as figure 1 except cord is omitted.

MARCH 1978

NE-G3 TYPE HAND SETS

(Card 4)

SEE RATINGS
BELOW

NE-G3FR-60: Intended for use on coin collectors on long loops.
 NE-G3DRN-3 & -50: Intended for use with the QCN100A Console.
 NE-G3QB-61: Intended for use with Ericsson 900 PBX console.
 NE-G3QC-3: Equipped with an "S" hook.
 NE-G3QD Type: Intended for use with the NE-564QFC and the NE-565QFC telephone sets.

CODE	COLOUR	SCHEMATIC FIGURE	RECEIVER UNIT	TRANSMITTER UNIT	CORD	RATING
NE-G3FR-60	Light Beige	1	NE-U1	NE-T1	NE-H4CP-60	Standard
(a) (b) NE-G3DRN-3	Black	3	NE-U1	NE-T1	NE-H4CU-3	"
(a) (b) NE-G3DRN-50	Ivory	3	NE-U1	NE-T1	NE-H4CU-50	"
NE-G3RN-3	Black	1	NE-U1	NE-T1	NE-H4Q9A-3	"
NE-G3QB-61	Light Grey	1	NE-U1	NE-T1	NE-H4QC-61	"
NE-G3QC-3	Black	1	NE-U1	NE-T1	NE-H4Q5A-3	"
NE-G3QD-3	Black	1	NE-U1	NE-T1QC	NE-H4CJ-3	"
NE-G3QD-35	Chameleon Grey	1	NE-U1	NE-T1QC	NE-H4CJ-35	"
NE-G3QD-50	Ivory	1	NE-U1	NE-T1QC	NE-H4CJ-50	"
NE-G3QD-51	Green	1	NE-U1	NE-T1QC	NE-H4CJ-51	"
NE-G3QD-53	Red	1	NE-U1	NE-T1QC	NE-H4CJ-53	"
NE-G3QD-56	Yellow	1	NE-U1	NE-T1QC	NE-H4CJ-56	"
NE-G3QD-58	White	1	NE-U1	NE-T1QC	NE-H4CJ-58	"
NE-G3QD-60	Light Beige	1	NE-U1	NE-T1QC	NE-H4CJ-60	"
NE-G3QD-61	Light Grey	1	NE-U1	NE-T1QC	NE-H4CJ-61	"

- (a) Handset cord is equipped with a NE-396A plug.
 (b) Equipped with 9 foot cord unless otherwise specified.

MARCH 1976

NE-G3 TYPE HAND SETS

(Card 3)

SEE RATINGS
BELOW

NE-G3AR-50 to -62 inclusive: Form part of the NE-500 and similar type telephone sets.

NE-G3AR-64: Forms part of the NE-701B-64 telephone set.

NE-G3BR-60 & -61 & NE-G3DR-61: Intended for use with the NE-112A Key equipment.

NE-G3CR-51, 60 & -61: Form part of the NE-610B2 type telephone sets.

NE-G3CR-52: Intended for use in the NE-756-PBX.

CODE	COLOUR	SCHEMATIC FIGURE	RECEIVER UNIT	TRANSMITTER UNIT	CORD	PLUG	RATING
NE-G3AR-50	Ivory	1	NE-U1	NE-T1	NE-H4CJ-50	-	Standard
NE-G3AR-51	Green	1	NE-U1	NE-T1	NE-H4CJ-51	-	"
NE-G3AR-53	Red	1	NE-U1	NE-T1	NE-H4CJ-53	-	"
NE-G3AR-56	Yellow	1	NE-U1	NE-T1	NE-H4CJ-56	-	"
NE-G3AR-58	White	1	NE-U1	NE-T1	NE-H4CJ-58	-	"
NE-G3AR-59	Rose Pink	1	NE-U1	NE-T1	NE-H4CJ-59	-	"
NE-G3AR-60	Light Beige	1	NE-U1	NE-T1	NE-H4CJ-60	-	"
NE-G3AR-61	Light Grey	1	NE-U1	NE-T1	NE-H4CJ-61	-	"
NE-G3AR-62	Aqua Blue	1	NE-U1	NE-T1	NE-H4CJ-62	-	"
NE-G3AR-64	Turquoise	1	NE-U1	NE-T1	NE-H4CJ-64	-	"
NE-G3BR-60	Light Beige	1	NE-U2	NE-T1	NE-H4CJ-60	-	"
NE-G3BR-61	Light Grey	1	NE-U2	NE-T1	NE-H4CJ-61	-	"
NE-G3CR-51	Green	2	NE-U2	NE-T1	NE-H4CU-51	NE-396A	"
NE-G3CR-52	Grey	2	NE-U2	NE-T1	NE-H4CU-52	NE-396A	"
NE-G3CR-60	Light Beige	2	NE-U2	NE-T1	NE-H4CU-60	NE-396A	"
NE-G3CR-61	Light Grey	2	NE-U2	NE-T1	NE-H4CU-61	NE-396A	"
NE-G3DR-61	Light Grey	3	NE-U2	NE-T1	NE-H4CU-61	NE-396A	"

MARCH 1978

NE-G3 TYPE HAND SETS

(Card 5)

SEE RATINGS
BELOW

NE-G3QE Type: Intended for use with QSK300A and QSK354A telephone sets.

NE-G3QF Type: Intended for use with the QSD100A coin telephone set.

CODE	COLOUR	SCHEMATIC FIGURE	RECEIVER UNIT	TRANSMITTER UNIT	CORD	RATING
NE-G3QE-3	Black	1	NE-UL	NE-T1QC	NE-H4QH-3	Standard
NE-G3QE-29	Orange	1	NE-U1	NE-T1QC	NE-H4QH-29	"
NE-G3QE-35	Chameleon Grey	1	NE-U1	NE-T1QC	NE-H4QH-35	"
NE-G3QE-50	Ivory	1	NE-U1	NE-T1QC	NE-H4QH-50	"
NE-G3QE-51	Green	1	NE-U1	NE-T1QC	NE-H4QH-51	"
NE-G3QE-53	Red	1	NE-U1	NE-T1QC	NE-H4QH-53	"
NE-C3QE-56	Yellow	1	NE-U1	NE-T1QC	NE-H4QH-56	"
NE-G3QE-58	White	1	NE-U1	NE-T1QC	NE-H4QH-58	"
NE-G3QE-60	Light Beige	1	NE-U1	NE-T1QC	NE-H4QH-60	"
NE-G3QE-61	Light Grey	1	NE-UL	NE-T1QC	NE-H4QH-61	"
NE-G3QF-3	Black	2	NE-U1	NE-T2	NE-H4QJ-3	"
NE-G3QF-50	Ivory	2	NE-U1	NE-T2	NE-H4QJ-50	"
NE-G3QF-51	Green	2	NE-U1	NE-T2	NE-H4QJ-51	"
NE-G3QF-53	Red	2	NE-U1	NE-T2	NE-H4QJ-53	"
NE-G3QF-56	Yellow	2	NE-U1	NE-T2	NE-H4QJ-56	"
NE-G3QF-58	White	2	NE-U1	NE-T2	NE-H4QJ-58	"
NE-G3QF-59	Rose Pink	2	NE-UL	NE-T2	NE-H4QJ-59	"
NE-G3QF-60	Light Beige	2	NE-U1	NE-T2	NE-H4QJ-60	"
NE-G3QF-61	Light Grey	2	NE-U1	NE-T2	NE-H4QJ-61	"

MARCH 1978

NE-G3 TYPE HAND SETS

SEE RATINGS
BELOW

(Card 6)

NE-G3QM: Intended for the NE-570 (Emergency reporting) telephone set.
 NE-G3QH Type: Intended for the QSD200 Centurion coin telephone set.
 NE-G3QH1 Type: Similar to NE-G3QH except it is equipped with a blue flag Grommet for the purpose of identifying sets to the hard of hearing.
 NE-G3QJ: Intended for the use with the QCN100A console on the SC-1
 NE-G3QM: Intended for use in EXPORT TELEPHONE SETS.

CODE	COLOUR	SCHEMATIC FIGURE	RECEIVER UNIT	TRANSMITTER UNIT	CORD	RATING
NE-G3QF-62	Aqua Blue	2	NE-U1	NE-T2	NE-H4QJ-62	Standard
NE-G3QF-64	Turquoise	2	NE-U1	NE-T2	NE-H4QJ-64	"
NE-G3QG-3	Black	2	NE-U1	NE-T2	NE-H4Q9A-3	"
NE-G3QH-3	Black	2	NE-U1	NE-T2	NE-H4QK-3	"
NE-G3QH-26	Brown	2	NE-U1	NE-T2	NE-H4QK-26	"
NE-G3QH-27	Blue	2	NE-U1	NE-T2	NE-H4QK-27	"
NE-G3QH-28	Green	2	NE-U1	NE-T2	NE-H4QK-28	"
NE-G3QH1-3	Black	2	NE-U1	NE-T2	NE-H4QK-3	"
NE-G3QH1-26	Brown	2	NE-U1	NE-T2	NE-H4QK-26	"
NE-G3QH1-27	Blue	2	NE-U1	NE-T2	NE-H4QK-27	"
NE-G3QH1-28	Green	2	NE-U1	NE-T2	NE-H4QK-28	"
NE-G3QJ-50	Ivory	3	NE-U1	NE-T1	NE-H4QL-50	"
NE-G3QM-3	Black	1	NPS25051	QUAH1A	NE-H4GJ-3	"
NE-G3QM-51	Moss Green	1	NPS25051	QUAH1A	NE-H4CJ-51	"
NE-G3QM-53	Red	1	NPS25051	QUAH1A	NE-H4CJ-53	"
NE-G3QM-58	White	1	NPS25051	QUAH1A	NE-H4CJ-58	"
NE-G3QM-60	Light Beige	1	NPS25051	QUAH1A	NE-H4CJ-60	"

MARCH 1978

NE-G3 TYPE HAND SETS

(Card 7)

SEE RATINGS
BELOW

NE-G3QN: Similar to NE-G3QM except has a grommet for bug-proofing, for use with EXPORT TELEPHONE SETS.

CODE	COLOUR	SCHEMATIC FIGURE	RECEIVER UNIT	TRANSMITTER UNIT	CORD	RATING
NE-G3QN-3	Black	1	NPS25051 L1	QUAH1A	NE-H4QE	Standard
NE-G3QN-51	Moss Green	1	NPS25051 L1	QUAH1A	NE-H4QE	"
NE-G3QN-53	Red	1	NPS25051 L1	QUAH1A	NE-H4QE	"
NE-G3QN-58	White	1	NPS25051 L1	QUAH1A	NE-H4QE	"
NE-G3QN-60	Light Beige	1	NPS25051 L1	QUAH1A	NE-H4QE	"

DECEMBER 1967

NE-G5 TYPE HAND SETS

(Card 1)





FIG. 1




FIG. 2



NE-G5 TYPE HAND SETS

(Card 2)




FIG. 3




FIG. 4




FIG. 5




FIG. 6




FIG. 7




FIG. 8





FIG. 9



NE-1011Q TYPE HAND SETS

(Card 1)

SEE RATINGS
BELOW



NE-1011Q3B ALSO GENERAL DESIGN
AND DIMENSIONS FOR NE-1011Q TYPE

Consists of a plastic housing containing an NE-T1 transmitter unit, an NE-U1 receiver unit, an NE-8A dial and a talking and monitoring switch.

Provided with a belt-hook.

Furnished in colours indicated in table.

NE-1011Q1A:

Intended for installer's or lineman's use.

Equipped with an NE-W2QB cord, approximately five feet long.

Arranged to prevent interference on telephone lines carrying data signals.

NE-1011Q2A:

Intended for testing purposes in central offices.

Same as the NE-1011Q1A except that it is equipped with an NE-346A plug and an NE-H2QA cord, ten inches long.

Arranged to prevent interference on telephone lines carrying data signals.

NE-1011Q3B:

Intended for installer's or lineman's use.

Same as the NE-1011Q5A except that data protection feature is not included. However, design permits conversion to provide this feature, if required.

Code	Colour of Housing	Rating
(a)NE-1011Q1A	Black	Standard
(a)NE-1011Q2A	Black	"
NE-1011Q3B	Red	"

(a) Bear Bell Canada marking.



NE-1011Q TYPE HAND SETS

(Card 2)

SEE RATINGS
BELOW

NE-1011Q4B:

Intended for testing purposes in central offices.

Same as the NE-1011Q6A except that data protection feature is not included, however, design permits conversion to provide this feature, if required.

NE-1011Q5A:

Intended for installer's and lineman's use.

Equipped with an NE-W2QB cord approximately five feet long.

Arranged to prevent interference on the telephone lines carrying data signals.

NE-1011Q6A:

Intended for testing purposes in central offices.

Equipped with an NE-346A plug and an NE-H2QA cord, ten inches long.

Arranged to prevent interference on the telephone lines carrying data signals.

Code	Colour of Housing	Rating
NE-1011Q4B	Red	Standard
NE-1011Q5A	Red	"
NE-1011Q6A	Red	"



NE-G5 TYPE HAND SETS

(Card 3)

SEE RATINGS
BELOW

Each is equipped with a push bar switch in the handle.

NE-G5KQ1A type: Intended for use in the business interphone "F" system.

NE-G5ARQ1A-3: Intended for use with the NE-47A-3 control unit in the MB and MC mobile telephone radio systems.

NE-G5BRQ1A-3: Intended for use in four wire circuits in the loudspeaker paging system.

NE-G5CRQ1A-3: Intended for use in private line systems.

Code	Colour of Handle and Caps	Schematic Fig.	Includes		Cord	Plug	Replaces	Rating
			Receiver Unit	Transmitter Unit				
NE-G5KQ1A-3	Black	1	NE-U1	NE-T1	NE-H6E-3	-	NE-G5KR-3	Standard
NE-G5KQ1A-50	Ivory	1	NE-U1	NE-T1	NE-H6E-50	-	NE-G5KR-50	"
NE-G5KQ1A-51	Green	1	NE-U1	NE-T1	NE-H6E-51	-	NE-G5KR-51	"
NE-G5KQ1A-53	Red	1	NE-U1	NE-T1	NE-H6E-53	-	NE-G5KR-53	"
NE-G5KQ1A-56	Yellow	1	NE-U1	NE-T1	NE-H6E-56	-	NE-G5KR-56	"
NE-G5KQ1A-58	White	1	NE-U1	NE-T1	NE-H6E-58	-	NE-G5KR-58	"
NE-G5KQ1A-59	Rose Pink	1	NE-U1	NE-T1	NE-H6E-59	-	NE-G5KR-59	"
NE-G5KQ1A-60	Light Beige	1	NE-U1	NE-T1	NE-H6E-60	-	NE-G5KR-60	"
NE-G5KQ1A-61	Light Grey	1	NE-U1	NE-T1	NE-H6E-61	-	NE-G5KR-61	"
NE-G5KQ1A-62	Aqua Blue	1	NE-U1	NE-T1	NE-H6E-62	-	NE-G5KR-62	"
NE-G5KQ1A-64	Turquoise	1	NE-U1	NE-T1	NE-H6E-64	-	NE-G5KR-64	"
NE-G5ARQ1A-3	Black	2	NE-U1	NE-T1	NE-H5QB-3	-	NE-G2ARN-3	"
NE-G5BRQ1A-3	Black	1	NE-U1	NE-T1	NE-H6C-3	-	NE-G2BRN-3	"
NE-G5CRQ1A-3	Black	3	NE-U2	NE-T1	NE-H4CU-3	NE-396A	NE-G2CRN-3	"



NE-G5 TYPE HAND SETS

(Card 4)

SEE RATINGS
BELOW

NE-G5ERQ1A type: Intended for use with the NE-535 type telephone sets.

NE-G5FRQ1A-3: Intended for use with mobile telephone sets.

Code	Colour of Handle and Caps	Schematic Fig.	Includes		Cord	Plug	Replaces	Rating
			Receiver Unit	Transmitter Unit				
NE-G5ERQ1A-3	Black	4	NE-U1	NE-T1	NE-H5P-3	-	NE-G5ER-3	Standard
NE-G5ERQ1A-50	Ivory	4	NE-U1	NE-T1	NE-H5P-50	-	NE-G5ER-50	"
NE-G5ERQ1A-51	Green	4	NE-U1	NE-T1	NE-H5P-51	-	NE-G5ER-51	"
NE-G5ERQ1A-53	Red	4	NE-U1	NE-T1	NE-H5P-53	-	NE-G5ER-53	"
NE-G5ERQ1A-56	Yellow	4	NE-U1	NE-T1	NE-H5P-56	-	NE-G5ER-56	"
NE-G5ERQ1A-58	White	4	NE-U1	NE-T1	NE-H5P-58	-	NE-G5ER-58	"
NE-G5ERQ1A-59	Rose Pink	4	NE-U1	NE-T1	NE-H5P-59	-	NE-G5ER-59	"
NE-G5ERQ1A-60	Light Beige	4	NE-U1	NE-T1	NE-H5P-60	-	NE-G5ER-60	"
NE-G5ERQ1A-61	Light Grey	4	NE-U1	NE-T1	NE-H5P-61	-	NE-G5ER-61	"
NE-G5ERQ1A-62	Aqua Blue	4	NE-U1	NE-T1	NE-H5P-62	-	NE-G5ER-62	"
NE-G5ERQ1A-64	Turquoise	4	NE-U1	NE-T1	NE-H5P-64	-	NE-G5ER-64	"
NE-G5FRQ1A-3	Black	5	NE-U1	NE-T1	NE-H4BM-3	-	NE-G5ER-3	"



JULY 1968

NE-G5 TYPE HAND SETS

(Card 5)

SEE RATINGS
BELOW

NE-G5GRQ1A type: Intended for use with the MF978 telephone set.

NE-G5GRQB type: Same as NE-G5GRQ1A type except for receiver unit.

Code	Colour of Handle and Caps	Schematic Figure	Includes				Rating
			Receiver Unit	Transmitter Unit	Cord	Replaces	
NE-G5GRQ1A-3	Black	6	NE-U2	NE-T1	NE-H4CJ-3	NE-G2GRN-3	Standard
NE-G5GRQ1A-50	Ivory	6	NE-U2	NE-T1	NE-H4CJ-50	NE-G2GRN-50	"
NE-G5GRQ1A-51	Green	6	NE-U2	NE-T1	NE-H4CJ-51	NE-G2GRN-51	"
NE-G5GRQ1A-53	Red	6	NE-U2	NE-T1	NE-H4CJ-53	NE-G2GRN-53	"
NE-G5GRQ1A-56	Yellow	6	NE-U2	NE-T1	NE-H4CJ-56	NE-G2GRN-56	"
NE-G5GRQ1A-58	White	6	NE-U2	NE-T1	NE-H4CJ-58	NE-G2GRN-58	"
NE-G5GRQ1A-59	Rose Pink	6	NE-U2	NE-T1	NE-H4CJ-59	NE-G2GRN-59	"
NE-G5GRQ1A-60	Light Beige	6	NE-U2	NE-T1	NE-H4CJ-60	NE-G2GRN-60	"
NE-G5GRQ1A-61	Light Grey	6	NE-U2	NE-T1	NE-H4CJ-61	NE-G2GRN-61	"
NE-G5GRQ1A-62	Aqua Blue	6	NE-U2	NE-T1	NE-H4CJ-62	NE-G2GRN-62	"
NE-G5GRQ1A-64	Turquoise	6	NE-U2	NE-T1	NE-H4CJ-64	NE-G2GRN-64	"
NE-G5GRQB-3	Black	6	NE-U1	NE-T1	NE-H4CJ-3	-	"
NE-G5GRQB-50	Ivory	6	NE-U1	NE-T1	NE-H4CJ-50	-	"
NE-G5GRQB-51	Green	6	NE-U1	NE-T1	NE-H4CJ-51	-	"
NE-G5GRQB-53	Red	6	NE-U1	NE-T1	NE-H4CJ-53	-	"
NE-G5GRQB-56	Yellow	6	NE-U1	NE-T1	NE-H4CJ-56	-	"
NE-G5GRQB-58	White	6	NE-U1	NE-T1	NE-H4CJ-58	-	"
NE-G5GRQB-59	Rose Pink	6	NE-U1	NE-T1	NE-H4CJ-59	-	"
NE-G5GRQB-60	Light Beige	6	NE-U1	NE-T1	NE-H4CJ-60	-	"
NE-G5GRQB-61	Light Grey	6	NE-U1	NE-T1	NE-H4CJ-61	-	"
NE-G5GRQB-62	Aqua Blue	6	NE-U1	NE-T1	NE-H4CJ-62	-	"



SEPTEMBER 1971

NE-G5 TYPE HAND SETS

(Card 6)

SEE RATINGS
BELOW

NE-G5HRQ1A-3:

Intended for use with NE-102A key equipment at airports.

NE-G5MRQ1A-51:

Intended for use with the command post alerting network.

NE-G5QA-3:

Same as NE-G5ARQ1A-3 except for cord. Intended for use on mobile radio system.

NE-G5QB-3:

Same as NE-G5 type handsets except that it has a two piece handset handle which is held together by means of the caps.

Equipped with a magnet, located inside handle to operate a dry reed relay when on the "on hook" position on the NE-522QA & QB telephone sets.

NE-G5QC-3:

Equipped with a six conductor cord and two single pole double-throw switches. Intended for use by CN for dispatching.

Code	Colour of Handle and Caps	Schematic Figure	Includes		Cord	Plug	Rating
			Receiver Unit	Transmitter Unit			
NE-G5HRQ1A-3	Black	7	NE-U2	NE-T1	NE-H5P-3	-	Standard
NE-G5MRQ1A-51	Green	3	NE-U1	NE-T1	NE-H4CU-51	NE-396A	"
NE-G5QA-3	Black	2	NE-U1	NE-T1	NE-H5QC	-	"
NE-G5QB-3	Black	8	NE-U1	NE-T1	NE-H4Q1A-3	-	"
NE-G5QC-3	Black	9	NE-U1	NE-T1	NE-H6QB-3	-	"



APRIL 1975

NE-G6AQ1A TYPE HAND SETS


SEE RATINGS
BELOW

Intended to provide receive amplification for persons with impaired hearing. A volume control button is mounted in the handle.

Receive amplification is provided by a single-stage transistor-type amplifier assembled within the handle.

Each set also contains a NE-T1 transmitter unit, a NE-U1 receiver unit and a polarity guard, and is equipped with an NE-H4CT type cord having a vinyl jacket corresponding in colour to the handle and caps.

Intended for use with NE-500, NE-600, and NE-700 series telephone sets. These hand sets are not furnished with the telephone sets and must be ordered separately.



CODE	COLOUR OF HANDLE AND CAPS	RATING
NE-G6AQ1A-3	Black	Standard
NE-G6AQ1A-20	Warm White	"
NE-G6AQ1A-35	Chameleon Grey	"
NE-G6AQ1A-50	Ivory	"
NE-G6AQ1A-51	Green	"
NE-G6AQ1A-53	Red	"
NE-G6AQ1A-56	Yellow	"
NE-G6AQ1A-58	White	"
NE-G6AQ1A-59	Rose Pink	"
NE-G6AQ1A-60	Light Beige	"
NE-G6AQ1A-61	Light Grey	"
NE-G6AQ1A-62	Aqua Blue	"
NE-G6AQ1A-64	Turquoise	"



APRIL 1975

NE-G7AQIA TYPE HAND SETS


SEE RATINGS
BELOW

Intended to provide transmit amplification for persons with inadequate speech volume. A volume control button is mounted in the handle.

Transmit amplification is provided by a single-stage transistor-type amplifier assembled within the handle.

Each set also contains a NE-T1 transmitter unit, a NE-U1 receiver unit and a polarity guard and is equipped with an NE-H4Q3A type cord, having a vinyl jacket corresponding in colour to handle and caps.


Intended for use with NE-500, NE-600 and NE-700 series telephone sets. These hand sets are not furnished with the telephone sets and must be ordered separately.



CODE	COLOUR OF HANDLE AND CAPS	RATING
NE-G7AQ1A-3	Black	Standard
NE-G7AQ1A-20	Warm White	"
NE-G7AQ1A-35	Chameleon Grey	"
NE-G7AQ1A-50	Ivory	"
NE-G7AQ1A-51	Green	"
NE-G7AQ1A-53	Red	"
NE-G7AQ1A-56	Yellow	"
NE-G7AQ1A-58	White	"
NE-G7AQ1A-59	Rose Pink	"
NE-G7AQ1A-60	Light Beige	"
NE-G7AQ1A-61	Light Grey	"
NE-G7AQ1A-62	Aqua Blue	"
NE-G7AQ1A-64	Turquoise	"



NE-G8AQ1A TYPE HAND SETS

SEE RATINGS
BELOW

Intended to provide receiver amplification and transmitter output attenuation at noisy locations. A push-button switch and a volume control knob are mounted in the handle.

Receive amplification is provided by a single-stage transistor-type amplifier assembled within the handle.

Provided with a press-to-listen switch, which when depressed, reduces transmitter output and increases the gain of the receiver amplifier. A potentiometer, equipped with a knurled knob, provides for adjustment of the receiver volume.

Each set also contains a NE-T1 transmitter unit, a NE-U1 receiver unit and a polarity guard, and is equipped with an NE-H4CT type cord, having a vinyl jacket corresponding in colour to the handle and caps.


Intended for use with NE-500, NE-600, and NE-700 series telephone sets. These hand sets are not furnished with the telephone sets and must be ordered separately.

Code	Colour of Handle and Caps	Rating
NE-G8AQ1A-3	Black	Standard
NE-G8AQ1A-50	Ivory	"
NE-G8AQ1A-51	Green	"
NE-G8AQ1A-53	Red	"
NE-G8AQ1A-54	Yellow	"
NE-G8AQ1A-58	White	"
NE-G8AQ1A-59	Rose Pink	"
NE-G8AQ1A-60	Light Beige	"
NE-G8AQ1A-61	Light Grey	"
NE-G8AQ1A-62	Aqua Blue	"
NE-G8AQ1A-64	Turquoise	"



APRIL 1975

QSE4 TYPE HAND SETS

SEE RATINGS
BELOW

Equipped with NE-10QA dial, NE-T1 transmitter unit, NE-U1 receiver unit and belt hook.

The two "data" models incorporate special circuitry which allows the Hand Sets to be connected to the lines without disruption of any business machine data, the lines may be carrying.

Used by linemen, installers and central office craftsmen in trouble shooting and installation routines.

CODE	PRIMARY APPLICATION	CORD	TERMINATION	RATING
QSE4A1-51	Outside plant non data monitoring	NE-W2QK-51	NSQ4100 Test Clips	Standard
QSE4A2-51	Central Office non data monitoring	NE-H2QB-51	NE-346A Plug	"
QSE4B1-51	Outside Plant data monitoring	NE-W2QK-51	NSQ4100 Test Clips	"
QSE4B2-51	Central office data monitoring	NE-H2QB-51	NE-346A Plug	"



PROPERTY OF THE *Northern Electric* COMPANY LIMITED

T 15-AK





APRIL 1978

QSE5 TYPE HAND SETS

(Card 1)

SEE RATINGS
BELOW



APRIL 1978

QSE5 TYPE HAND SETS

(Card 2)

SEE RATINGS
BELOW

QSE5A: Two piece handset consisting of a plastic cover, plastic instrument section, NE-U1 Receiver Unit, NE-T1 Transmitter Unit and NE-H4CJ cord.

QSE5AA: Similar to the QSE5A except that it has an R7 Receiver Unit and a NE-H4QR Cord.

Initial Use: QSK3430A, QSQK2430 and QSQM3430A.
Type Telephone Sets.

CODE	COLOUR	RATING	CODE	COLOUR	RATING
QSE5A-20	Warm White	Standard	QSE5AA-20	Warm White	Standard
QSE5A-24	Pale Yellow	"	QSE5AA-24	Pale Yellow	"
QSE5A-26	Cocoa Brown	"	QSE5AA-26	Cocoa Brown	"
QSE5A-29	Orange	"	QSE5AA-29	Orange	"
QSE5A-31	Harvest Gold	"	QSE5AA-31	Harvest Gold	"
QSE5A-33	Green	"	QSE5AA-33	Green	"