


APP'D. J. BRASIC	DR. P.T.	SIZE	DH-850678-A74	
7-4A REID J.F.Y.	CR. J.S.J.	A	SHEET 1	TOTAL 1
DATE: 8-8-66		AUTOMATIC ELECTRIC COMPANY		
NORTHLAPE, ILL., U.S.A. GENOA, ILL., U.S.A. WAUKESHA, WISC., U.S.A.				



- MANUFACTURING NOTES:**
- 1-FOR MFG. INF SEE SPEC. 5296.
 - 2-STAMP FUNCT. DESIG. PER H-43286 FIG. 7, 8, 47 & 48
 - 3-"SI" ITEMS ARE NOT TO BE MTD. BY THE FACTORY.
 - 4-FOR LOCATING & WRG. OF VARISTOR, THERMISTOR & RECT. SEE WRG. INST. USE D-543040 SLEEVING OVER EXPOSED PIGTAILS.
 - 5-"X" INDICATES LOCATION OF STAMPING OF TURN KEY DRG. NO. FOR REF. IN MTG.
 - 6-FOR WRG. USE D-543299 PVC CL WIRE 24 AWG.
 - 7-MOUNT TERM. STRIP ITEM 46, IN TOP MTG. HOLE OF RLY. "TC" & TERM. STRIP, ITEM 47, IN TOP MTG. HOLE OF RLY. "TCS" WITH ITEMS 22 & 23.

DH-850678-A74

H-850678-A	1A	DH-850678-A74A
CKT.	FIG.	PART NO.

ACCESS EQUIPMENT
SERIES "RK" MTG.

12DH-850916-A10
B
TO ADPT. ADDED
STAMPING BSY
J.W.G.
A.Z.
12-29-75
ISS: 7

DRAWING STOCK LIST

AMOUNT	U/M	PART NUMBER				I N D	ITEM	G/P	DESCRIPTION
		PFX	BASE	SUFFIX	ISSUE				
1.0	PC	H	880851	6			1		BRACKET-ROTARY SW
1.0	PC	H	885901	7			2		COVER
1.0	PC	H	886259	18			3		STRIP-MTG
1.0	PC	H	886281	2			4	S1	SI MOUNTING PARTS
1.0	PC	H	885244	4			5		TEST JK
1.0	PC	H	885854	4			6		BRACKET-PANEL
1.0	PC	H	982204	1			7		LOCAL CABLE
2.0	PC	D	17195	E			8		WASHER LOCK F/8 SCREW
2.0	PC	D	1724	A			9		WHR-PLAIN .149X.312X.032
7.0	PC	D	1742	A			10		WHR-PLAIN .173X.438X.032
1.0	PC	D	281408	A			11		RESISTOR 100,.2 W -5-
1.0	PC	D	284266	U			12		VARIATOR
2.0	PC	D	281463	A			13		RESISTOR 900 NI 1 W
8.0	PC	D	44469	A			14		INSULATOR
1.0	PC	D	44469	A			15		INSULATOR
1.0	PC	D	44864	A			16		INSULATOR
2.0	PC	D	68642	A			17		CAPACITOR .1MF
1.0	PC	D	731988	A			18		BRACKET
2.0	PC	D	731993	C			19		COVER GUIDE
2.0	PC	D	732011	A			20		BRACKET-MTG
1.0	PC	D	732013	A			21		TERM BLOCK HINGE BRKT
6.0	PC	D	75321	A			22		BUSHING
5.0	PC	D	760642	A			23		WHIMS 8-32X9/32
3.0	PC	D	760878	A			24		SPL HHIMS 8-32
2.0	PC	D	760934	A			25		RHSMS W/WSS.164-32X3/8
4.0	PC	D	760985	A			26		RHSMS W/WH.164-32X1/4
8.0	PC	D	7700	A			27		NUT HEX 8-32X5/16
2.0	PC	D	7701	A			28		NUT HEX 6-32X5/16
2.0	PC	D	77358	A			29		NUT 4-36
4.0	PC	D	761056	E			30		PHSLT S MS.164-32X7/16
2.0	PC	D	762051	A			31		PHSLT SMS .190-32X1/4
1.0	PC	D	762047	Y			32		PHSLT SMS .138-32X3
1.0	PC	FD	1029	AE			33		THERMISTOR
1.0	PC	PW	193005	DAAA			34		T88 ROT SW 8L
1.0	PC	GT	12122	G12			35		RELAY
1.0	PC	GT	16023	B19		*	36		RLY-T57AS 600 4M IBM
1.0	PC	GT	24145	B11			37		RLY-57AS
1.0	PC	GT	16109	C23		*	38		RLY T57AS 5 500
1.0	PC	GT	16119	C18		*	39		RLY T57AS 231
1.0	PC	GT	12079	C19			40		RLY-57AL
1.0	PC	GT	30045	B11			41		RLY 57AL
1.0	PC	GT	22143	B11			42		RLY-57AL
3.0	PC	D	760790	A			43		WHIMS 8-32X5/16
1.0	PC	D	59311	T			44		TURN K
2.0	PC	FD	1029	DG			45		DIODE
1.0	PC	D	150005	F			46		STRIP-TERMINAL
1.0	PC	D	150005	A			47		STRIP-TERMINAL
14.0	PC	D	761072	A			48		SCR&BUSH ASSY
2.0	PC	D	284451	A			49		RESISTOR 2.7K NI

04/06/78 DATE 4-28-78	SHEET TOTAL 1 OF 2	DESCRIPTION ACCESS EQUIPMENT	PART NUMBER				I N D
			PFX	BASE	SUFFIX	ISSUE	
			DH	850678	A74A	010	

THIS DRAWING IS THE PROPERTY OF GTE AUTOMATIC ELECTRIC INCORPORATED. ITS USE IS CONDITIONED UPON THE USER'S AGREEMENT NOT TO COPY OR REPRODUCE THE DRAWING IN WHOLE OR IN PART, OR TO USE THE DRAWING TO REPRODUCE THE MATERIAL DESCRIBED THEREIN, OR FOR ANY OTHER PURPOSE, WITHOUT WRITTEN PERMISSION FROM GTE AUTOMATIC ELECTRIC INCORPORATED. THIS NOTICE DOES NOT APPLY TO THE U.S. GOVERNMENT TO THE EXTENT THAT IT IS INCONSISTENT WITH ANY CONTRACT WITH THE GOVERNMENT UNDER WHICH THIS DRAWING IS DELIVERED.

A

GTE AUTOMATIC ELECTRIC

NORTHLAKE, ILLINOIS 60164

