

NUMERICAL INDEX — DIVISION 026
BANKS, CLUTCHES, COMMUTATORS AND COMMUTATOR BRUSHES,
ELEVATOR APPARATUS, MULTIPLE BRUSHES AND RODS,
AND TRIP RODS FOR PANEL OFFICES
CIRCUIT BREAKERS, COMPENSATORS, CONTACTORS, CONTROL PANELS, FUSES
AND MOUNTINGS, MAGNETIC SWITCHES, SELECTORS, AND STARTERS

1. GENERAL

1.01 This section provides an index of System-issued sections in Division 026.

1.02 A bullet (●) indicates an item that has been added or changed since the previous issue of the index.

1.03 A square (□) indicates a canceled item. Information relating to the cancellation, if necessary, will be shown in a note following the item. Canceled items and related notes will be deleted upon reissue of the index.

1.04 A spade (♠) indicates an item not on microfiche. This index indicates the latest issue for hard-copy BSPs. In some cases, the microfiche BSP will reflect the next higher issue as a result of the reduced distribution interval.

1.05 "Add" is the abbreviation for Addendum.

2. LAYERS

2.01 This division is arranged in layers as follows:

- 026-0 Indexes and Equipment Test Lists
 - 1 Banks, Clutches, Commutator and Commutator Brushes, Elevator Apparatus, Multiple Brushes and Rods, and Trip Rods — Panel Offices
 - 3 Circuit Breakers, Compensators, Contactors, Control Panels, Fuses and Mountings, Magnetic Switches and Starters
 - 7 Selectors

3. INDEX

| Section Number | Issue | Subject |
|-------------------|-------|---------|
|-------------------|-------|---------|

026-0 INDEXES AND EQUIPMENT TEST LISTS

- ♠ 026-000-000 64 Numerical Index — Division 026 — Banks Clutches, Commutators and Commutator Brushes, Elevator Apparatus, Multiple Brushes and Rods, and Trip Rods for Panel Offices — Circuit Breakers, Compensators, Contactors, Control Panels, Fuses and Mountings, Magnetic Switches, Selectors, and Starters
- 026-001-011 10 ETL — Rotary Selectors
- 026-001-012 1 Miscellaneous Apparatus
- 026-001-013 2 ETL — Fuses
- 026-001-014 3 ETL — Starters and Compensators — Miscellaneous Apparatus
- 026-001-015 4 ETL — Circuit Breakers and Contactors

| Section Number | Issue | Subject |
|-------------------|-------|--|
| 026-1 | | BANKS, CLUTCHES, COMMUTATOR AND COMMUTATOR BRUSHES, ELEVATOR APPARATUS, MULTIPLE BRUSHES AND RODS, AND TRIP RODS — PANEL OFFICES |
| 026-110-501 | 2 | Silver-Plated Panel Multiple Bank Terminals — Method of Making Insulation Resistance Measurements — Battery Cutoff Panel Offices |
| 026-110-701 | 5 | Panel Multiple Banks — Requirements and Adjusting Procedures |
| 026-110-801 | 3 | Panel Multiple Banks — Piece-Part Data and Replacement Procedures |
| 026-110-812 | 1 | Repair of Multiple Bank Insulation — Panel Offices |
| 026-115-701 | 4 | Clutches — Helical Spring Type — Without Release Springs — Requirements and Adjusting Procedures |
| 026-115-702 | 2 | Clutches — Helical Spring Type — With Release Springs — Requirements and Adjusting Procedures |
| 026-115-703 | 4 | Clutches — Reed Spring Type — Up Drives Without Release Springs — Requirements and Adjusting Procedures |
| 026-115-704 | 5 | Clutches — Reed Spring Type — Up Drives With Release Springs — Requirements and Adjusting Procedures |
| 026-115-801 | 5 | Clutches and Associated Racks — Piece-Part Data and Replacement Procedures |
| 026-115-811 | 1 | Clutches — Replacing Worn Pawl Brackets |
| Add 026-120-701 | 3 | |
| 026-120-701 | 5 | Panel Selector Commutators and Commutator Brushes — Requirements and Adjusting Procedures |
| 026-120-801 | 8 | Commutator Brushes — 10 and 14 Types — Piece-Part Data and Replacement Procedures |
| 026-120-812 | 3 | Panel Commutators — Installing Wiper Holders and Wiper Pads |
| 026-125-501 | 2 | Multiple Brushes Equipped With Trip Levers — Method of Testing False Closure (Sideswiping) — Using Portable False Closure Test Set — Panel Offices |
| 026-125-701 | 3 | Elevator Apparatus — Panel Call Distributing "B" Link — Requirements and Adjusting Procedures |

NOTICE

Not for use or disclosure outside the
Bell System except under written agreement

SECTION 026-000-000

| Section Number | Issue | Subject | Section Number | Issue | Subject |
|--|-------|---|-----------------|-------|--|
| 026-125-702 | 3 | Elevator Apparatus — Panel Cordless B Link — Requirements and Adjusting Procedures | Add 026-315-701 | 1 | |
| 026-125-703 | 5 | Elevator Apparatus — Panel Line Finder and Panel Trunk Finder — Requirements and Adjusting Procedures | 026-315-701 | 1 | Circuit Breakers — KS-15910 — Requirements and Adjusting Procedures |
| 026-125-704 | 4 | Elevator Apparatus — Panel Selector — Requirements and Adjusting Procedures | 026-315-801 | 1 | Circuit Breakers — KS-15910 — Replacement Parts and Procedures |
| 026-125-705 | 4 | Elevator Apparatus — Sender Tandem Link — Requirements and Adjusting Procedures | 026-316-701 | 1 | KS-21413 Protector — Description, Requirements, and Testing |
| 026-125-706 | 4 | Elevator Apparatus — Panel Subscriber Link — Requirements and Adjusting Procedures | 026-320-701 | 3 | Reverse Current Circuit Breakers — Automatic Electric Inc. — D-7064, D-7065, D-7066, and D-7099 — Requirements and Adjusting Procedures |
| 026-125-707 | 3 | Elevator Apparatus — Panel Translator — Requirements and Adjusting Procedures | 026-340-701 | 2 | Automatic Starters and Compensators — Having No KS Designations — Cutler-Hammer, Inc., Square D Company, and Ward Leonard Electric Company — Requirements and Adjusting Procedures |
| 026-125-801 | 4 | Elevator Apparatus — Panel Call Distributing "B" Link — Piece-Part Data and Replacement Procedures | Add 026-343-701 | 1 | |
| 026-125-802 | 4 | Elevator Apparatus — Panel Cordless "B" Link — Piece-Part Data and Replacement Procedures | 026-343-701 | 1 | Autotransformer-Type Starters — Allen-Bradley Company — Requirements and Adjusting Procedures |
| 026-125-803 | 6 | Elevator Apparatus — Panel Line Finder and Panel Trunk Finder — Piece-Part Data and Replacement Procedures | 026-343-801 | 1 | Autotransformer-Type Starters — Allen-Bradley Company — Replacement Parts and Procedures |
| 026-125-804 | 5 | Elevator Apparatus — Panel Selector — Piece-Part Data and Replacement Procedures | Add 026-347-701 | 1 | |
| 026-125-805 | 4 | Elevator Apparatus — Sender Tandem Link — Piece-Part Data and Replacement Procedures | 026-347-701 | 1 | Starters, Circuit Breakers, Contactors, Field Control Panels, and Magnetic Switches — General Electric Company — Requirements and Adjusting Procedures |
| 026-125-806 | 4 | Elevator Apparatus — Panel Subscriber Link — Piece-Part Data and Replacement Procedures | 026-350-701 | 6 | Contactors — KS-5323, KS-5323-01, KS-5694, and KS-15572 — Requirements and Adjusting Procedures |
| 026-125-807 | 4 | Elevator Apparatus — Panel Translator — Piece-Part Data and Replacement Procedures | 026-350-801 | 2 | Contactors — KS-5323, KS-5323-01, KS-5694 and KS-15572 — Piece-Part Data and Replacement Procedures |
| 026-125-821 | 1 | Elevator Apparatus — Repair of Brush Rods | 026-352-701 | 2 | Contactors — KS-5626 — Square D Company — Requirements and Adjusting Procedures |
| 026-3 CIRCUIT BREAKERS, COMPENSATORS, CONTACTORS, CONTROL PANELS, FUSES AND MOUNTINGS, MAGNETIC SWITCHES AND STARTERS | | | 026-354-701 | 2 | Contactors — KS-5642 — Westinghouse Electric Corp. — Requirements and Adjusting Procedures |
| Add 026-305-701 | 1 | | 026-355-701 | 2 | DC Contactor — Plunger Type — KS-5722 — Requirements and Adjusting Procedures |
| 026-305-701 | 10 | Autotransformer-Type Starters and Compensators — General Electric Company — Requirements and Adjusting Procedures | 026-356-701 | 7 | Resistor and Across-the-Line Type Starters — Allen-Bradley Company and Ward Leonard Company — Requirements and Adjusting Procedures |
| Add 026-305-801 | 1 | | 026-360-701 | 4 | Contactors — KS-15514 and KS-15934 — Requirements and Adjusting Procedures |
| 026-305-801 | 4 | Autotransformer-Type Starters and Compensators — General Electric Company — Replacement Parts and Procedures | 026-360-801 | 2 | Contactors — KS-15514 and KS-15934 — Replacement Parts and Procedures |
| 026-306-701 | 2 | I.T.E. Circuit Breakers — Requirements and Adjusting Procedures | 026-365-701 | 5 | Contactors KS-5757, KS-15072, KS-15674, KS-19598, and Contactors Having No KS- Designations — Allen-Bradley Company and Westinghouse Corporation — Requirements and Adjusting Procedures |
| 026-306-801 | 1 | I.T.E. Circuit Breakers — Replacement Parts and Procedures | 026-370-701 | 8 | Fuses, Mountings, and Enclosures — Requirements and Adjusting Procedures |
| 026-307-701 | 10 | Small Circuit Breakers — Requirements and Test Procedures | | | |
| Add 026-310-701 | 1 | | | | |
| 026-310-701 | 3 | Circuit Breaker KS-15636 — Requirements and Adjusting Procedures | | | |

| Section Number | Issue | Subject |
|----------------|-------|--|
| 026-370-801 | 6 | Fuse Caps, Blocks, Clips, Holders, Mountings, Panels, and Posts — Replacement Procedures |
| 026-371-501 | 8 | Inspection of Fuses and Fuse Panels |
| 026-380-101 | 1 | Autotransformer-Type Manual AC Starters — General Electric Company — Description |
| 026-380-701 | 4 | Autotransformer-Type Manual AC Starters — General Electric Company — Requirements and Adjusting Procedures |
| 026-380-801 | 2 | Autotransformer-Type Manual AC Starters — General Electric Company — Replacement Parts and Procedures |
| 026-382-701 | 1 | Multi-Step Starters — General Electric Company — Requirements and Adjusting Procedures |
| 026-384-701 | 3 | KS-15582 Starter (For DC Motor) — Requirements and Adjusting Procedures |
| 026-390-101 | 1 | Cutler-Hammer Automatic DC Motor Starters — Description |
| 026-390-701 | 1 | Cutler-Hammer Automatic DC Motor Starters — Installation and Maintenance Requirements |
| 026-392-301 | 2 | Air-Starting Equipment for Diesel Engine-Alternator Sets — Operating Methods |
| 026-392-701 | 2 | Air-Starting Equipment for Diesel Engine-Alternators — Requirements and Adjusting Procedures |
| 026-392-801 | 2 | Air-Starting Equipment for Diesel Engine-Alternators — Replacement Parts and Procedures |

026-7 SELECTORS

| | | |
|-------------|---|---|
| 026-700-701 | 2 | 60BA, 60BC, 60BP, 60BR, 66A, D-151294, and D-175279 — Requirements and Adjusting Procedures |
|-------------|---|---|

| Section Number | Issue | Subject |
|-----------------|-------|--|
| 026-700-801 | 1 | 60BA, 60BC, 60BP, 60BR, 66A, D-151294, and D-175279 — Piece-Part Data and Replacement Procedures |
| 026-706-501 | 1 | 200-Type Selectors — Operation Test — Panel Machine Switching Offices |
| 026-706-701 | 14 | 200-, 206-, 209-, and 211-Type Selectors and 10-, 26-, and 32-Type Banks — Requirements and Adjusting Procedures |
| 026-706-711 | 3 | 200-, 206-, 209- and 211-Type Selectors — Voltage Tests — Using SD-90013-01 (J94706) Selector Test Set |
| 026-706-712 | 2 | 200-, 206-, 209- and 211-Type Selectors — Voltage Tests — Using No. 35D or 35F Test Set or Voltmeter |
| Add 026-706-801 | 1 | |
| 026-706-801 | 8 | 200-, 206-, 209-, and 211-Type Selectors and 10-, 26- and 32-Type Banks — Piece-Part Data and Replacement Procedures |
| 026-708-701 | 7 | 204-Type Selectors — Requirements and Adjusting Procedures |
| 026-708-801 | 6 | 204-Type Selectors — Piece-Part Data and Replacement Procedures |
| 026-720-701 | 8 | KS-16201, KS-16202, KS-16203, KS-16563, KS-19086, and KS-20234 Types — Requirements and Adjusting Procedures |
| 026-720-801 | 3 | KS-16201, KS-16202, KS-16203, KS-16563 and KS-19086 Types — Piece-Part Data and Replacement Procedures |
| 026-740-701 | 4 | Power-Driven Rotary Selectors Together With Associated Banks — Requirements and Adjusting Procedures |
| 026-740-801 | 3 | Power-Driven Rotary Selectors Together With Associated Banks — Piece-Part Data and Replacement Procedures |