

NUMERICAL INDEX — DIVISION 362
TYPE N, O, AND ON CARRIER TELEPHONE SYSTEMS
AND ASSOCIATED EQUIPMENT COMPONENTS

1. GENERAL

1.01 This section provides an index of System-issued sections in Division 362.

1.02 This section reverted to Issue 1 in November 1973. Prior to that date there had been 99 issues of the section.

1.03 A bullet (●) indicates an item that has been added or changed since the previous issue of the index.

1.04 A square (□) indicates a canceled item. Information relating to the cancellation, if necessary, will be shown in a note following the item. Canceled items and related notes will be deleted upon reissue of the index.

1.05 A solid triangle (▲) indicates a Task Oriented Practice (TOP). These practices, because of their limited need, will not be distributed on standing order except through coded distribution. Additional copies may be obtained by placing regular (one-time) orders.

1.06 A spade (♠) indicates an item not on microfiche. This index indicates the latest issue for hard-copy BSPs. In some cases, the microfiche BSP will reflect the next higher issue as a result of the reduced distribution interval.

1.07 "Add" is the abbreviation for Addendum.

2. LAYERS

2.01 This division is arranged in layers as follows:

362-0 Index, Equipment Test List, and N1 System Terminal Equipment

- 1 Type O and ON Carrier Telephone Systems — Terminals and Junctions
- 2 Type O Carrier Telephone System — Repeaters
- 3 Type N1, O, and ON Carrier Telephone Systems — Overall Channel Lineup
- 4 N and ON Repeaters — Repeated High-Frequency Lines
- 5 Type N and ON2 Carrier — Deviation Regulator and Adjustable Deviation Equalizer
- 6 Type ON/K Carrier — Repeated High-Frequency Line
- 7 ON/Radio System — Radio Multiplex Points
- 8 N2 Carrier Telephone System
- 9 N3 and N4 Carrier Telephone System — Terminal Equipment

3. INDEX

Section Number	Issue	Subject
----------------	-------	---------

362-0 INDEX, EQUIPMENT TEST LIST, AND N1 SYSTEM TERMINAL EQUIPMENT

- ♠ 362-000-000 54 Numerical Index — Division 362 — Type N, O, and ON Carrier Telephone Systems and Associated Equipment Components

362-001 Equipment Test List

- 362-001-011 12 N1 Carrier
- 362-001-012 4 N2 Carrier
- 362-001-013 3 N3 Carrier

Section Number	Issue	Subject
----------------	-------	---------

362-001-014 3 O, ON, O-H, ON-H Carrier System

● 362-001-015 1 N4 Carrier

362-010) Type N1 Carrier Telephone System — Terminal Equipment
362-045) Equipment
362-010 General Information — Overall System

Add 362-010-100 1
362-010-100 5 Description — Overall System

362-010-150 1 Description — Order Wire and Alarm Facilities

362-010-300 1 Initial Line-Up and Maintenance Tests

Add 362-010-501 1
362-010-501 1 Order-Wire and Alarm Facilities — Lineup and Maintenance

362-011 General Information — Terminal Equipment

362-011-105 4 Description — Channel Units, Terminals Mounting, and Shop-Wired Bays

362-011-110 4 Type N1, N1-H Carrier Telephone System — Description — Transmitting and Receiving Group Units

Add 362-011-300 1
362-011-300 3 Initial Line-Up and Maintenance Tests

Add 362-011-500 1
362-011-500 3 Maintenance Considerations

362-015 Preliminary Tests

362-015-501 2 Check of Local Cabling, Span Pads, Artificial Lines, Slope Networks and Noise Control Units

362-015-502 4 N1 and N1-H Repeated Systems — Adjustment of Power Supply and Sealing Current to Adjacent Repeaters

362-015-515 4 Transistorized Repeated Systems — Adjustment of Power Supply and Sealing Current to Adjacent Repeaters

Add 362-015-525 2
362-015-525 2 Modification of Channel Units for Improved Transmission

362-015-526 2 Modification Procedure for N1-H Operation

362-020 Tests and Adjustments — General

362-020-501 3 Heater Supply Voltage Adjustment

Add 362-020-502 1
362-020-502 2 Electron Tube Cathode Activity Measurements

NOTICE

Not for use or disclosure outside the
Bell System except under written agreement

SECTION 362-000-000

Section Number	Issue	Subject
362-020-503	3	Check of Alarm Operation
Add 362-020-510	1	
362-020-510	1	Initial Lineup and Maintenance Tests
362-025 Channel Unit Lineup — Transmitting		
362-025-501	5	Channel Carrier Output, Carrier-Frequency, and Carrier Leak Tests
362-025-502	5	Compressor Tests and Adjustments
362-030 Channel Unit Lineup — Receiving		
362-030-501	3	Measurement of Individual Channel Carrier at the R1 Jacks and Channel Regulator and Demodulator Output Tests and Adjustments
362-035 Group Unit Lineup — Transmitting		
362-035-501	3	3700-Hz Oscillator Output
362-035-502	5	Total Carrier Power Output
362-035-503	2	Measurement of Slope, Bulge, Cubic, and Quartic Distortion
362-040 Group Unit Lineup — Receiving		
362-040-501	2	Total Carrier Power Output
362-040-502	8	Group Receiving Units — Measurements of Slope, Bulge, Cubic, and Quartic Distortion
362-045 Group Switching		
362-045-501	1	Switching Group Units With the 2N Switching Set
362-1 TYPE O AND ON CARRIER TELEPHONE SYSTEMS — TERMINALS AND JUNCTIONS		
362-100 General Information — Overall System		
362-100-100	4	Description — Type 01 Carrier Telephone System
362-100-150	5	Description — Type ON1 and ON2 Carrier Telephone Systems
362-101 General Information — Terminals and Junctions		
362-101-300	3	Initial Lineup, Maintenance Tests, and Periodicity Table
362-101-500	4	Maintenance Considerations
362-105 Preliminary Tests		
Add 362-105-501	1	
362-105-501	3	Preparation and Placement of Terminal Units
Add 362-105-502	1	
362-105-502	2	Preparation and Placement of ON1 Junction
362-105-503	4	Check of Alarm Operation
362-105-504	2	Modification Procedure for O-H and ON-H Operation

Section Number	Issue	Subject
362-110 Tests and Adjustments — General		
362-110-501	2	Heater Supply Voltage Adjustment — Terminals
362-110-502	1	Heater Supply Voltage Adjustment — Junctions
362-110-503	3	Terminal and Junction Tube Tests
Add 362-110-510	1	
362-110-510	1	Summary Charts — Lineup, Maintenance, and Troubleshooting
362-115 Channel Unit Lineup — Transmitting		
362-115-501	5	Compressor Output
362-115-502	5	Message Output — Signaling Output and Carrier Leak
362-120 Twin Channel Unit Lineup — Transmitting		
362-120-501	2	Transmitting Carrier Output and Frequency
362-125 Twin Channel Unit Lineup — Receiving		
362-125-501	3	Receiving Regulator Adjustment, Received Carrier Frequency Test, and ON2 Failure Alarm Circuit Adjustment
362-130 Group Unit Lineup — Transmitting		
362-130-501	6	Oscillator Unit — Group and 3700-Hz Oscillators
Add 362-130-502	1	
362-130-502	5	Group Transmitting Carrier Output — Terminals
362-130-503	2	Adjustment of 76-KHz Level Oscillator Output
362-135 Group Unit Lineup — Receiving		
362-135-501	4	Adjustment of Group Receiving Unit — Terminals
362-140 Group Unit Lineup — Transmitting and Receiving Junctions		
362-140-501	4	Adjustment of Transmitting and Receiving Carrier
362-145 Summary Charts — Lineup and Maintenance		
362-145-501	4	O Carrier Terminals — Group and Twin Channel Units
362-145-502	5	ON Carrier Terminals — Group and Twin Channel Units
362-145-503	4	ON1 Junctions — Groups Connected to OA, OB, OC, and OD Carrier
362-2 TYPE O CARRIER TELEPHONE SYSTEM — REPEATERS		
362-200 General Information		
362-200-300	1	Initial Line-Up and Maintenance Tests
362-200-500	1	Maintenance Considerations
362-205 Preliminary Tests		
362-205-501	1	Preparation and Placement of Repeaters

Section Number	Issue	Subject	Section Number	Issue	Subject
362-205-502	2	O Repeaters — Modification Procedures for O-H Operation	362-320-515	1	Program Reversing Channel Unit (J98703Y) — Tests and Adjustments
362-210 Tests and Adjustments — General			Add 362-320-516	1	
362-210-501	2	Heater Supply Voltage Adjustment and Electron Tube Tests	362-320-516	1	Schedules A and B (5 kHz) — N Carrier Program Terminal (J99333) — Initial Lineup and Maintenance
362-210-502	1	Power Transfer and Alarm Tests — Ventilating Fan Tests	362-330 Summary Charts — Lineup and Maintenance — N1 Carrier		
362-210-503	2	Summary Charts — Lineup, Maintenance, and Troubleshooting	362-330-501	4	Message Channel Unit (J98703F) and (J98703FA)
362-215 Carrier Lineup			362-330-502	5	Channel Unit Without Signaling (J98703AP)
362-215-501	1	OB, OC, and OD Repeaters	362-330-503	5	Thru Channel Unit (J98703AH)
362-215-502	1	OB, OC, and OD Repeaters — Oscillator Frequency Measurement	362-330-504	5	Special Services Channel Unit (J98703AM)
362-215-505	1	OA Repeater	362-330-505	5	Schedule C and D Program Channel Unit (J98703TA)
362-3 TYPE N1, O, AND ON CARRIER TELEPHONE SYSTEMS — OVER-ALL CHANNEL LINEUP			362-330-506	5	Schedule A and B Program Channel Unit (J98703W)
362-305 Transmission and Signaling			362-330-507	3	Amplas Channel Unit Without Signaling (J98703BP)
362-305-501	5	Expander Output	362-335 Summary Charts — Lineup and Maintenance — O and ON Carrier		
362-305-510	7	Channel Noise Measurement	362-335-501	7	Message Channel Unit
362-305-512	5	Channel Net Gain and Expander Output Check	362-335-502	5	Channel Unit Without Signaling (J98705AS)
362-305-515	6	Signaling Receiver and Overall Pulsing Tests	362-335-503	5	Thru Channel Unit (J98705AF)
362-310 Thru Channel Unit			362-335-504	5	Special Services Channel Unit (J98705AP)
362-310-501	5	1000-Hz and 3700-Hz Output	362-335-505	3	Schedule C and D Program Channel (J98705AT)
362-315 Special Service Channel Unit			362-340 Carrier Group Alarm Circuits		
362-315-501	5	Transmitting Section	362-340-100	3	Type N2 Carrier System — Carrier Group Alarm Unit and Carrier Group Alarm Signal Receiver Unit — Description
362-315-502	5	Receiving Section	362-340-501	2	J99272AR Signal Receiver — Out-of-Service Tests Using Testing Circuit SD-96519-01
362-320 Program Channel Units			362-345-100	3	Type N2 Carrier System — Carrier Group Alarm and E-Signaling — Connecting Panel for Packaged N2 Terminals — Description
Add 362-320-110	1		362-345-101	1	Trunk Release and Make-Busy Circuit and E-Type Signaling Connectors (J99285AP) — Description
362-320-110	1	5-kHz Program Terminal — Description	362-4 N AND ON REPEATERS — REPEATERED HIGH-FREQUENCY LINES		
362-320-501	4	Schedule C and D Program Channels (J98705AT) — Channel Line-Up and Equalization	362-400 Type N1 and ON Carrier Repeaters — Repeatered 362-420 High-Frequency Line		
362-320-504	2	Over-all Channel Line Up — Type N Carrier — Schedule C and D Program Channel Unit Voice Frequency Tests and Adjustments	362-400 General Information		
362-320-505	2	Schedule C and D Program Channel Unit (J98703TA) — Equalizer Adjustment and Over-all Transmission Frequency Characteristics	Add 362-400-100	1	
362-320-510	4	Schedule A and B Program Channel Unit (J98703W) — Carrier Output, Adjustment, and Carrier Leak Test	362-400-100	4	Description — Type N1 and N1-H Repeaters
362-320-511	1	Schedule A and B Program Channel Unit (J98703W) — Channel Net Loss Measurement and Transmission Frequency Tests	Add 362-400-120	1	
			362-400-120	3	Description — Type N1A Low-High Transistorized Repeater — J98703MB

SECTION 362-000-000

Section Number	Issue	Subject
362-400-121	3	Description — Type N1A High-Low Transistorized Repeater — J98703LB
362-400-300	2	Initial Lineup and Maintenance Tests
Add 362-400-510	1	
362-400-510	6	Methods of Computing Slope, Bulge, Cubic, and Quartic Distortion
362-400-511	1	Equalizing Slope, Bulge, Cubic, and Quartic Deviations — General

362-401 Noise Measurements

362-401-501	2	Message and Impulse — at Carrier Frequency
-------------	---	--

362-405 Preliminary Tests

362-405-501	5	Check of Local Cabling, Span Pads, Equalizers, and Noise Control Units
Add 362-405-502	1	
362-405-502	4	Adjustment of Power Supply and Sealing Current — Check of Line Current and Fuse Alarm
362-405-503	3	Electron Tube Repeater Supply Points — DC Line Voltage Measurements
362-405-510	1	Modification Procedure for List 1 of J98706 C, D, E, F, CA, DA, EA, FA, J, and K — ON Repeaters
362-405-511	3	Modification Procedure for N1-H and ON-H Operation
362-405-516	2	Transistorized Repeater Points — Check of Voltage Polarity, Current and Sealing Current Provisions

362-410 Repeater Tests

362-410-501	5	Electron Tube Repeaters — Heater and DC Regulator Measurements
362-410-502	3	Electron Tube Repeaters — Electron Tube Cathode Activity Measurements
362-410-503	3	304-kHz Oscillator Frequency Measurements
362-410-511	4	N1-H and ON-H Maintenance and Troubleshooting Procedures
362-410-515	5	N1A Transistorized Repeaters — DC Power Tests
362-410-516	4	Transistorized Repeaters N1A — Transistor Emitter Current and Thermistor Heater Current Test

362-415 Carrier Lineup — High-Frequency Line Measurements

362-415-501	7	Total Carrier Power Output J98703 and J98706 Repeaters
Add 362-415-502	1	
362-415-502	9	N1, N1-H ON, and ON-H Repeaters — Measurement of Slope, Bulge, Cubic, and Quartic Distortion — Carrier Leak Test
362-415-503	1	Equalization of Individual Carriers at the Output of the Repeater

Section Number	Issue	Subject
362-415-504	1	Deviation Equalizer Loss
362-415-505	2	Adjustable Deviation Equalizer Line-Up
362-415-509	2	Adjustable Deviation Equalizer Line-Up Using N-Line Deviation Test Set
362-415-511	2	Repeated High-Frequency Line Sectionalizing Procedure for Investigating Frequency Drift
362-415-515	4	N1A Repeaters — Measurement of Slope, Bulge, Cubic, and Quartic Distortion — Carrier Leak Test

362-420 Repeater Switching and Looping

362-420-501	7	Method of Switching N1, N1-H, ON, and ON-H Repeaters and N2 Repeaters in N2/N1 Adapters With the J94002M Repeater Switching Set
Add 362-420-502	1	
362-420-502	3	Looping of Individual Repeated Sections
362-420-515	3	Method of Switching N1A Repeaters and N2 Repeaters in N2/N1A Adapters With the J98703BD Repeater Switching Set

362-425 Equivalent 4-Wire N Carrier

362-425-100	1	Directional Filter and Phase Equalizer Circuit Description
362-425-501	1	Directional Filter and Phase Equalizer Circuit — Installation and Maintenance

362-430 Type 240 Amplifier

362-430-100	2	240-Type Flat-Gain Amplifiers and Associated Networks — Description
362-430-501	3	Type 240 Amplifier — Installation and Maintenance

362-440 Line Build-Out and Cross-Connecting Equipment

362-440-100	2	J99323 — Description
362-440-101	1	ED-97031, ED-97032, ED-97033 — Description
362-440-102	1	ED-3C223-30 and ED-3C224-30 — Description
362-440-501	2	Check of Shield and Sheath Continuity and Grounding
362-440-502	1	Check of Fuse Alarms
362-440-503	3	J99323 — Check of Local Cabling, Span Pads, and Equalizers
362-440-504	2	Repeater Power Supply Point — Adjustment of Power Supply and Sealing Current for Line Powering of N1, N1A, and N2 Repeaters With or Without 240-Type Amplifiers
362-440-505	1	ED-97031, ED-97032, ED-97033 — Check of Local Cabling, Span Pads, and Equalizers

Section Number	Issue	Subject	Section Number	Issue	Subject
362-450) Type N2 Carrier Repeaters — Repeatered High-Frequency Line			362-501-503 1 Check of Fuse Alarm Operation		
Add 362-450-100	1		362-502 Out-of-Service Line-Up Procedures — Method A or B		
362-450-100	2	General Information	362-502-501	2	Check and Adjustment of Individual Carrier Gain
362-450-101	1	Low-High Transistorized Repeater — Description	362-502-502	2	Check of Deviation Regulator Range
362-450-102	1	High-Low Transistorized Repeater — Description	362-503 In-Service Line-Up Procedures		
362-450-103	2	Regulated Power Supply — Constant-Current Regulator Circuit — Description	362-503-501	1	Method A and Method B
362-450-300	1	Initial Line-Up and Maintenance Tests — General Information	362-504 Removing Units From Service		
362-450-500	1	Maintenance Considerations	362-504-501	1	Switching a Deviation Regulator
362-451-100	3	N2 Repeater-to-N1 and N1A Adapters — Description	362-504-502	1	Bypassing a Deviation Regulator
362-451-502	2	N2 Repeater-to-N1 and -N1A Adapters — Initial Adjustments	362-504-503	1	Removing a Control Unit from Service
Add 362-455-501	1		362-504-504	1	Bypassing a Faulty Network Thermistor
362-455-501	2	Repeater Power Supply Point — Adjustment of Line Powering Provisions — Check of Fuse Alarms	362-505 Electron Tube Cathode Activity Tests		
362-455-502	3	Preliminary Tests — Repeater Power Provisions — Check of Voltage Polarity	362-505-501	2	Amplifier and Control Circuit Units
Add 362-460-501	1		362-506 Maintenance Tests and Adjustments		
362-460-501	6	Repeater DC Voltage Measurements and 60-Hz Inductive Interference Tests	362-506-501	1	Measurement of Total Carrier Power Output
Add 362-465-501	1		362-506-502	1	Check of Carrier Output Characteristics
362-465-501	2	Carrier Lineup — High-Frequency Line Measurements — Total Repeater Output Carrier Power	362-506-503	1	Check of Network Regulating Circuit
362-465-503	2	Repeater Tests — 304-kHz Oscillator Frequency Measurements	362-506-504	2	Out-of-Service Tests
Add 362-465-504	1		362-506-505	1	Check for Defective Shape Network
362-465-504	5	Check of Span Pad and Measurement of Slope, Bulge, Cubic, and Quartic Distortion	362-510 Adjustable Deviation Equalizer		
Add 362-465-505	1		362-510-100	2	Description
362-465-505	1	Equalizing Slope, Bulge, Cubic, and Quartic Deviations — General	362-510-501	2	Maintenance
362-470-501	3	N2 Repeater Switching With J99321S N2 Repeater Switching Set	362-6 TYPE ON/K CARRIER — REPEATERED HIGH-FREQUENCY LINE		
362-470-502	2	Looping of Individual Repeatered Sections	362-600 General Information		
362-5 TYPE N AND ON2 CARRIER — DEVIATION REGULATOR AND ADJUSTABLE DEVIATION EQUALIZER			362-600-100	1	General Description
362-500 General Information			362-600-500	2	Tests and Adjustments — Maintenance Considerations
362-500-500	3	Maintenance Considerations	362-600-501	2	Determination of Slope on Carrier Line
362-501 Preliminary Tests			362-605 Preliminary Tests		
362-501-501	1	Check of Local Cabling, Span Pads and Artificial Line Sections	362-605-501	1	Preparation and Placement of Terminal, Repeater and Junction Equipment
362-501-502	1	Check of Plate Supply and Adjustment of Heater Voltages	362-610 Tests and Adjustments — General		
			362-610-501	2	Heater Voltage Adjustment
			362-610-505	1	Tube Tests
			362-615 Carrier Line-Up		
			362-615-300	2	Type ON/K Carrier — Repeatered High-Frequency Line — Initial Lineup Tests

SECTION 362-000-000

Section Number	Issue	Subject
----------------	-------	---------

362-615-501	2	Terminals — Repeaters — Junctions
-------------	---	-----------------------------------

362-615-505	1	Adjustable Deviation Equalizer
-------------	---	--------------------------------

362-620 Amplifier Switching

362-620-501	1	Method of Switching ON/K Amplifier
-------------	---	------------------------------------

362-7 ON/RADIO SYSTEM — RADIO MULTIPLEX POINTS

362-700 Carrier Line-Up — 48 Channel Combining Units

362-700-501	2	Preparatory Procedures — DC Resistance Measurements
-------------	---	---

362-700-505	2	Measurement of Individual Carrier and Total Power
-------------	---	---

362-705 Carrier Lineup — 96 Channel Combining Units

362-705-100	1	Multiplexing Circuits for Use With Radio Systems — Description
-------------	---	--

362-705-501	3	DC Tests and Adjustments — Placement of Plug-in Units and Tube Tests
-------------	---	--

362-705-505	2	Lineup Measurements
-------------	---	---------------------

362-710-100	2	Combining and Multiplex Circuits for Use With TL Radio
-------------	---	--

362-8 N2 CARRIER TELEPHONE SYSTEM

362-800 Overall System

362-800-010	1	Analysis of N2 Carrier Trouble Reports — Form E-4962
-------------	---	--

362-800-100	5	Description
-------------	---	-------------

362-800-300	1	Initial Line-Up and Maintenance Tests
-------------	---	---------------------------------------

362-800-505	3	Message and Schedule C and D Program Channels — Channel Net Gain and Frequency Response
-------------	---	---

Add 362-800-506	1	
-----------------	---	--

362-800-506	3	Channel Noise Measurement and Maintenance Requirements
-------------	---	--

362-800-508	1	Data Transmission Parameter Requirements
-------------	---	--

362-800-510	3	Voice-Frequency Amplifier J99272BD, J99272AA, and J99272BA — Through-Channel Connector and Pad Unit J99272CA — Transmitting and Receiving
-------------	---	---

362-801 Terminal Equipment — General

362-801-100	6	J99272 Carrier Terminal Equipment — Nonpackaged Bays and Plug-In Units — General Description
-------------	---	--

362-801-101	2	Packaged N2 Terminal Frames (J99285) — Description
-------------	---	--

Add 362-801-102	1	
-----------------	---	--

362-801-102	1	J99272(1) Carrier Terminal Equipment for Use With F-Type Signaling — Description
-------------	---	--

Section Number	Issue	Subject
----------------	-------	---------

362-801-300	3	Initial Lineup and Maintenance Tests
-------------	---	--------------------------------------

362-801-500	4	Maintenance Considerations
-------------	---	----------------------------

362-801-501	3	Test Summary Charts
-------------	---	---------------------

362-802 Power Supply Unit

362-802-100	3	Power Supply Unit J87216A and J87216C — Description
-------------	---	---

362-802-501	4	Power Supply Units J87216A and J87216C — Tests and Adjustments
-------------	---	--

362-802-510	2	Power Supply Units J87216A and J87216C — Switching
-------------	---	--

362-803 Alarm Unit

362-803-100	4	J99272BI Alarm Unit — Description
-------------	---	-----------------------------------

362-803-110	3	Alarm and Restoral Unit for N2 Terminals — Description
-------------	---	--

362-803-501	3	(J99272LI) — Electrical Tests and Adjustments
-------------	---	---

362-803-502	2	Check of Alarm Operation
-------------	---	--------------------------

Add 362-803-510	2	
-----------------	---	--

362-803-510	2	Packaged Terminal Equipment (J99285) — Check of Alarm Operation
-------------	---	---

362-803-511	2	J99272AW Alarm and Restoral Unit — Electrical Tests and Adjustments
-------------	---	---

362-804 Line Terminating Unit

362-804-100	4	J99272M, BM, and BW — Description
-------------	---	-----------------------------------

362-804-501	4	J99272M, BM, BW — Check of Local Cabling, Span Pads, and Slope Equalizers
-------------	---	---

362-804-502	4	(J99272M and J99272BM) — Adjustment of Repeater Power Supply With or Without 240-Type Amplifiers and Sealing Current Over Cable
-------------	---	---

362-804-503	4	(J99272M and J99272BM) — Check of Line Current
-------------	---	--

362-804-504	3	J99272BW — Adjustment of Repeater Power Supply
-------------	---	--

362-805 Group Transmitting and Receiving Units

362-805-100	2	Description
-------------	---	-------------

362-805-501	3	Total Carrier Power Output — Transmitting
-------------	---	---

362-805-502	6	Group Transmitting Unit — Measurement of Slope, Bulge, Cubic, and Quartic Distortion
-------------	---	--

362-805-503	4	Total Carrier Power Input and Output — Receiving
-------------	---	--

362-805-504	6	Group Receiving Unit — Measurement of Slope, Bulge, Cubic, and Quartic Distortion
-------------	---	---

362-805-505	3	Transistor Emitter Current Test
-------------	---	---------------------------------

Section Number	Issue	Subject	Section Number	Issue	Subject
Add 362-805-510	1		362-900-508	1	Data Transmission Parameter Requirements
362-805-510	3	Switching			
362-806 Channel Modem Unit			362-901 Carrier-Frequency Supply		
Add 362-806-100	1		Add 362-901-100	2	
362-806-100	5	Description	362-901-100	3	Description
362-806-501	5	Message and Schedule C and D Program — Transmitting and Receiving Carrier Power Tests	362-902 Terminal Equipment — General		
362-806-502	3	Voice-Frequency Input and Output Tests	362-902-100	4	Description
362-807 Compander Unit			362-903 Power Supply Unit		
Add 362-807-100	1		362-903-100	1	Power Supply Unit — Description
362-807-100	3	Description	362-904 Line Terminating Unit		
362-808 VF Amplifier Unit			362-904-100	3	Line Terminating Units J99300AL and J99300AT — Description
362-808-100	3	Description	362-905 Group Transmitter and Receiver Units		
362-811 N2WM1 Wideband Modem			362-905-100	1	Description
362-811-100	1	N2WM1 Wideband Modem — (10 to 51 KC) — Description	362-906 Channel Group Modem Unit		
362-811-501	1	N2WM1 Wideband Modem — (10 to 51 KC) — Initial Line-Up Procedure	362-906-100	1	Description
362-811-502	1	N2WM1 Wideband Modem — (10 to 51 KC) — Maintenance Tests	362-907 Frequency Correction Unit		
362-811-510	1	Transmitting and Receiving Wideband Modem Unit Switching	362-907-100	2	Description
362-812 Wideband Terminals			362-907-101	4	(J99300AS) — Description
Add 362-812-000	1		362-908 Alarm Unit		
362-812-000	1	X114A/X103 Wideband Terminal (0.1 to 40 KC) — Description, Alignment, and Tests	362-908-100	3	Alarm and Restoral Unit — J99300AK — De- scription
362-812-100	1	N2WT-1 Wideband Terminal Equipped with N2WM-1 or N2WM-2 Wideband Modem — Description	362-909 Double-Channel Regulator Unit		
362-812-501	1	N2WT-1 Wideband Terminal — N2WM-1 Wideband Modem (10 to 51 kHz) — Initial Line-up Procedure	362-909-100	5	J99300AC and J99300CA — Description
362-812-502	2	N2 Carrier Telephone System — N2WT-1 Wideband Terminal — N2WT-1 Wideband Modem (10 to 51 kHz) — Maintenance Tests	362-910 Channel Modem Unit		
362-812-503	2	N2WT-1 Wideband Terminal — N2WM-2 Wideband Modem (0.1 to 37.5 kHz) — Initial Lineup Procedure	362-910-100	2	J99300AB and J99300AY — Description
Add 362-812-504	1		362-911 Channel Compander Unit		
362-812-504	2	N2WT-1 Wideband Terminal — N2WN-2 Wideband Modem (0.1 to 37.5 kHz) — Main- tenance Tests	Add 362-911-100	1	
362-9 N3 AND N4 CARRIER TELEPHONE SYSTEM — TERMINAL EQUIP- MENT			362-911-100	1	Description
362-900) N3 Carrier Telephone System — Overall System 362-915)			362-912 VF Amplifier Unit		
362-900-100	4	Description	362-912-100	3	J99272CA Through-Channel Connector and Pad Unit — Description
			362-915 Secondary Carrier Distribution		
			362-915-100	1	Description
			362-915-101	1	Plug-In Secondary Carrier Distribution Circuit — Description
			362-920) N3-L Junction 362-927)		
			362-920 Overall System		
			362-920-100	3	Description

SECTION 362-000-000

Section Number	Issue	Subject
362-921-100	2	Equipment Description
362-922 Modulators		
Description		
362-922-100	1	J99331AA Type A N3-L
362-922-101	1	J99331AB Type A L-N3
362-922-102	1	J99331BA/BB Type B N3-L/L-N3
Tests		
362-923 Carrier-Enhancement and Reduction Units		
Description		
362-923-100	2	Carrier-Enhancement Unit — J99331AC
362-923-101	2	J99331AE/AG Carrier Reduction Unit
Tests		
362-924 J99331AF Carrier Distribution Amplifier		
362-924-100	1	Description
362-925 J99331BC Low-Level Regulator		
362-925-100	1	Description
362-926 Alarm Units		
Description		
362-926-100	2	Type A Alarm, Squelch, and Restoral Unit — J99331AD, L2

Section Number	Issue	Subject
362-926-101	1	J99331BD Type B Auxiliary Alarm Unit
362-927 Channel Group 2 Loop Unit		
362-927-100	1	J99331AH — Description
362-930) N4 Carrier Telephone System		
362-950)		
362-930 Overall System		
362-930-100	1	Description
362-940 Terminal Description		
362-940-100	1	Equipment
362-940-101	1	Type N4 Carrier Telephone System — Double Channel Modem Unit — Description
362-950 Carrier Supply		
362-950-100	1	Description
362-971 Task Oriented Practice (TOP) — Plant		
Add 362-971-000	1	
▲ ♠ 362-971-000	2	N3 Carrier System — N3 Terminal
▲ ♠ 362-971-001	1	N3 Carrier System — N3/L Junctions — Routine, Acceptance, and Circuit Order
▲ ♠ 362-971-002	1	N3 Carrier System — Carrier Frequency Supply
▲ ♠ 362-971-003	1	N3 Carrier System — N3/L Junctions — Trouble Analysis