

TELEPHONE SETS

D-173487, 302E, F, G, H, AA, AND AC, 303 TYPE, 304 TYPE,
305E, F, G, AND H, 306A, B, C, D, AND G, 307 TYPE AND 309 TYPE
CONNECTIONS

This index lists the information that forms a part of, or supplements this specification, and indicates the authorized issues thereof.

[illegible]

c—Information in accordance with that currently authorized.


1. GENERAL

- 1.01 This specification replaces BSP Sections D353.301, D353.302, D353.303, D353.304, D353.305, and D-353.306 and BSRS-353.307 and BSRS-353.308. Changes made in the process of this replacement were sufficiently extensive to preclude the use of marginal arrows. However, future revisions of pages of this specification will be so indicated.
- 1.02 This specification covers the connections for the telephone sets indicated in 2.01.

2. CONNECTIONS

- 2.01 The connections information for the telephone sets listed below shall be as shown on the drawings indicated:

Telephone Set	Drawing
302E, F, G, H, & D-173487	BL-207521
302AA & AC	LA-775093
303 type	BL-207515
304 type	ESL-739913
305E, F, G, H,	BL-205756
306A, B, C, D,	ESL-780217
306G	BL-215650
307A, B, C, D	ESL-780524
307E, F, G, H	ESL-780525
309 type	BL-214623



Note: If filter is not provided connect brown-yellow lead from the switch contacts to Y of dial instead of to filter bracket terminal. Terminals Y-BK, SR and W-BB are on the manual set apparatus blank.

LA-

BL-205756
A-
ISSUE

PRINTED IN U. S. A.

ISSUE:1 1-11-46
CONN. FROM KEY WAS
NOT SHOWN MADE TO L1
HMH 616
ISSUE:2 5-14-46
CONN. FROM KEY TO
GND. WAS SHOWN TO L1.
PL.P.
ISSUE:3 7-5-46
"B.S.P. D353.303" WAS
SPEC. IN THE TITLE.
RHD
ISSUE:4 3-21-55

B.S.P. D353.303

USED ON

DWG.

●-DENOTES MANUFACTURE
DISCONTINUED

305 TYPE
TEL. SET CONNECTIONS

DRAWN
CHECKED
SCALE ~
APPROVED

WESTERN ELECTRIC CO.
INC.
ENGINEER OF MANUFACTURE

LA-


L

APPLS
HMH 616
CH 616
ENG JMM

BELL TELEPHONE
LABORATORIES, INC.
NEW YORK

BL-205756

LA-11




NOTE: IF FILTER IS NOT PROVIDED CONNECT BROWN-YELLOW LEAD FROM THE SWITCH-CONTACTS TO Y OF DIAL INSTEAD OF TO FILTER BRACKET TERMINAL.
TERMINALS Y-BK SR AND W-BB ARE ON THE MANUAL SET APPARATUS BLANK.

303 A,B,C AND D TELEPHONE SETS - CONNECTIONS

BL-207515 A	
ISSUE	
B.S.P. D 353.306	
USED ON	DWG.
● DENOTES MANUFACTURE DISCONTINUED	■ DENOTES MANUFACTURE LIMITED
303 TYPE TELEPHONE SET	
CONNECTION DIAGRAM	
SCALE ~	
DRAWN	APPROVED
CHECKED	
WESTERN ELECTRIC CO. INC.	
ENGINEER OF MANUFACTURE	
LA-	
L	

ISSUE 1	
B.S.P. D 353.306 WAS IN THE TITLE IN CONN. DIAGRAM "CAPACITOR CAN" WAS "CONDENSER CAN" FIG. VV3 TITLED "FIG 1."	
RND	912
ISSUE 2 3-21-55	
APPL'S	
DR. J. M. HONEY	
BELL TELEPHONE LABORATORIES, INC. NEW YORK	
BL-207515	
LA-	

LA-




Note: If filter is not provided connect brown-yellow lead from the switch contacts to Y of dial instead of to filter bracket terminal. Terminals Y-BK,SR and W-BB are on the manual set apparatus blank.


★ 9600 1550E:1 5-25-46 BL-207521 ~ m. d. jolly

D-173487
302E, 302F, 302G, & 302H TEL SETS

LA-



- Note 1 If filter is not provided connect brown yellow lead from switch contacts to Y of dial instead of to filter bracket terminal. Terminals Y-BK, SR and W-BB are on the manual set apparatus blank.
- Note 2 On six conductor mounting cord, insulate the cord tip of the unused conductor with WLP Perma Grip Adhesive Dull Litho Coated Paper, or approved equivalent, and store conductor so as not to interfere with moving parts of the set.




DIMENSIONS UP TO AND INCLUDING 7 1/2 INCHES EXPRESSED IN INCHES

L	LA-	WESTERN ELECTRIC CO. INC. ENGINEER OF MANUFACTURE	SCALE	DRAWN	CHECKED	309 TYPE TEL. SET CONNECTIONS	USED ON	DWG.	● DENOTES MANUFACTURE DISCONTINUED	■ DENOTES MANUFACTURE LIMITED


APPLS	CH.	DR. SCHUMPF	ENG. AMOLEY
BELL TELEPHONE LABORATORIES, INC. NEW YORK	BL-214623	LA-	#

ISSUE 1	8-5-48	COIL SYMBOLS CHANGED
ISSUE 2	4-21-49	WAS "SAC"
ISSUE 3	6-13-52	IN TITLE "SAC" CHG. 418"
ISSUE 4	3-16-54	WAS "SAC"
ISSUE 5	10/5/59	WAS "SAC"

LINE 101




Note:
Terminals Y-BK, SR and W-BB
are on the apparatus blank.



306 G TELEPHONE SET CONNECTIONS

ISSUE 1	2-23-49
TCV	
SCO	
ISSUE 2	8-11-52
IN TITLE "SEC. C. 63.417"	
FIG. 2 - WAS SPEC	
CTG. H	GER
ISSUE 3	3-16-54
NAK	

BL-215650
Issue 1 - 2-23-49




Downloaded from TCI Library: <http://www.telephonecollectors.info> - Source: Connections Museum, Seattle, WA

DIMENSIONS UP TO AND INCLUDING 72 INCHES EXPRESSED IN INCHES

1

LA-



Note: If filter is not provided connect brown-yellow lead from the switch contacts to Y of dial instead of to filter bracket terminal. Terminals Y-BK, SR and W-BB are on the manual set apparatus blank.

LA-

ESL-780217 A-
ISSUE

PRINTED IN U. S. A.

ISSUE 1
TITLE WAS 306 TEL.
SET B.S.P. C63.4M.
RHD 9/8
ISSUE 2 3-2-55 WRL

B.S.P. C63.4M

USED ON DWG.

●-DENOTES MANUFACTURE
DISCONTINUED

306A,B,C,&D
TEL. SET
CONNECTIONS

SCALE
DRAWN APPROVED
CHECKED

WESTERN ELECTRIC CO.
INC.
ENGINEER OF MANUFACTURE

LA-


L

APP'LS
DR. RBB CH. ENG. WLB.

BELL TELEPHONE
LABORATORIES, INC.
NEW YORK

ESL-780217

LA-



Note 1: If filter is not provided connect brown-yellow lead from switch contacts to "Y" of dial instead of to filter terminal bracket. Terminals Y-BK, SR and W-BB are on the manual set apparatus blank.

Note 2: On six conductor mounting cord, insulate the cord tip of the unused conductor with WLP Perma Grip Adhesive Dull Litho Coated Paper, or approved equivalent, and store conductor so as not to interfere with moving parts of the set.

LA-

ESL-780524 A-
ISSUE

ISSUE 1 7-7-91
THE RED-GREEN
LEAD BETWEEN THE
RG TERMINAL AND
THE 2 MF CONDENSER
WAS GREEN. THE
RED-GREEN LEAD
BETWEEN THE RG
TERMINAL AND THE
SWITCH WAS RED.

R.B.R. 4 X

ISSUE 2 7-25-91 NAK

"B.S.P. C63.415" WAS
SPEC. IN THE TITLE.

RHD JHE

ISSUE 3 3-21-55 NAK

ADDED - NOTE 2 AND
ASSOCIATED REFERENCE

307A, B, C & D

ISSUE 4 10/5/59

B.S.P. C63.415

USED ON DWG.

●-DENOTES MANUFACTURE
DISCONTINUED

307A, B, C & D
TEL. SET CONNECTIONS

DRAWN SCALE APPROVED
CHECKED

WESTERN ELECTRIC CO.
INC.
ENGINEER OF MANUFACTURE

LA-


L

APPL'S
DR. M.C.M. CH. W.L.B.

BELL TELEPHONE
LABORATORIES, INC.
NEW YORK

ESL-780524

LA-



Note:1 If filter is not provided connect brown yellow lead from switch contacts to Y of dial instead of to filter terminal bracket. Terminals Y-BK, SR and W-BB are on the manual set apparatus blank.

Note:2 On six conductor mounting cord, insulate the cord tip of the unused conductor with WLP Perma Grip Adhesive Dull Litho Coated Paper, or approved equivalent and store conductor so as not to interfere with moving parts of the set.

ESL-780525 A-

B.S.P. C-63.415

USED ON DWG.

●-DENOTES MANUFACTURE DISCONTINUED

307 E, F, G & H
TEL. SET CONNECTIONS

SCALE ~

DRAWN APPROVED

CHECKED

WESTERN ELECTRIC CO.
INC.
ENGINEER OF MANUFACTURE

LA-

L

ISSUE 1 7-7-41
THE RED-GREEN LEAD BETWEEN THE RG TERMINAL AND THE 2 MF CONDENSER WAS GREEN. THE RED-GREEN LEAD BETWEEN THE RG TERMINAL AND THE SWITCH WAS RED.

ISSUE 2 7-25-47

B.S.P. C-63.415 WAS SPEC. IN THE TITLE.

ISSUE 3 3-21-55

ADDED-NOTE 2 AND ASSOCIATED REFERENCE

ISSUE 4 10/5/59

APPL'S

DR. M.G.M. CH. W. Lab.

BELL TELEPHONE
LABORATORIES, INC.
NEW YORK

ESL-780525

LA-

LA-

