
## **COIN TELEPHONES & ACCESSORIES**

	Pa	ge
COIN TELEPHONES	. <b>2,</b>	3
CONVERSION KITS		6
COIN TELEPHONE ACCESSORIES		
Handset Weights		6
Test Cords		6
Type 1-BA Over-Sized Card Holders		6
Benner-Nawman Cover Guards		5
Receptacle Carrying Cases		5
Lead Seals and Tools		5
Wood Backboards		6
Panel Enclosures		4
Popper Coin Gage Guards		6
Type 61A Test Sets		4
Self-Locking Coin Receptacles		5
Brackets		4
Replacement Direction Cards and Plastic Windows		5
Ground Clips		5
DIRECTORY SHELVES, HANGERS, BINDERS	. 4,	7
SIGNS		
Illuminated		
TELEPHONE BOOTHS	, 1	2
TELEPHONE ROOTH ACCESSORIES		٩

### **GII AUTOMATIC ELECTRIC**

NORTHLAKE, ILLINOIS 60164 / TELEPHONE (312) 562-7100

Printed in U.S.A. • Catalog 11,000 • 11M



#### SINGLE-SLOT COIN TELEPHONES

Single-slot coin telephones can help operating companies effect important reductions in vandalism, theft and fraud.

They are built extra-rugged and secure, so they're not easy to damage or break into. Hardened steel at critical points discourages drilling. Tongue-and-groove joints between the upper and lower housings resist prying.

Single-slot coin telephones offer new flexibility. Rate revisions and conversion from prepay to semi-postpay require only simple changes in strapping. Telephone is supplied with strapping in the prepay position. When the central office is properly equipped, emergency calling can be provided by a strapping change in the telephone. Field conversion from rotary dial to Touch Calling requires only a change of the upper housing and takes only minutes.

The coin slot accepts U.S. nickles, dimes and quarters. (A Canadian version accepts Canadian coinage.)

A six-foot, plug-ended test cord is available. It enables an installer or repairman to check the operation of the coin telephone while the upper housing is removed. The test cord provides the electrical connection required between a plug in the upper housing and a socket in the lower housing.

High security locks are used on both upper and lower housings. The proper key and a T-shaped tool are required to remove either the upper housing or the vault door.

#### LOOK AT ALL THESE OUTSTANDING FEATURES

- High-security, all-steel housing and extra-heavy vault door have tongue-and-groove construction to resist prying.
- Critical security areas, such as the rim around the cash vault door, are protected by hardened steel liners which discourage drilling.
- Secure latching mechanism and locks for the upper housing and vault door.
- Protected coin chute prevents stuffing. Opening coin return door blocks access to chute.
- Optional switch assemblies connect to telephone company alarm system.
- Rejector mechanism sorts coins internally. Tests coins for size, weight, perforation (such as in a washer), and elasticity.
- Telephone will operate whether coin battery is applied to one side of the line or both sides.
- Electronic totalizer adds value of coins deposited and stores
  total

#### HOW TO ORDER AND PRICE SINGLE-SLOT COIN TELEPHONES

Step No.			Price
<b>1</b> Type of Coin Operation	Prepay (convertible to semi-postpay by strapping)	ND-120	\$268.30
<b>2</b> Color	Black with black handset Beige with beige handset Chrome with black handset	00 10 51	Included Included \$32.25
3 Coinage	US Canadian	0 1	Included Included
4 Dial or Touch Calling	Rotary Dial, alpha-numeric	C	Included \$16.60
<b>5</b> Ringer	Straight-line Ringer with volume-adjustment wheel	SA	Included

#### **EXAMPLE**

Step No.	Description	Ordering No.		Price
1	Select type of coin operation	ND-120	(only option)	\$268.30
2	Choose color	51	(chrome)	32.25
3	Determine coinage required	0	(US)	included
4	Select dial or Touch Calling pad	C	(dial)	Included
5	Add ringer suffix	SA	(only option)	Included
	Complete Ordering Number:	Tot	al Price:	
	ND-120510-CSA	\$	300.55	

#### REQUIRED ADDITIONAL EQUIPMENT

Ordering No.	Description	Price Each
	HD-580040-BJ Upper Housing Lock <sup>1</sup>	\$8.40
	HD-580027-BJ Key for Upper Housing Lock <sup>1</sup>	.66
425659	HD-580023-A Lower Housing Lock and Keys <sup>2</sup>	11.00
579246	HD-580044-A T-shaped Wrench <sup>3</sup>	.83
42676 <b>1</b> 426763	Coin Receptacles <sup>4</sup> P-70304 Standard Model  HD-480019-A Large Model	6.10 7.10

#### Notes:

- One key fits all upper housing locks. Order as many keys as required. No one can enter vault from upper housing.
- <sup>2</sup> Lower housing lock is supplied with two keys, stamped with the same serial number, and shipped separately from the telephone. Please indicate where, and to whom, keys and locks should be shipped.
- <sup>3</sup> Needed to remove upper housing and vault door.
- <sup>4</sup> Specify whether standard or large coin receptacle is desired. Large model has 50% more capacity, and requires removal of false floor from vault.

#### OPTIONAL EQUIPMENT

Ordering No.	Description	Price Each
557487	HD-190003-A Security Stud <sup>1</sup>	\$ .50
572467	HD-540024-A Plug-ended Test Cord <sup>2</sup>	11.85
428059	Alarm Switch Assemblies³ HD-720001-A for upper housing	2.50
428058	HD-720002-A for vault door	2.50
550423	HD-470004-C Backboard <sup>4</sup>	5.62
578911	HD-500005-A Lock Mounting Tool <sup>5</sup>	1.50
	HD-480022-A Touch Calling Upper Housing Assembly, black <sup>6</sup>	83.85
	HD-480022-B Touch Calling Upper Housing Assembly, beige <sup>6</sup>	83.85
	HD-480022-S Touch Calling Upper Housing Assembly, chrome <sup>6</sup>	95.30
	HH-880035-A Directory Hanger Bracket Kit	1.15
5-578889	Pin Extractor Tool <sup>7</sup>	.88

#### Notes:

S

Security stud aids in mounting telephone in booth, or to backboard. Order four studs per telephone.

<sup>2</sup>Six-foot cord permits testing telephone when upper housing is removed.

<sup>3</sup>Switch assemblies connect to telephone company alarm system. Activated by unauthorized removal of upper housing or vault door.


<sup>4</sup>Backboard is used to mount the telephone to a wall. Also needed for security mounting in booths not designed for accommodating WE1A1 coin telephone.

<sup>5</sup>Simplifies mounting of vault lock.

<sup>6</sup>For field conversion of rotary dial telephone to Touch Calling operation.

<sup>7</sup>Used to make strapping changes on printed wiring card.

# PANEL ENCLOSURES FOR SINGLE-SLOT COIN TELEPHONES



Single-Slot Coin Telephone installed in panel enclosure

Stainless steel panel enclosure fits over single-slot coin telephone to permit attractive flush or surface mounting in prestige locations.

Anti-vandalism features include tongue-and-groove joints between panel door and frame to prevent prying, plus substantial, continuous door hinge. Heavy sliding bar latches door securely to frame at four points. Sliding bar is actuated by the same T-shaped tool used for upper housing and vault door locks on the single-slot coin telephone. Provisions are made for addition of a lock to secure the sliding bar in the latched position. Lock is the same one used as upper housing lock of the single-slot coin telephone and uses the same key.

Ordering No.	Description	Price Each
426321	D-490227-A Panel Enclosure, including terminal strip and patch cords for handset wiring	\$ <b>61.05</b>
	ACCESSORIES	
425738	HD-580024-BJ Sliding Bar Lock (same as Upper Housing Lock for Single-Slot Coin Telephone)	8.40
425574	HD-580027-BJ Key for Sliding Bar Lock	.66
579247	HD-580044-A T-shaped Wrench	.83
S-424101	ADCO 803 Rough-In Box, for flush mounting of Single-Slot Coin Telephone and Panel Enclosure	27.27
426429	Cover Plate. Covers 803 rough-in box when phone and enclosure are re-	40.10
G-9001	moved	40.10
424102	complete details).  ADCO 804 Stainless Steel Housing for surface mounting of Single-Slot Coin	43.75
	Telephone and Panel Enclosure (similar to G-9001, but with stainless steel finish)	126.13

# DIRECTORY SHELVES FOR SINGLE-SLOT PANEL ENCLOSURES AND THREE-SLOT COIN TELEPHONE PANELS



427296	Surface mounted. 5 in. high, 14½ in. wide, 12 in. deepeach	\$53.99
427295	Flush mounted. Stainless steel trim included. 5 in. high, $15\frac{3}{8}$ in. wide, $12\frac{1}{8}$ in. deepeach	52.21

F.O.B. Manufacturer

#### ACCESSORIES FOR SINGLE-SLOT AND THREE-SLOT COIN TELEPHONES

#### TYPE 61A TEST SETS

Makes functional tests of both single- and three-slot coin telephones.

**H-889111-1** Type 61A Test Set, including patch cord, power cord and case...each **\$927.00** 

#### **BRACKETS**

ent and	For mounting all coin telephones, except attachme
	compact types. Black finish. Provision for line wires.
	<b>422393</b> P-11236 Corner Bracket, for mounting in
	corner of booth or other confined space.
\$ 7.18	ea.
	<b>422394</b> P-11227 Shelf Bracket, for mounting on a
29.55	horizontal surfaceea.

N-4

#### ACCESSORIES FOR SINGLE-SLOT AND THREE-SLOT COIN TELEPHONES, CONT'D

## REPLACEMENT DIRECTION CARDS AND PLASTIC WINDOWS

#### Three-slot

or one dime.....ea. **\$0.55** 

**430911** P-51586 Prepay Direction Card; two nickels

		+
430913	P-51599 Semi-Postpay Direction Card; dime onlyea.	.055
430912	P-51744 Semi-Postpay Direction Cardea.	.055
430914	P-51897 Prepay Direction Cardea.	.088
439307	P-51626 Plastic Window for over-sized card holder ea.	.17
439308	$P\text{-}51650\ Plastic\ Window\ for\ direction\ card.ea.$	.11
	Single-slot	
430916	HD-530007-A Direction Card. Side one, Prepay—Coin First; side two, Prepay—Tone First or Emergency	.055
430917	HD-530008-A Direction Card. Side one, Semi-Postpay; side two, blankea.	.055
430915	HD-530005-A Direction Card. Side one, Prepay—Coin First; side two, Semi-Postpay or Emergency Prepayea.	.13
439322	HD-530000-A Plastic Window for upper direction cardea.	.11
439323	HD-530001-A Plastic Window for lower direction cardea.	.22
	RECEPTACLE CARRYING CASES	
S-65090	Std. Carrying Case without handle each	<b>521.88</b>
S-65090	2 Carrying case for oversize receptacles.	

Without handle . . . . . . . . each

**S-650901** Snap-On Handle.....each

#### **SELF-LOCKING COIN RECEPTACLES**

Coin collector does not see or handle money. Cover of receptacle is equipped with a shutter over the coin opening. The shutter opens to admit coins as the receptacle is inserted; closes and locks automatically when the receptacle is withdrawn. Receptacle is opened at office by breaking a seal.

each \$	\$6.10
<b>426763</b> HD-480019-A Over-Sized Self-Locking Coin Receptable for Single-Slot Coin Telephone. Capacity approximately \$75.00	7 10

#### LEAD SEALS

For self-locking coin receptacles.		
S-656680	per 1000	\$12.81

#### **SEALING TOOLS**

	self-locking				
S-657	<b>225</b>	 	 	each	\$11.25

#### GROUND CLIP

S-431062	Used to provide a grounding point on the	
	upper housing of coin phonesper 1000	\$24.70

#### ACCESSORIES FOR THREE-SLOT COIN TELEPHONES ONLY

21.25

4.06



# BENNER-NAWMAN COVER GUARDS

Stainless steel cover completely encloses coin telephone, protects telephone from vandalism. Installation components included to permit mounting cover guard without removing the telephone, drilling or tapping. Openings and mechanisms provided as required for coin return plunger, anti-stuffing coin return, dial, hook switch and coin gauge. Dial numbers and letters are stamped into the metal and filled with black paint. Double-sided tumbler lock. Shipping weight, 11 pounds.

S-423776	BN1624A-A1 Cover Guard. Mounting Frame on face of unit for $3\frac{1}{2}x4$ in. instruction cardeach	\$59.15
BN1624A-A2	Cover Guard. Mounting Frame on face of unit for 4x6-in. instruction cardeach	59.15
BN1624A-A3	Cover Guard. Mounting Frame on face of unit for 3½x4-in. instruction card; top mounted Frame and Bracket Assembly for 4x6-in. card	63.00
BN1624A-A4	Cover Guard. Mounting Frame on face of unit for 4x6-in. instruction card; top mounted Frame and Bracket Assembly for 4x6-in. card	63.00
F.O.B.	Oakland, California for non-stock items	

Prices are subject to change without notice.

## ACCESSORIES FOR THREE-SLOT COIN TELEPHONES, CONT'D

#### POPPER COIN GAGE GUARDS



Prevents insertion of coin before following special instructions.

Mounts on top of phone box in existing holes. Plastic READ sign hinges on black enameled metal.

S-424302	Arrow upeach	\$2.27
S-424303	Arrow down each	2.27

#### TYPE 1-BA OVER-SIZED CARD HOLDERS

Over-sized card holder for information and instructions. Furnished with mounting material. **424860** Type P-60574-CR....each **\$2.24** 


#### **TEST CORDS**

572453	P-60754-A Test Cord for Plug and Receptacle Ended Upper and Lower Housings on Three-Slot Coin Telephoneseach	\$6.90
572454	P-60605 Test Cord for Older Sets, for Jack Strip-Transfer Spring Arrangement Be-	

Strip-Transfer Spring Arrangement Between Upper and Lower Housings on Three-Slot Coin Telephones.....each **6.00** 

#### WOOD BACKBOARDS

#### HANDSET WEIGHTS



For Type 810 or 811 handset equipped with an armored cord. Prevents spring action of cord from holding handset in off-hook position. Weight fits inside handset. **S-439314** ... each **\$1.79** 

CONVERSION KITS FOR THREE-SLOT COIN TELEPHONES

#### SLUG-PROOF COIN TELEPHONE KITS

Kits provide older coin telephones with anti-slug protection for the quarter channel. (This feature is standard on all current GTE Automatic Electric coin telephones.) When slug is dropped in the 25¢ chute, a magnet pulls the slug away from the gong before it strikes and registers payment. This prevents transmission of a tone signal to the operator. Kits are not suitable for the new Canadian quarter.

Kit includes magnet and necessary  $25 \rlap/ e$  channel with magnet slot.

P-70298-1	Slug-Proof	Coin	Telephone	Kit	for	
	U.S			6	each	\$1.65

#### ANTI-STUFFING COIN RETURN KITS

For installing the anti-stuffing coin return on existing coin telephones. Includes anti-stuffing coin return, modified refund chute, coil spring, hinge pin and a return escutcheon. Note: A special drill jig is required to properly locate the hinge pin hole. Available on a rental basis. Check with your sales representative.

P-70293	Anti-Stuffing	Coin	Return	Kit.	Chrome	
	finish				each	\$4.75

#### LOCAL PREPAY CONVERSION KITS

For converting prepay and semi-postpay three-slot coin telephones to local prepay mode. Includes complete instructions.

HH-880013-1	Kit for LPC Series three-slot coin telephones, rotary dial and Touch Callingeach	\$46.00
HH-880014-1	Kit for LPB Series three-slot coin telephones, rotary dial only each	59.00

Technical Literature: GTEP 997-250-801 Issue 1

## TOUCH CALLING KITS FOR LPB SERIES COIN TELEPHONES

Kits for field conversion of standard rotary dial coin telephones to Touch Calling. The conversion kits include the Touch Calling unit, stainless steel adapter and mounting hardware.

P-70307-C	Prepay Kit, 12-button (ABC) Touch Calling Unit, single coil coin re- layeach	\$76.50
P-70311-C	Semi-Postpay Kit, 12-Button (ABC) Touch Calling Uniteach	53.70
P-73016-C	Local Prepay Kit, 12-Button (ABC) Touch Calling Unit each	53.70

#### UNIVERSAL DIRECTORY BINDERS



**INDOOR TYPE.** Flexible heavy duty vinyl cover resists wear, remains attractive. Nylon reinforced center spine provides strength and flexibility. Swivel in top of center spine allows corner suspension.

**OUTDOOR TYPE.** High strength, rigid vinyl cover gives durability and provides an attractive appearance in extreme heat or cold. Swivel in top of center spine allows corner suspension. Aluminum eyelet in middle of metal center spine permits balanced center suspension for larger sizes. A heavy duty center hook and accessory nut are included with binder. Two spring-loaded piano type aluminum hinges assure longer life for directory and cover.


Colors: black or navy blue. Special colors are available with order of 1000 or more.

Note: Specify telephone company logo to be imprinted on cover panels.

# KNAPP NYLON COVERED DIRECTORY **HANGERS** (C) (A) $^{\circ}$ E (D)

#### **INDOOR TYPE COVER**

Ordering No. I 500-10 I 500-12	Spine Width In. $\frac{1}{2}$ $\frac{1}{2}$	Coving $-$ DIMEN., 1 Width $65/8$		No. of Wires 1 1	Price Each \$2.08 2.39	(A) S-424368	For two equal-weight directories. Shock absorber reduces strain on wall fastener and binders when directories are dropped. Two 12-in. cables suspended from swivel and triangular balance plateeach	\$3.40
I 1000	1	10	12	1	2.41		and triangular balance plateeach	40140
I 1500	$1\frac{1}{2}$	10	12	1	2.45	B 424369		
I 2000	2	10	12	1	2.49		lar to above, but with smaller triangular	2 40
I 2250-1	$\frac{1}{2}$	10	12	1	2.66		balance plate; off-center suspended each	3.40
I 2250-2	$\frac{2}{4}$	10	12	2	2.73	©S-424370	For one small directory. One 16-in.	
1 2230-2	4/4	10	12	2	2.73	<u>()</u> 3-424370	cableeach	1.70
	OUTD	OOR TYPE	COVER			(C) 40240F	Classic IIIanana Basasa alatad 17 in	
O 500-10 O 500-12	$\frac{1}{2}$ $\frac{1}{2}$	65/8 $10$	10 12	1 1	\$4.47 4.76	DS-423485	Clevis Hanger. Bronze plated. ½ in. throat with removable pin. Use as required to attach cable loops to small	
O 1250 O 1625	$\frac{1\frac{1}{4}}{1\frac{5}{8}}$	10 10	12 12	1 1	4.89 5.03		directories or binders. (Std. pkg. of 10 hangers, <b>\$4.00.</b> )each	.40
O 2000	2	10	12	1	5.14	E 424371	For two equal-weight directories. Two	
O 2500-1 O 2500-2 O 3000-3	2½ 2½ 3	10 10 10 . Phoenix, A	12 12 12 Arizona	1 2 3	5.24 5.35 5.44		16-in. cables suspended from 4-in. chain, swivel, triangular balance plate. Additional swivel where chain attaches to booth. Usually a hook must be provided to secure hanger to bootheach	2.60
	1.0.D	. I nocina, i	11 120114				,	




#### SIGNS Reflectorized

Reflectorized					
ATWO-PIECE DIRECTIONAL. Double faced. Separate row attaches by means of bolts to any side of phone	sign.				
Aluminum L-shaped mounting bracket included with P signs only.					
• 121 120 1 none; 12 n 12 none; 14 n	1.38				
· · · · · · · · · · · · · · · · · · ·	L4.98				
• III III II	37.00				
<b>S-427413</b> Arrow. 18 x 7 <sup>3</sup> / <sub>4</sub> ineach	L5.35				
<b>ONE-PIECE DIRECTIONAL.</b> Single-faced, 48x24 in. sure-sensitive arrow shipped loose, to be applied in de direction. Order sign posts separately. Mounting hard not provided.					
	2.35				
<b>S-524611</b> Sign Posts, 8-ft. galv. (Std. pkg. of 5 sign posts, <b>\$16.25.</b> )each	5.77				
<b>ADVANCE WARNING.</b> Single-faced. Shows distance to telephone. 48 x 24 in. Order Sign Posts separately. Moing hardware not provided.	coin ount-				
<b>S-427464</b> Phone 1 Mileeach \$5	2.35				
<b>S-427465</b> Phone ½ Mileeach	2.35				
<b>S-427460</b> Phone ½ Mileeach	2.35				
<b>S-524611</b> Sign Posts, 8-ft. galv. (Std. pkg. of 5 sign posts, <b>\$16.25.</b> )each	5.77				
BPHONE FROM CAR. Single-faced sign for pole mounting coin telephone site. Order brackets separately.	ng at				
-	28.97				
<b>S-520727</b> Sign Bracket for 13/4 to 3" pole diam. each	1.98				
S-520728 Sign Bracket for 3 to 4" pole diameach	2.23				
<b>S-520729</b> Sign Bracket for 4 to 5" pole diam. each	2.52				
<b>S-520730</b> Sign Bracket for 5 to 8" pole diam. each	3.22				
<b>S-520731</b> Sign Bracket for 8 to 12" pole diam. each	3.47				
Adhesive Reflectorized					
Silver reflectorized letters on light blue background. Is sure-sensitive adhesive back for direct application.	Pres-				
<b>S-427415</b> Phone. Single-faced. 12 x 12 ineach <b>S-427414</b> Phone. Double-faced. 8 x 8 ineach	4.52				
Illuminated					
©GLADWIN HORIZONTAL AND VERTICAL. 18x5" plastic with aluminum frame. Blue lettering on white backgroustd. Black on white or white on blue available on sporder.	nd is				
<b>427451</b> GP-1200 horizontal, single face, left arrow	18.30				
2011.1.1.1.1.1.1.1.1.1.1.1.1.1.1.1.1.1.1	19.75				
<b>427452</b> GP-1200 horizontal, single face, right arrowEa.	18.30				
	8.30				
, , ,	19.75				
BRACKETS					
<b>A-2819</b> Wall Bracket for right-angle mounting of					
	9.00				
<b>A-2820</b> Wall Brackets for right-angle mounting of GP-1250 signspair	3.50				

(DGLADWIN CONVERT-A-SIGNS (PAGE 8) Double-faced, durable acrylic plastic and aluminum. Can be mounted on top of booth, or on pole, wall or ceiling. 24-in. face can be changed to correct mounting position on the job without tools. Equipped with two 40-watt fluorescent bulbs. Easily seen day or night. Complete with mounting devices.

**\$-427461** Blue copy on white background . . . each **\$139.50** 

#### SERVICE ENTRANCE MASTS



#### **ALUMINUM BOOTH ACCESSORIES**

Aluminum Floor Plate. Ship. weight, 18 poundseach	S-424180
Three Blue Panels (red and green available; specify panel and color). (Std. pkg. of 3 panels) each	S-437756
Hex Socket Wrenches for zeus-fittings on light fixtures of aluminum booths. Straight hex shank of tough alloy steel; 34-in. deep socket in tip. Approximately 6½ in. long with plastic handleeach	S-579235

F.O.B. Shipping Point

Mast is portable and can be re-used at new locations. Mast provides complete service entrance facilities for outdoor booths at lower cost and easier installation. Raises power lines for specified ground clearance; looks better, lasts longer; costs less than any comparable installation.

Installation can be completed in less than 30 minutes. Mast is furnished with all insulators, wire holders, entrance devices.

Gray finish. Sizes: 12 and 14 foot masts are stocked; 16 and 18 foot available.

#### REPLACEMENT GLASS AND LAMPS

Ordering No. S-437754 Sie	de Panels,	North- lake, Ill.	Po-	F.O.B. Lo Tampa, Fla.	Gar-	Youngs-	Rich- mond, Va.
	Clear	\$3.27	\$3.69	\$3.41	\$3.39	\$3.34	\$3.69
<b>S-437750</b> De	oor Panels, Clear	2.84	3.18	2.96	2.93	2.89	2.96
<b>S-437757</b> Fr	ont Sign, Blue*	1.94	2.07	1.99	1.99	1.96	1.99
<b>S-437758</b> Sid	de Sign, Blue*.	2.17	2.34	2,23	2.21	2,20	2.23
<b>S-437404</b> Ci	rcline, Lamp	4.31	4.31	4.31	4.31	4.31	4.31

\*Red and green available; specify Front or Side Sign and color.

426012	12-ft. Mast with 2 conduits	Each \$62.50
426022	12-ft. Mast with meter socket and	
	breaker box	92.50
426032	12-ft. Mast with meter socket, breaker	
	box, 2 flood lights and time switch.	126.50
<b>42601</b> 4	14-ft. Mast with 2 conduits	64.00
S-426024	14-ft. Mast with meter socket and break-	
	er box	95.00
426034	14-ft. Mast with meter socket, breaker	
	box, 2 flood lights and time switch.	129.00
	F.O.B. Racine, Wisconsin	

#### PHOTO ELECTRIC CONTROLS

Automatically turns light on at dusk, off at dawn. Built-in time delay prevents false operation by auto headlights and other transient light. Hang unit on outside of booth wall.


F.O.B. Brooklyn, New York

#### **ACOUSTI-CALL BOOTH ACCESSORIES**

417986	DB Directory Bridging Unit, beige with stainless steel shelf. Fits between two booths in multiple installations. Can	
	accommodate several directories each	\$218.30
417987	Same as above, except blue each	218.30
417988	Same as above, except coraleach	218.30
417989	Same as above, except green each	218.30
425658	ILFS-20-GT Interior Light with "Tele-	
	phone" Signeach	35.64

Price

#### **COIN TELEPHONES & ACCESSORIES**



(A) EDWARDS	S ALUMINUM	OUTDOOR I	воотнѕ		Ordering No.	Type of Booth	Features	Panel Color	Price Ea.
S-410629	With red sig			nuous shelf.	410558	Stand-up	D-G-K-M	Blue	\$719.35
		eight, 420 poi			450559	Stand-up	D-G-L-M	Blue	719.35
S-410630	With red sign	n, red panels	, continuous	s shelf and	410560	Stand-up	A-D-G-K-M-O	Lt. Blue	686.65
	directory ra	ack.			410561	Stand-up	A-D-G-L-M-O	Lt. Blue	686.65
		PRICE F.O.B. LO	OCATION SHOWN	V	410562	Sit-down	D-K-O-S	Walnut	720.80
Ordering	Northlake,	Richmond,	Tampa,	Youngstown,	410563	Sit-down	D-L-O-S	Walnut	720.80
No.	III.	Va.	Florida	Ohio	410545	Stand-up	B-D-G-M-Q	Blue	725.55
S-410629	\$728.28	\$735.51	\$738.66	\$731.31	41.0546	Stand-up	B-D-G-M-Q	Red	725.55
S-410630	728.84	737.07	740.22	732.87	410547	Stand-up	B-D-G-M-O-Q	Clear	692.85
		PRICE F.O.B. LO			410548	Stand-up	B-D-G-M	Clear	683.85
Ordering No.	Kansas City, Mo.	Garland, Texas	Pomona, Calif.	Everett, Wash.	410549	Stand-up	A-B-D-G-M-O	Clear	651.15
S-410629	\$731.69	\$736.56	\$743.83	5743.83	410550	Sit-down	B-D-O-S	Clear	684.45
S-410630	733.25	738.12	745.39	745.39	410551	Sit-down	B-D	Clear	676 <b>.20</b>
3-420030	755125				410564	Sit-down	D-K	Beige	711.70
					410565	Sit-down	D-L	Beige	711.70

#### (B) BENNER-NAWMAN TYPE 500 INDOOR-OUTDOOR BOOTHS

Enclosed aluminum booths supplied with features indicated:

- A -Without floor
- B-With backboard
- D-With door closer
- G-With photo electric light control
- K—With housing for BD101 panel telephone
  L—With housing for ADCO panel telephone
- M—With rotary directory rack
- O—With full length lower panels
- Q -With solar bronze glass
- S —With Formica

Ordering No.	Type of Booth	Features	Panel Color	Price Each
410552	Stand-up	D-G-K-M-Q	Blue	\$76 <b>1.0</b> 5
410554	Stand-up	D-G-K-M-Q	Red	761.05
410553	Stand-up	D-G-L-M-Q	Blue	761.05
410555	Stand-up	D-G-L-M-Q	Red	761.05
410556	Stand-up	D-G-K-M-O-Q	Clear	728.35
410557	Stand-up	D-G-L-M-O-Q	Clear	728.35

#### (C) ACOUSTI-CALL® INDOOR BOOTHS

Compact design 34 in. high, 27 in. wide, 171/8 in. deep.

#### Type 20-S, Left-side Mounting

C 410E02 Daige

5-41033	Z Beigeeach	3T00"+0
410593	Blue each	<b>168.40</b>
410594	Coral each	168.40
410595	Green each	168.40


each \$168.40

#### Type 21-S Right-side Mounting

Type 21	3, Rigitt-side mounting	
410596	Beige each	168.40
410597	Blue each	168.40
410598	Coral each	168.40
410599	Greeneach	168.40

N-10

Prices are subject to change without notice.



#### D ADCO SECURITY BOOTHS

Telephone mounts on hidden bracket thieves can't get at. Dimensions: 16'' high, 3314'' wide; 15'' deep at top, 10'' at bottom.

Ordering No.	Description	Ship. Wt., Lbs.	Price Each
S-410634	107 Security Booth with shelf box and bracket for wall mounting.	75	\$235.22
S-410635	107-X Security Booth with two stainless steel spacer rods instead of shelf box. Equipped with di-		
S-426550	rectory hanging hardware SBP-107 walk-up buried Mounting	70	235.22
5-426550	Post	75	71.20
S-426551	SSP-107 walk-up surface Mounting Post	75	117.61
S-426552	DUBP-107 drive-up buried Mounting Post	70	89.99
S-426553	DUSP-107 drive-up surface Mounting Post	70	155.93
S-420235	PA35G-107 Mounting Adapter for 3½" pipe	10	30.29
S-420236	PAGP-107 Mounting Adapter for GP-2500 post	40	70.39
S-424365	DHS-107 Directory Hanger and Sliding Hardware for 107 Securi-		
	ty Booth	5	14.26

## © GLADWIN OUTDOOR BOOTHETTES® AND CANOPY® BOOTHS


**Boothettes.** With 32-watt fluorescent light. Completely concealed wiring and subset facilities. With stainless steel writing shelf. Dimensions:  $32\frac{1}{2}$ " H x 20" W x 14" D.

#### GLADWIN BOOTHETTES, CONT'D

<b>GP-2400</b> Standard Boothette. Ship. wt., 75 lbs each	\$243.00
Note: For mounting hardware and other accessories, following suffixes to ordering number:	add the
A-3301 Surface Mounting Pedestal for walk-up use A-3301 Brackets for wall mounting, for walk-up or drive-up use	Additional Cost \$112.00 18.00 80.00 102.00 66.00
A-4903 1/4-in. anodized aluminum plate security side panels	23.00 28.00 30.00 27.00
surface	Canopy orescent Dimen-
180 lbs each  Note: For mounting hardware and other accessories, following suffixes to ordering number:	,
Suffix A-3312 Facility for wall mounting Ground Mounting Post, for walk-up use A-3314 A-3314 A-3315 Surface Mounting Pedestal for walk-up	Cost \$32.00 79.00 57.00
wse	<b>129.00</b>
A-5693 Acoustic interior panels	79.00 27.00 28.00
except those equipped with A-4893 bar-type shelf	12.00
F BENNER-NAWMAN SHELTER BOOTHS FOR PRES	TIGE
Dimensions: 62½" H x 31" W x 32" D. <b>S-410686</b> BN858A-P-12-A Standard Blue Booth. Pedestal mountedeach <b>S-410683</b> BN858A-W-12-A Standard Blue Booth. Wall mountedeach <b>420238</b> Booth Mtg. Adapter. Converts Gladwin GP2500 post for BN858A shelter	\$432.35 405.85
booth each <b>S-426420</b> Mounting Plate for existing concrete. each	65.61 32.45

F.O.B. Manufacturer

#### **MOD-EEZ® MODULAR COIN SHELVES**



	S-416901	G-7101 Coin Shelf, birch. May be mounted on wall or on aluminum legs. 25½" wide Ea.	\$ <b>55.0</b> 9
	S-416902	Same, but walnut Ea.	55.09
	S-416903	G-8101 Coin Shelf, birch. For wall mtg. only. 16"W.	
		Ea.	52.62
	S-416904	Same, but walnut. Ea.	52.62
	S-416905	G-7150 Add-on Coin Shelf. Clear aluminum. 25½".	40.52
	S-416906	Same, but bronze aluminum . Ea.	46.53 46.53
11	S-416907	G-8150 Add-on Coin Shelf. Clear aluminum. 16".	
		Ea.	44.30
<b>S-416908</b> Same, but			44.30
<b>425654</b> G-7002 Leg			37.13
<b>S-425655</b> Same, but		Ea.	37.13 37.13
<b>426315</b> G-8 Outside			37.113
		ear aluminum. Ea.	18.56
<b>426316</b> Same, but br	18.56		
<b>S-425656</b> G-7052 Deplus add	Unit for coin shelf aluminumEa.	44.55	
<b>425657</b> Same, but br			44.55

Above units can take single slot or triple slot phones. For single slot, order by type number less "G" prefix. See page N-3 for ordering information.

coin shelf. Clear aluminum.....Ea.

S-426317 G-78 Outside Back Panel for double

**S-426318** Same, but bronze aluminum . . . . . . Ea.

MOBILE UNIT. Four shelves, two to a side, are mounted on a waist-high castered base. May be wheeled easily to area of use. Specify color.

G-7054	Four-Station Mobile Unit. 64"H x 46½"W	
	x 25"D each	\$442.59

COIN SHELF FOR PANEL PHONE. Gives a modern built-in look to coin installations. Specify color.

G-9001	Coin Shelf for Panel Phone. 29"H x 171/4"W	
	x 7½"Deach	\$45.74

F.O.B. Fruitport, Michigan

#### **BENNER-NAWMAN SHELTERS**



Features heavy welded steel construction, fadeproof porcelain enamel, and protected fluorescent lamp. Unit on pole stands 72" high. For blue unit, add -12 suffix to ordering number; for red, -13 suffix; for green, -16 suffix.

BN-800-P1-	Single Unit,	\$334.25
BN-800-P2-	Double Unit.	,
	pole mtd	714.10
BN-800-P4-	4-Ūnit inst.,	
	pole mtd	1428.25
BN-800-W1-	Single Unit,	
	wall mtd	334.25
BN-800-W2-	Double Unit,	
	wall mtd	668.50

#### **GLADWIN SHELFETTE®**



Compact G-7300 unit uses only 19" of wall space. Accommodates any conventional coin telephone. Easy to install.

410701	 \$135.00
41U/U1	 

37.13