

Addendum: 7001 Dial Long Line Module and 7001A Network Terminating Dial Long Line Module (LSO*)

1. General

- 1.01 This addendum to practice section 837001, revision B (dated 2 December 1982), is issued to inform customers that short loop station-side applications may cause DLL station current to foldback to a low output current level (less than 100mA). Figure 5, in Section 2, is revised to reflect the effects of changes in ambient temperature on the performance of the foldback current level.
- 1.02 If this addendum section is revised, the reason for revision will be stated in this paragraph.

2. Short Loop Applications

- 2.01 Typically, a battery voltage of -48Vdc requires a minimum external resistance of 200 ohms to prevent this foldback condition. For higher battery voltages, other minimum resistances are required. Contact Tellabs Customer Services Department for further information.
- 2.02 Replace the existing figure 5 with the following new figure 5.




figure 5. Current-limiting curve

7001 Dial Long Line Module and 7001A Network Terminating Dial Long Line Module (LSO*)

contents

section 1	general description	page 1
section 2	application	page 2
section 3	installation	page 5
section 4	circuit description	page 7
section 5	block diagram	page 9
section 6	specifications	page 8
section 7	testing and troubleshooting	page 10

1. general description

1.01 The 7001 Dial Long Line module and the 7001A Network Terminating Dial Long Line module (figure 1) each regenerate signaling and supervision to increase the range of a loop-start CO or PBX line circuit in applications where a station served by a metallic facility is located beyond the normal range of the switching equipment. An integral repeat coil extends a separate source of locally derived loop current toward the station. On calls to the station, the 7001 or 7001A either bypasses ringing generated at the switching equipment or repeats ringing (starts and applies local ringing generator), as selected by switch option. When the station answers, the 7001 or 7001A trips ringing. On calls from the station, the 7001 or 7001A detects and regenerates off-hook states and repeats dial pulsing. The two modules are functionally identical, differing only in their card-edge connector pin assignments; those of the 7001A conform to the universal wiring scheme of the Tellabs 262U Universal Network Terminating System. Thus, in the remainder of this Practice, the 7001 and 7001A will be collectively referred to as the 7001(A) module in those areas where the information being given applies equally to both modules.

1.02 This Practice section is reissued to cover both the Issue 3 version of the 7001 (Tellabs part number **837001**) and the Issue 1 version of the 7001A (Tellabs part number **817001A**). Unlike its Issue 2 predecessor, the Issue 3 7001 module accommodates shorter-than-normal ringing intervals (see paragraph 1.03), as does the nearly identical Issue 1 7001A.

1.03 The 7001(A) accommodates short ringing intervals typical of PBX's that use nonstandard ringing sequences for precedence or priority alerting. The module can reliably accommodate ringing bursts and silent intervals as short as 100ms. Ring-up and release delays are essentially symmetrical so that the ringing intervals are not shortened as they are repeated through the 7001(A). In addition, an option switch permits extension of each ringing interval by approximately 1 second. This option is




figure 1. 7001A Network Terminating Dial Long Line module

intended primarily for use in off-premises-station (OPS) applications where a short ringing interval from a PBX may not be recognized by ringing detectors or alerting devices at a distant central office or station location.

1.04 The 7001(A) can be switch-optioned to accommodate 48, 72, or 96Vdc talk-battery operation. The module's maximum signaling range is 3000 ohms of loop resistance with 48Vdc talk battery, 4500 ohms with 72Vdc, and 6000 ohms with 96Vdc. At 48Vdc talk battery, the 7001(A) provides 13mA of loop current with 3000 ohms of cable resistance and 600 ohms of combined station-instrument and internal-DLL resistance.

1.05 The 7001(A) is designed so that, in repeated-ringing applications, a ring-generator bias potential equal to the talk-battery potential provides a ring-trip range equal to the module's signaling range. Thus, the 7001(A) will reliably trip ringing at up to 3000 ohms with 48Vdc ring generator bias, up to 4500 ohms with 72Vdc bias, and up to 6000 ohms with 96Vdc bias.

1.06 The 7001(A) provides a switch-selectable choice of 600 or 900-ohm terminating impedance on both the switching-equipment and station sides of the module. In addition, the module can be switch-optioned to interface associated 2wire or 4wire transmission equipment on each side. Additional features and options of the 7001(A) include solid-state ring-detection and ring-trip circuitry,

*Loop start only.

ring trip during either silent or ringing intervals, loop-current limiting, signal and transient limiting, and relay operation to enable an associated voice-frequency repeater when the circuit is busy and to disable it when the circuit is idle. The 7001(A) accepts two optional plug-on subassemblies: the Tellabs 9901 Pulse Corrector for precision dial-pulse correction and the Tellabs 9906 Reverse-Battery Adapter for use on circuits with reverse-battery supervision. Without the 9901 subassembly, dial-pulse distortion of the 7001(A) is less than 5 percent.

1.07 A front-panel LED on the 7001(A) lights to indicate circuit-busy conditions. Also located on the module's front panel are four test points that provide access to the switch-side and station-side tip and ring leads.

1.08 The 7001(A) operates on filtered, ground-referenced -44 to -56 Vdc input. Current requirements are 25mA when idle and 75mA (plus station-side loop current) when busy.

1.09 The 7001 and 7001A are Type 10 modules. As such, each module mounts in one position of a Tellabs Type 10 Mounting Shelf, versions of which are available for relay-rack and apparatus-case installation. In relay-rack applications, up to 12 modules can be mounted across a 19-inch rack, while up to 14 modules can be mounted across a 23-inch rack. In either case, 6 inches of vertical rack space is used.

1.10 A variety of prewired mountings for the 7001 and 7001A are also available. The 7001 can be mounted in one position of a Tellabs 211-family OPX (Off-Premises-Extension) Range Extender Mounting Assembly, while the 7001A, which is a member of Tellabs' 262U Universal Network Terminating System of modules and enclosures, can be mounted in one position of a Tellabs 262U-family Mounting Assembly.

2. application

2.01 The 7001(A) Dial Long Line module is used on metallic facilities to extend the signaling and supervisory range of a **loop-start** CO or PBX line circuit in applications where a station is located beyond the normal range of the switching equipment. Thus, the most common application of the 7001(A) is on foreign-exchange (FX) and off-premises-station (OPS) circuits. In addition, the 7001(A) provides balanced longitudinal isolation between the switching-equipment and station sides of the circuit, thereby improving circuit balance and reducing noise. The 7001(A) **cannot** be used on ground-start circuits or on circuits employing multiparty biased selective ringing.

2.02 The switching-equipment and station sides of the 7001(A) can be independently switch-optioned for balanced 600-ohm or 900-ohm terminating impedance. On the switching-equipment side, 600-ohm impedance is generally selected for interface with nonloaded cable or a nearby PBX,

while 900-ohm impedance is generally selected for interface with loaded cable or a nearby CO. On the station side, 600-ohm impedance is generally selected for interface with nonloaded cable or 600-ohm station equipment, while 900-ohm impedance is generally selected for interface with loaded cable or 900-ohm station-side equipment.

2.03 Though basically a 2wire-to-2wire device, the 7001(A) can be conditioned via switch option for use in 4wire-to-4wire, 4wire-to-2wire, or 2wire-to-4wire applications. In such applications, however, the 7001(A) must interface the 4wire circuit(s) through a 4wire device such as a line amplifier or a voice-frequency repeater. For a 4wire circuit on the switching-equipment side of the 7001(A), this interface is accomplished by connecting the switch-side T and R leads of the 7001(A) to the switch-side A and B leads or simplex (SX) leads of the 4wire device. Similarly, for a 4wire circuit on the station side of the 7001(A), this interface is accomplished by connecting the station-side T and R leads of the 7001(A) to the station-side A and B leads or SX leads of the 4wire device. Figure 2 shows 2wire-to-4wire and 4wire-to-4wire interfaces involving the 7001(A).




figure 2. Typical 2w-to-4w and 4w-to-4w interfaces

2.04 The 7001(A) provides relay operation and derives a repeater-enable lead to enable an associated voice-frequency repeater during busy circuit conditions and to disable the repeater when the circuit is idle. To enable the repeater, the relay contacts close to place a ground on the repeater-enable lead; to disable the repeater, the relay contacts open to place an open on the repeater-enable lead.

2.05 The 7001(A) can be used singly or in tandem with other DLL's. The practical limit on tandem operation is four DLL's. Whenever two or more DLL's are used in tandem, pulse correction at the DLL's is recommended. In either single or tandem applications, the 7001(A) can be located at any point on a loop where it can be mounted, powered, and optionally supplied with ringing and where the station-side and switching-side range limitations are not exceeded (see paragraphs 2.10, 2.12, and 2.13).

2.06 When a single 7001(A) is used (see figure 3), the maximum distance from the station to the 7001(A) depends upon the current requirements of the station. The maximum distance from the 7001(A) to the switching equipment depends upon the range of the switching equipment.




figure 3. Single DLL range limits

2.07 When the 7001(A) is operated in tandem with other DLL's (see figure 4), the maximum distance from the station to the nearest (first) DLL is determined by the current requirements of the station. The maximum distance from the first DLL to the next (second) DLL is determined by the station-side range of the second DLL, and so on. The maximum distance from the last DLL to the switching equipment depends upon the range of the switching equipment.




figure 4. Tandem DLL range limits

2.08 The 7001(A) can be switch-optional for internal or external application of talk battery to the station-side loop. With the internal option selected, 48Vdc talk-battery potential derived from the module's -48Vdc input power source is applied (through 400 ohms of resistance) to the loop. With the external option selected, either 48, 72, or 96Vdc talk-battery potential from a local source separate from the module's input power source is applied (through 400 ohms of resistance) to the loop. The advantage of the internal option is that fewer connections need be made to the module. The advantage of the external option is that talk-battery potential is not limited to 48Vdc.

2.09 With the external talk-battery option in effect, either a -48, -72, or -96Vdc potential can be placed on the 7001(A)'s ring power lead (B PWR), and either a +48Vdc, +24Vdc, or ground (0Vdc) potential can be placed on the module's tip power lead (A PWR). The difference between these potentials determines the total talk-battery voltage extended toward the station. For example, with -48Vdc on the B PWR lead and +24Vdc on the A PWR lead, the difference between -48 and +24 is 72; thus, 72Vdc talk battery is extended toward the station.

Note: The difference between the potentials applied to the B PWR and A PWR leads must not exceed 96Vdc.

2.10 Maximum signaling ranges of the 7001(A) are as follows: 3000 ohms with 48Vdc talk battery,

4500 ohms with 72Vdc talk battery, and 6000 ohms with 96Vdc talk battery. In applications where the station side of the 7001(A) is connected to a telephone set (instead of to another DLL in a tandem arrangement), these signaling ranges are somewhat less because a telephone set requires more loop current for proper operation than does another DLL (20 to 23mA for a telephone set; approximately 13mA for a DLL).

Note: Because the 7001(A) applies talk battery to the station-side loop through a nominal 400 ohms of resistance, this internal resistance must be considered when calculating loop current.

2.11 The 7001(A) provides current-limiting circuitry for both the station-side and switch-side loops. This prevents damage both to the 7001(A) and to external equipment, and it also enhances the module's ability to operate in short-loop situations. On the station side, maximum loop current supplied by the 7001(A) is normally limited to approximately 100mA by the module's nominal 400-ohm battery-feed resistance circuitry. On the switch side, maximum loop current (supplied either by the switch or by a switch-side tandem DLL) is also normally limited to approximately 100mA by 200-ohm resistance circuitry in the 7001(A). If, for any reason (e.g., a fault condition), the station-side or switch-side loop current exceeds 100mA, two thermistors on the station side and one thermistor on the switch side of the 7001(A) function automatically to limit loop current to approximately 100mA. Figure 5 shows a current-limiting curve that illustrates the foldback characteristics of each of the 7001(A)'s thermistors. This information, together with other circuit characteristics of the 7001(A), can be used to calculate loop current.




figure 5. Current-limiting curve

2.12 Ringing toward the station can be repeated or bypassed by the 7001(A). In the bypassed-ringing (BYP) mode, ringing generated at the switching equipment is passed through the 7001(A) unaltered and therefore retains its original range limit. Thus,

with bypassed ringing, the switching equipment's ringing (and ring-trip) range may differ from the 7001(A)'s signaling range (which depends upon the amount of talk-battery potential supplied at the 7001(A)'s location). In such cases, the lesser of the two ranges determines the maximum distance from the 7001(A) to the equipment (telephone set or another DLL) on the module's station side.

Note: For ring trip during ringing (as well as silent) intervals in the bypassed-ringing mode, the ring generator at the distant switch-side location must be arranged for superimposed (biased) ringing.

2.13 In the repeated-ringing (RPT and RGB) modes, ringing from the switching equipment is regenerated by a ringing generator at the 7001(A)'s location. This local ringing generator can be biased in any of several ways, with the bias voltage supplied by a dc source connected in series with the ac ringing source. Specifically, in the RPT mode, bias is determined by the difference in potential between the RING GEN lead and the RING GEN RET (return) lead. In the RGB mode, bias is determined by the difference in potential between the RING GEN and GND (ground) leads if the internal talk-battery option is selected, or by the difference in potential between the RING GEN and A PWR leads if the external talk-battery option is selected. Thus, ring-generator bias can be 48, 72, or 96Vdc, and it is this bias that determines the maximum ring-trip range (which is the limiting factor in ringing) toward the station. In most repeated-ringing applications,

the same amount of potential used for talk battery is also used for ring-generator bias. This is because the 7001(A) is designed to provide equal ring-trip and signaling ranges when equal potentials are used for ring-generator bias and talk battery, respectively. Thus, with 48Vdc bias, maximum ring-trip range is 3000 ohms; with 72Vdc bias, 4500 ohms; and with 96Vdc bias, 6000 ohms. Table 1 lists the 7001(A)'s ring-trip ranges with various talk-battery and ring-generator-bias options.

2.14 In both repeated-ringing modes (RPT and RGB), the 7001(A) derives a machine-start lead to start a local ringing generator when ringing is applied toward the 7001(A) by the switching equipment.

2.15 The 7001(A) reliably detects and repeats ringing bursts and silent intervals as short as 100 milliseconds. This allows the 7001(A) to accommodate short ringing intervals typical of PBX's that use nonstandard ringing sequences for precedence or priority alerting. Ring-up and release delays are essentially symmetrical; thus, the ringing intervals are not shortened as they are repeated through the module. In addition, a switch option on the 7001(A) permits extension of each ringing interval by approximately 1 second. This option is intended primarily for use in OPS applications where a short ringing interval from a PBX may not be recognized by ringing detectors or alerting devices at a distant central office or station location.

ring-trip range (note 1)	possible talk battery sources		possible ring generator bias sources		
	internal (S3 set to INTA and S4 set to INTB)	external (S3 set to EXTA and S4 set to EXTB)	bypassed ringing (S1 set to BYP)	repeated ringing (S1 set to RGB)	repeated ringing (S1 set to RPT)
0 to 3000 ohms (provides 23mA over 1390-ohm cable; see note 3)	—48Vdc on BATT; ground on GND	—48Vdc on BPWR; ground on APWR	note 2	48Vdc total bias potential between RING GEN and either ground (INTA) or APWR (EXTA) (external source)	48Vdc total bias potential between RING GEN and RING GEN RET (external source)
200 to 4500 ohms (provides 23mA over 2430-ohm cable; see note 3)	not applicable	—48Vdc on BPWR; +24 Vdc on APWR or —72Vdc on BPWR; ground on APWR	note 2	72Vdc total bias potential between RING GEN and either ground (INTA) or APWR (EXTA) (external source)	72Vdc total bias potential between RING GEN and RING GEN RET (external source)
500 to 6000 ohms (provides 23mA over 3470-ohm cable; see note 3)	not applicable	—48Vdc on BPWR; +48Vdc on APWR or —72Vdc on BPWR; +24Vdc on APWR or —96Vdc on BPWR; ground on APWR	note 2	96Vdc total bias potential between RING GEN and either ground (INTA) or APWR (EXTA) (external source)	96Vdc total bias potential between RING GEN and RING GEN RET (external source)
<p>Note 1: Either talk-battery potential or ring-generator bias potential (whichever is lower) limits the range. For example, with 96Vdc talk-battery potential and 48Vdc ring generator bias, the circuit is limited to 3000 ohms of loop resistance.</p> <p>Note 2: The maximum range depends on the ringing-generator bias from the switching equipment and the total resistances of the switch-side and station-side loops.</p> <p>Note 3: Cable resistance is derived by taking into account the module's internal 400-ohm resistance and by assuming a 200-ohm tel-set resistance.</p>					

table 1. Ring-trip ranges with various talk-battery and ring-generator-bias options

2.16 The 7001(A) can be used on circuits where ringing is any type except multiparty biased selective ringing. When other forms of multiparty selective ringing (such as harmonic or decimonic ringing) are used, the 7001(A) must be configured for bypassed rather than repeated ringing, and the ringing generator at the distant switch-side location must be arranged for superimposed (biased) ringing. In multiparty situations where 10, 20, or more ringers are used on a circuit, any combination of 5 ringers can be rung simultaneously.

2.17 When the 7001(A) is used without the optional Tellabs 9901 Pulse Corrector plug-on subassembly, the amount of distortion added to incoming dial pulses by the 7001(A) does not exceed 5%. When the 9901 is used, input pulses at 8 to 12pps and 30 to 70% break are corrected to $58 \pm 2\%$ break, and input pulses at 14pps and 40 to 65% break are corrected to $57 \pm 3\%$ break. The 9901 plugs into four-pin connector *J1* on the 7001(A)'s printed circuit board. For details and specifications on the 9901, please refer to its separate Tellabs Practice.

2.18 The optional Tellabs 9906 Reverse-Battery Adapter plug-on subassembly, when used on the 7001(A) module, extends the range of reverse-battery supervision for FX or OPS circuits by regenerating reverse-battery supervisory signals sent from the switching-equipment end of the circuit toward the station end. The 9906 subassembly requires at least 15mA of current from the switching equipment (or from the next 9906 on the switching-equipment side in tandem DLL applications) for proper operation of its reverse-battery sensing circuitry. The 9906 plugs into six-pin connector *J2* and three-pin connector *J3* on the 7001(A)'s printed circuit board. For details and specifications on the 9906, please refer to its separate Tellabs Practice.

3. installation inspection

3.01 The 7001(A) Dial Long Line module should be visually inspected upon arrival to find possible damage incurred during shipment. If damage is noted, a claim should immediately be filed with the carrier. If stored, the module should be visually inspected again prior to installation.

mounting

3.02 The 7001 module mounts in one position of a Tellabs Type 10 Mounting Shelf or in one position of a Tellabs 211-family Mounting Assembly. The 7001A module mounts in one position of a Tellabs Type 10 Mounting Shelf or in one position of a Tellabs 262U-family Mounting Assembly. Each module plugs physically and electrically into a 56-pin connector at the rear of its shelf or assembly position.

installer connections

3.03 In applications where the 7001 module is to be mounted in a 211 Assembly and in applications where the 7001A module is to be mounted in a

262U Assembly, no external connections to the module need be made. All internal connections in these Assemblies are factory-prewired, and all external wiring is simplified through the use of connectorized cables. For the 211 Assemblies, these are standard 25-pair cables with Amphenol-type connectors (female for the input cable, male for the output cable). For the 262U Assemblies, these are 25-pair micro-ribbon female connector-ended cables arranged in accordance with Universal Service Order Code (USOC) RJ2HX. If the customer's terminal equipment is cabled in accordance with USOC RJ2HX, direct cable connection to the 262U Assembly and to the customer's equipment is possible. If not, cross-connections between the Assembly and the local terminal equipment must be made at an intermediate connectorized terminal block.

3.04 When a 7001(A) module is to be installed in a conventional Type 10 Shelf, external connections to the module must be made. Before making any connections to the shelf, ensure that power is off and modules are removed. Modules should be put into place only after they are properly optioned and after wiring is completed.

3.05 Tables 2 and 3 list external connections to the 7001 and 7001A modules, respectively. All connections are made (to non-connectorized mounting shelves) via wire-wrapping to the 56-pin connector at the rear of each module's shelf position. Pin numbers are found on the body of the connector.

connect:	to 7001 pin:
TIP SW (tip from switching equipment)	51
RING SW (ring from switching equipment)	33
TIP STA (tip from station)	41
RING STA (ring from station)	49
A PWR (tip power in)	13
B PWR (ring power in)	53
RING GEN	45 and 46
RING GEN RET (return)	11 and 12
MACH ST (ring gen. start)	37
RPTR EN (repeater enable)	29
-BATT (-44 to -56Vdc filtered input)	35
GND (ground)	17

table 2. External connections to 7001

connect:	to 7001A pin:
TIP SW (tip from switching equipment)	55
RING SW (ring from switching equipment)	49
TIP STA (tip from station)	41
RING STA (ring from station)	47
A PWR (tip power in)	13
B PWR (ring power in)	53
RING GEN	45 and 46
RING GEN RET (return)	11 and 12
MACH ST (ring gen. start)	37
RPTR EN (repeater enable)	29
-BATT (-44 to -56Vdc filtered input)	35
GND (ground)	17

table 3. External connections to 7001A

options and alignment

3.06 The 7001(A) requires no alignment. Before the module is placed into service, however, nine

option switches must be set. Locations of these switches on the module's printed circuit board are shown in figure 6. Table 4 provides a brief explanation of the function and settings of each option switch. Also included in table 4 is a convenient option checklist. This checklist can be filled out (by checking the appropriate box for each switch) either prior to installation to allow prescription optioning of the module or as the module is being optioned to provide a record for future reference. Detailed instructions for optioning the 7001(A) are provided in paragraphs 3.07 through 3.13.

3.07 Switches S2 and S7 select 600-ohm or 900-ohm terminating impedance on the switching-equipment and station sides of the 7001(A), respectively. Set each of these switches to the 600 or 900 position as required for the module's particular application. (See paragraph 2.02 for general guidelines on selection of terminating impedance.)




figure 6. Option switch locations on 7001 and 7001A

3.08 Switch S8 conditions the 7001(A) to interface 2wire or 4wire transmission equipment (e.g., a line amp, repeater, or term set) on either or both sides. If the module interfaces 2wire transmission equipment on both the switch and station sides, set S8 to the 2W position. If the module interfaces a 4wire transmission device on either side or on both sides, set S8 to the 4W position; also ensure that the 7001(A)'s T and R leads on the side(s) where the 4wire device(s) is located are connected to the A and B leads or SX leads on the corresponding side(s) of the 4wire device. (See paragraph 2.03 and figure 2 for details.)

3.09 Switches S4 and S3 determine whether the talk battery extended to the station by the 7001(A) is internally or externally derived. For internal talk battery (from the same nominal -48Vdc source that powers the module via pins 35 and 17), set S4 to INTB and S3 to INTA. With internal talk battery selected, no connections need be made to the A PWR and B PWR leads, but the module is limited to 48Vdc talk-battery operation. For external talk battery, set S4 to EXTB and S3 to EXTA. With external talk battery selected, the talk-battery potential is the difference between the potentials connected to the A PWR and B PWR leads. For example, if the A PWR potential is +24Vdc and the B PWR potential is -48Vdc, the talk-battery potential is 72Vdc. The A PWR potential must always be positive or ground, the B PWR potential must always be negative, and the difference between these two potentials must never exceed 96Vdc. The resultant signaling and supervisory range limits are listed in table 1 in section 2 of this Practice.

Note: In applications where the A PWR and B PWR leads are prewired to external potentials and the

difference between these potentials exceeds 96Vdc, switches S4 and S3 can be used in combination to derive an acceptable talk-battery potential. For example, in an application where the A PWR potential is +24Vdc and the B PWR potential is -96Vdc, setting both S4 and S3 for external talk battery would

option	switch	selections	settings	check-list
switch-side terminating impedance	S2	600 ohms	600	
		900 ohms	900	
station-side terminating impedance	S7	600 ohms	600	
		900 ohms	900	
interface with 2wire or 4wire transmission device (on either side of 7001(A))	S8	2wire interface on both switch and station sides	2W	
		4wire interface on one or both sides	4W	
ring-lead talk-battery feed	S4	internal battery (potential at -BATT)	INTB	
		external battery (potential at B PWR)	EXTB	
tip-lead talk-battery feed	S3	internal battery (potential at GND)	INTA	
		external battery (potential at A PWR)	EXTA	
ringing mode (bypassed or repeated)	S1	bypassed ringing	BYP	
		repeated ringing; ring-generator bias determined by potential between RING GEN and RING GEN RET leads	RPT	
		repeated ringing; ring-generator bias determined by potential between RING GEN lead and either GND lead (S3 set to INTA) or A PWR lead (S3 set to EXTA)	RGB	
normal/extended ringing	S10	normal (non-extended) ringing interval; required with distinctive or shortened ringing patterns and with bypassed ringing (S1 set to BYP)	NORM	
		extended (by 1 second) ringing interval; required in repeated-ringing applications (S1 set to RPT or RGB) where ringing interval from a PBX is too short to initiate ringing by 7001(A)	EXT	
conditioning of 7001(A) for use with/without 9901 Pulse Corrector subassembly	S6	9901 sub-assembly not used	OFF	
		9901 sub-assembly used on 7001(A)	PC	
conditioning of 7001(A) for use with/without 9906 Reverse-Battery Adapter sub-assembly	S9	9906 sub-assembly not used	OUT	
		9906 sub-assembly used on 7001(A)	IN	

table 4. Summary and checklist, 7001(A) switch options

result in a talk-battery potential of 120Vdc, which the module cannot accommodate. However, an acceptable talk-battery potential can be derived either by selecting internal -48Vdc talk battery (S4 set to INTB, S3 set to INTA) or by setting S4 and S3 as indicated below (the module and external power supplies must be referenced to the same ground). Again, please be aware that the A PWR potential must be positive or ground and the B PWR potential must be negative.

S4	S3	talk battery
INTB	EXTA	72Vdc (+24V on APWR, -48V on B BWR)
EXTB	INTA	96Vdc (gnd on A PWR, -96V on B PWR)

3.10 Bypassed or repeated ringing is selected via switch *S1*. For bypassed ringing, set *S1* to *BYP*. (With bypassed ringing, no connections need be made to the RING GEN lead or to the RING GEN RET lead.) For repeated ringing with ring-generator bias determined by the difference in dc potential between the RING GEN and RING GEN RET leads, set *S1* to *RPT*. (In this case, the RING GEN lead must be negative with respect to the RING GEN RET lead.) For repeated ringing with ring-generator bias determined by the difference in dc potential between the RING GEN lead and either the GND lead (S3 set to *INTA*) or the A PWR lead (S3 set to *EXTA*), set *S1* to *RGB*. (In this case, the RING GEN lead must be negative with respect to the GND or A PWR lead.) As stated previously, ring-generator bias can be 48, 72, or 96Vdc. The resultant ring-trip range limits are listed in table 1 in section 2 of this Practice.

3.11 Switch *S10* selects either normal or extended ringing for repeated-ringing applications. If either of the 7001(A)'s repeated-ringing options (*RPT* or *RGB*) is selected and the short ringing interval from a PBX is not sufficient to initiate ringing by the 7001(A) (as may be the case in OPS applications), set *S10* to the *EXT* position to extend the ringing interval by approximately 1 second. If extended ringing is not required in a repeated-ringing application or if a distinctive or shortened ringing pattern is to be used, set *S10* to *NORM*. Also set *S10* to *NORM* in all bypassed-ringing applications.

3.12 Switch *S6* conditions the 7001(A) for use with or without the optional 9901 Pulse Corrector subassembly. If the 9901 is to be used, set *S6* to the PC position and plug the 9901 firmly into four-pin connector *J1* on the module's printed circuit board. The subassembly is held in place by a snap-in retainer post at the end opposite the four-pin connector. If the 9901 subassembly is not used, set switch *S6* to the *OFF* position.

3.13 Switch *S9* conditions the 7001(A) for use with or without the optional 9906 Reverse-Battery Adapter subassembly. If the 9906 is to be used, set

S9 to the *IN* position and plug the 9906 firmly into six-pin connector *J2* and three-pin connector *J3* on the module's printed circuit board. If the 9906 subassembly is not used, set *S9* to the *OUT* position.

4. circuit description

4.01 This circuit description is intended to familiarize you with the 7001(A) Dial Long Line module for engineering and application purposes only. Attempts to troubleshoot the 7001(A) internally are not recommended and may void the module's warranty. Procedures for recommended troubleshooting in the field are limited to those prescribed in section 7 of this Practice. Please refer to the 7001(A) block diagram, section 5 of this Practice, as an aid in following the circuit description.

basic operation

4.02 The 7001(A) provides all required functions for the detection and regeneration of dc signaling and supervisory signals and ac ringing signals in loop-start applications. These functions are provided in both the switch-to-station and station-to-switch directions on the circuit.

4.03 Switching-side loop current is limited by the nonlinear resistance characteristics of thermistor *VR6* in series with a 200-ohm resistor. Station-side loop current is provided by the 7001(A) through two 150-ohm resistors and two 60-ohm thermistors, *VR5* and *VR7*. The thermistors do not begin their current-limiting functions until loop current exceeds approximately 100mA, a situation unlikely to occur except under some fault conditions. In addition, metallic-line voltage-transient protection and signal limiting are provided by varistor *VR4*, which limits the signals and transients to approximately 5 volts peak.

4.04 The *RU relay* indicates a **switching-side seizure** by placing a ground on the ring-generator start lead (MACH ST). The B relay, in like manner, indicates a **station-side seizure** by placing a ground on the repeater-enable lead (RPTR EN).

station-side seizure

4.05 In the idle state, the *A*, *B*, and *RU relays* are released. Seizure is indicated by a station-loop closure, which operates the *loop-current sense* circuitry. The *loop-current sense* circuitry indicates the loop current magnitude to the *loop-current level detect* circuitry, which operates the slow-to-release *B relay* and then (via the optional 9901 Pulse Corrector subassembly, if present) the *A relay*. The operation of the *A* and *B relays* causes a switching-side loop closure and seizure of the switching equipment. A front-panel LED follows the status of the *A relay*, lighting momentarily during dial pulsing and steadily during circuit-busy conditions.

4.06 When the switching equipment is ready to receive dial pulsing, it applies dial tone to the line. This tone is transmitted to the station side through transformer *T1*. Station-side dialing is sensed by the

loop-current sense and *loop-current level detect* circuitry, causing the *A relay* to pulse the switching-side loop. The *B relay* remains operated during dial pulsing.

switching-side seizure

4.07 Seizure of the circuit by the switching equipment is initiated by application of ringing voltage. The ringing signal is detected by the *ring sense* circuitry, which operates the *RU relay*. The *RU relay* applies ringing voltage to the station side through ringing-mode-selection switch *S1* and the *ring-trip detect* circuitry. If *S1* is in the bypass (*BYP*) position, the ringing voltage applied to the switching side is connected to the station side by the operated *RU relay*. If *S1* is in either repeated-ringing position (*RPT* or *RGB*), the operated *RU relay* applies locally supplied ringing voltage to the station side. The *ring sense* circuitry repeats the ringing signal toward the station until a ring-trip signal is detected or the call is abandoned.

4.08. Ring trip is detected during the silent interval by the *loop-current sense* and *loop-current level detect* circuitry. Operation of the *A* and *B relays* then causes switching-side loop current to flow, which causes the switching equipment to trip ringing. If ring trip occurs during the ringing interval, the *ring trip* circuit operates, causing the relay to operate. These relays allow the switching equipment to trip ringing by causing switching-equipment loop current to flow.

4.09 Disconnect is accomplished by a sustained on-hook (no loop current) from the station. This causes the *A relay* to release, which opens the loop toward the central office. After a short delay, the *B relay* also releases.

6. specifications (7001 and 7001A)

station-side signaling range

with 48Vdc talk battery: 3000 ohms loop resistance plus tel set (200 ohms nominal)

with 72Vdc talk battery: 4500 ohms loop resistance plus tel set (200 ohms nominal)

with 96Vdc talk battery: 6000 ohms loop resistance plus tel set (200 ohms nominal)

maximum station-side loop current (supplied by 7001(A))
100mA, current limited (see figure 5 for current-limiting curve)

maximum switch-side loop current (supplied by switch or by switch-side tandem DLL)

40mA maximum with directly applied 48Vdc battery;

80mA maximum with 0-ohm loop and 48Vdc battery applied through 400 ohms;

100mA absolute maximum, current limited (see figure 5 for current-limiting curve)

dial-pulse distortion

less than 5% without 9901 Pulse Corrector subassembly

dialing speed

without 9901 Pulse Corrector: 6 to 15pps

with 9901 Pulse Corrector: 8 to 14pps

pulse correction with 9901 Pulse Corrector
input pulses at 8 to 12pps and 30 to 70% break are corrected to 58±3% break;

input pulses at 14pps and 40 to 65% break are corrected to 57±3% break

ringing sensitivity (switch side), repeated or bypassed ringing

33Vrms, 16 to 67Hz

local ring-generator voltage for repeated ringing

85 to 130Vac, 16 to 67Hz (see paragraph 2.13 for required biasing arrangements)

ring-trip range with repeated ringing and any acceptable ring-generator biasing arrangement (see paragraph 2.13)

with 48Vdc bias: 3000 ohms loop resistance

with 72Vdc bias: 4500 ohms loop resistance

with 96Vdc bias: 6000 ohms loop resistance

ringing capability

number of ringers: able to ring up to five ringers simultaneously

types of ringing: compatible with all types except multi-party biased selective ringing

crosstalk loss between adjacent 7001(A)'s in mounting shelf

80dB minimum, 400 to 4000Hz

minimum facility leakage resistance, station side

20 kilohms, tip to ring, tip to ground, or ring to ground

terminating impedances

600 or 900 ohms, balanced, independently switch-selectable on module's switch and station sides

maximum input level

+10dBm

insertion loss

0.8dB maximum at 1000Hz

frequency response

+0.4, -1.2dB, 400 to 3400Hz (re 1000Hz)

longitudinal balance

60dB minimum

longitudinal environment

10Vrms minimum, tip or ring to ground (equivalent to 60Vrms line induction, measured with 7001 removed and tip and ring connected together to ground through a 500-ohm resistor)

echo return loss

23dB minimum at 40mA loop current

reverse-battery detection delay (with 9906 Reverse-Battery Adapter subassembly)

100ms (9906 requires at least 15mA of loop current)

input power requirements

voltage: -44 to -56Vdc, filtered, ground referenced

current: 25mA at idle, 75mA (plus station-side loop current) when busy

operating environment


20°F to 130°F (-7° to 54°C), humidity to 95% (no condensation)

dimensions

5.58 inches (14.17cm) high

1.42 inches (3.61cm) wide

5.96 inches (15.14cm) deep



837001 7001 Dial Long Line module
817001A 7001A Network Terminating Dial Long Line module

5. block diagram

weight

24 ounces (680 grams)

mounting

relay rack or apparatus case via one position of a Tellabs Type 10 Mounting Shelf. The 7001 also mounts in one position of a Tellabs 211 Mounting Assembly, and the 7001A also mounts in one position of a Tellabs 262U Mounting Assembly.

7. testing and troubleshooting

7.01 The Testing Guide Checklist in this section may be used to assist in the installation, testing, or troubleshooting of the 7001(A) Dial Long Line module. The Checklist is intended as an aid in the localization of trouble to a specific module. If a module is suspected of being defective, a new one should be substituted and the test conducted again. If the substitute module operates correctly, the original module should be considered defective and returned to Tellabs for repair or replacement. We strongly recommend that no internal (component-level) testing or repairs be attempted on the 7001(A) module. Unauthorized testing or repairs may void the module's warranty.

Note: *Warranty service does not include removal of permanent customer markings on the front panels of Tellabs modules, although an attempt will be made to do so. If a module must be marked defective, we recommend that it be done on a piece of tape or on a removable stick-on label.*

7.02 If a situation arises that is not covered in the Checklist, contact Tellabs Customer Service at your Tellabs Regional Office or at our Lisle, Illinois, or Mississauga, Ontario, Headquarters. Telephone numbers are as follows:

US central region: (312) 969-8800
US northeast region: (412) 787-7860
US southeast region: (305) 645-5888
US western region: (702) 827-3400
Lisle Headquarters: (312) 969-8800
Mississauga Headquarters: (416) 624-0052

7.03 If a 7001(A) is diagnosed as defective, the situation may be remedied by either *replacement* or *repair and return*. Because it is more expedient, the *replacement* procedure should be followed whenever time is a critical factor (e.g., service outages, etc.).

replacement

7.04 To obtain a replacement 7001(A) module, notify Tellabs via letter (see addresses below), telephone (see numbers above), or twx (910-695-3530 in the USA, 610-492-4387 in Canada). Be sure to provide all relevant information, including the 8X7001(A) part number that indicates the issue of the module in question. Upon notification, we shall ship a replacement module to you. If the module in question is in warranty, the replacement will be shipped at no charge. Pack the defective 7001(A) in the replacement module's carton, sign the packing slip included with the replacement, and enclose it with the defective module (this is your return authorization). Affix the preaddressed label provided with the replacement module to the carton being returned, and ship the module prepaid to Tellabs.

repair and return

7.05 Return the defective 7001(A) module, shipment prepaid, to Tellabs (attn: repair and return).

in the USA: Tellabs Incorporated
4951 Indiana Avenue
Lisle, Illinois 60532

in Canada: Tellabs Communications Canada, Ltd.
1200 Aerowood Drive, Unit 39
Mississauga, Ontario, Canada L4W 2S7

Enclose an explanation of the module's malfunction. Follow your company's standard procedure with regard to administrative paperwork. Tellabs will repair the module and ship it back to you. If the module is in warranty, no invoice will be issued.

testing guide checklist

test	test procedure	normal result	if normal conditions are not met, verify:
circuit idle	With circuit idle, set VOM to 50 Vdc or 250Vdc scale and measure voltage across test points <i>T sw</i> and <i>R sw</i> , then across <i>T sta</i> and <i>R sta</i> .	Front-panel <i>busy</i> LED unlit <input type="checkbox"/> . Minimum 48Vdc battery across <i>T sw</i> and <i>R sw</i> . Minimum 48Vdc local talk battery across <i>T sta</i> and <i>R sta</i> , with <i>T sta</i> positive.	Power <input type="checkbox"/> . Wiring <input type="checkbox"/> . No excessive cable leakage <input type="checkbox"/> . No ground on ring leads <input type="checkbox"/> . No open cable pairs <input type="checkbox"/> . Switching equipment not defective <input type="checkbox"/> .
ringing	Initiate ringing on circuit. Set VOM to 250Vac scale. Measure switch-side ringing-signal voltage across <i>T sw</i> and <i>R sw</i> and station-side ringing-signal voltage across <i>T sta</i> and <i>R sta</i> .	<i>Busy</i> LED unlit <input type="checkbox"/> . Switch-side ringing signal is 33Vac minimum <input type="checkbox"/> . With repeated ringing, station-side ringing signal is 65Vac minimum and follows switch-side ringing <input type="checkbox"/> . With bypassed ringing, station-side ringing voltage is same as switch-side voltage <input type="checkbox"/> .	Option switch <i>S1</i> set correctly <input type="checkbox"/> . With repeated ringing, check local ringing generator (see note 1 below) <input type="checkbox"/> .
ring trip	Connect tel set to station-side T&R leads. Initiate ringing on circuit and go off-hook with tel set. With VOM set first to 250Vac scale and then to 50Vdc scale, observe switch-side ring trip across test points <i>T sw</i> and <i>R sw</i> . In like manner, observe station-side ring trip across <i>T sta</i> and <i>R sta</i> .	<i>Busy</i> LED lights when tel set goes off-hook <input type="checkbox"/> . Ringing voltage removed from both switch and station sides when tel set goes off-hook <input type="checkbox"/> . After ring trip occurs, dc loop voltage drops on both switch and station sides <input type="checkbox"/> .	Station within specified range of 7001(A) <input type="checkbox"/> . Ring generator properly biased <input type="checkbox"/> .
supervision	If tel set is still off-hook from preceding test, go back on-hook. Then go off-hook again but do not dial. With VOM set to 100mA scale, measure loop current across test points <i>T sta</i> and <i>R sta</i> .	<i>Busy</i> LED lights when tel set goes off-hook <input type="checkbox"/> . Loop current is between 80 and 100mA <input type="checkbox"/> .	Power <input type="checkbox"/> . Option switches set correctly <input type="checkbox"/> .
dialing	Set VOM to 50Vdc scale and connect it to test points <i>T sw</i> and <i>R sw</i> . With tel set off-hook, initiate dialing.	<i>Busy</i> LED flashes with dial pulses <input type="checkbox"/> . VOM also follows pulses, indicating 20 to 30Vdc during pulsing <input type="checkbox"/> .	Option switches <i>S3</i> and <i>S4</i> set correctly <input type="checkbox"/> . Longitudinal voltages with tel set off-hook less than 10Vac (see note 2 below) <input type="checkbox"/> .
talking	Use tel set to dial up local milliwatt test line.	1004Hz tone audible in tel set <input type="checkbox"/> .	Option switches set correctly <input type="checkbox"/> .
call release	Go on-hook with tel set.	<i>Busy</i> LED goes off when tel set goes on-hook <input type="checkbox"/> .	Longitudinal voltages less than 10Vac (see note 2 below) <input type="checkbox"/> . No excessive cable leakage <input type="checkbox"/> .
<p>Note 1: If the loop between the 7001(A) and the station has excessive leakage resistance or if more than 5μF of capacitance exists between tip and ring or between ring and ground, pre-trip may occur. This is evidenced by an abnormally short burst of ringing during each ringing cycle. If this occurs, the abnormal loop condition should be corrected.</p> <p>Note 2: To measure longitudinal voltages, connect a tel set across the station-side T&R leads and go off-hook. With a VOM set to the 50Vac scale, measure the voltage from test point <i>T sta</i> to ground and from test point <i>R sta</i> to ground. The voltage should be less than 10Vac in both cases.</p>			



Tellabs Incorporated

*4951 Indiana Avenue, Lisle, Illinois 60532
telephone (312) 969-8800 twx 910-695-3530*