

# NUMERICAL INDEX — DIVISION 226

## EQUIPMENT COMMON TO MORE THAN ONE TYPE

### STEP-BY-STEP AND COMMUNITY DIAL OFFICE

**1. GENERAL**

- 1.01** This index provides a listing of practices in Division 226.
- 1.02** This index reverted to Issue 1 in July, 1979. Prior to that date there had been 99 issues of the section.
- 1.03** A bullet (●) indicates an item that has been added or changed since the previous issue of the index.
- 1.04** A square (□) indicates a canceled item. Information relating to the cancellation, if necessary, will be shown in a note following the item. Canceled items and related notes will be deleted upon reissue of the index.
- 1.05** A heart (♥) indicates a new or reissued item which, because of its limited need, will not be distributed on standing order except through coded distribution. Additional copies may be obtained by placing regular (one-time) orders.
- 1.06** A solid triangle (▲) indicates a Task Oriented Practice (TOP). These practices, because of their limited need, will not be distributed on standing order except through coded distribution. Additional copies may be obtained by placing regular (one-time) orders.
- 1.07** A spade (♠) indicates an item not on microfiche. This index indicates the latest issue for hard-copy practices. In some cases, the microfiche will reflect the next higher issue as a result of the reduced distribution interval.
- 1.08** A large asterisk (\*) indicates an item pending transfer to Bell Communications Research, Inc. A pending-transfer item will be deleted upon reissue of this index provided the item has officially been transferred.
- 1.09** "Add" is the abbreviation for Addendum.

**2. LAYERS**

- 2.01** This division is arranged in layers as follows:
- 226-0 Indexes and Administrative Practices
  - 020 Network Switched Services (Administration and Maintenance) Methods
  - 060 Network Design
  - 1 General Information
  - 100 General System Information
  - 2 Line Finders, Trunk Finders, and Associated Circuits
  - 3 Selectors
  - 4 Connectors
  - 5 Trunks and Trunk Circuits
  - 6 Pulse Repeaters and Out-Trunk Switches
  - 7 Traffic and Message Registers
  - 8 Alarms, Switchboards, and Miscellaneous Equipment

**3. INDEX**

| Section Number | Issue | Subject |
|----------------|-------|---------|
|----------------|-------|---------|

**226-0 INDEXES AND ADMINISTRATIVE PRACTICES**

- ♠ 226-000-000 32 Numerical Index — Division 226 — Equipment Common to More Than One Type Step-by-Step and Community Dial Office
- 226-000-005 2 Alphabetical Index — Step-by-Step and Community Dial Offices

| Section Number | Issue | Subject |
|----------------|-------|---------|
|----------------|-------|---------|

**226-001 Controlled Maintenance Plan and Equipment Test Lists (ETL)**

- |             |    |                                                 |
|-------------|----|-------------------------------------------------|
| 226-001-013 | 7  | ETL — Toll Selectors                            |
| 226-001-014 | 10 | ETL — Toll Transmission Loop Dial Selectors     |
| 226-001-015 | 7  | ETL — Toll Transmission Repeated Dial Selectors |
| 226-001-018 | 4  | ETL — Pulse Repeaters and Out Trunk Switches    |

**226-020 Network Switched Services (Administration and Maintenance) Methods**

- |             |   |                                                                                   |
|-------------|---|-----------------------------------------------------------------------------------|
| 226-020-050 | 2 | Network Administration Center — Center Evaluation — Step-by-Step Switching System |
|-------------|---|-----------------------------------------------------------------------------------|

**226-1 GENERAL INFORMATION****226-100 General System Description**

- |               |   |                                                                                                                                   |
|---------------|---|-----------------------------------------------------------------------------------------------------------------------------------|
| ♥ 226-100-010 | 1 | System Description — Local and Toll                                                                                               |
| ♥ 226-100-012 | 1 | General Description — Common Control                                                                                              |
| ♥ 226-100-014 | 1 | System Description — Centrex                                                                                                      |
| ♥ 226-100-016 | 1 | System Description — Automatic Message Accounting — Local and Centralized                                                         |
| 226-145-300   | 1 | Cable Protective Device Alarm, Cable Insulation Alarm and Permanent Signal Alarm Circuit SD-31912-01 — Procedure in Case of Alarm |
| 226-160-300   | 3 | Method of Taking Equipment Out of Service                                                                                         |
| 226-165-300   | 7 | Associating Connector Terminals With Intercepting Trunks                                                                          |
| 226-170-700   | 4 | Analysis and Correction of Pulsing Failures Using Pulsing Test Set SD-31481-01 (J34717A)                                          |

**226-2 LINE FINDERS, TRUNK FINDERS, AND ASSOCIATED CIRCUITS**

- |             |   |                                                                                                                                                                     |
|-------------|---|---------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| 226-200-500 | 1 | Line Finders — Without Control Circuit — Operation Tests Using Dial Hand Test Set                                                                                   |
| 226-200-501 | 7 | Line Finders — Without Control Circuit — Operation Tests — Using Trunk Test Set SD-90469-02 (J94710A) and Auxiliary Test Set SD-32173-01 (J34726)                   |
| 226-200-502 | 9 | Line Finders — Without Control Circuit — Operation Tests Using 2-Party Message Rate Type Test Set SD-31456-01 (J34715A) and Auxiliary Test Set SD-32173-01 (J34726) |

| Section Number         | Issue | Subject                                                                                                                                                                                                                   | Section Number  | Issue | Subject                                                                                                                                                                                                                        |
|------------------------|-------|---------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-----------------|-------|--------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| 226-200-503            | 6     | Line Finders — Without Control Circuit — Operation Tests Using 2-Party Message-Rate Type Test Set SD-31151-01 (X-61404A) or SD-31258-01 (J34702A) and Auxiliary Test Set SD-32173-01 (J34726)                             | 226-300-505     | 2     | Rotary Tests Using Test Set ES-30068-01 or SD-31115-01 (J34707A)                                                                                                                                                               |
| 226-200-504            | 4     | Line Finders — Without Control Circuit — Operation Tests Using Trunk Test Set SD-90469-01 (J94710A)                                                                                                                       | 226-300-506     | 5     | Rotary and C Relay Timing Tests Using Relay Timing Test Set SD-90418-01 (J94713A)                                                                                                                                              |
| Add 226-200-505        | 1     |                                                                                                                                                                                                                           | 226-300-507     | 6     | B and C Relay Timing Tests Using Relay Timing Test Set SD-90418-01 (J94713A)                                                                                                                                                   |
| 226-200-505            | 10    | Line Finders — Without Control Circuit — Operation Tests Using Individual Message-Rate Type Test Set — ES-30417-01 (X-61351), SD-31246-01 (J34703A), or SD-31524-01 (J34718A) and Auxiliary Test Set SD-32173-01 (J34726) | 226-305-500     | 9     | Local and Toll Selectors — Operation Tests Using Dial Hand Test Set or 40C Test Set                                                                                                                                            |
| 226-200-506            | 2     | Line Finders — Rapid Operation Tests Using Test Set SD-31725-01 (J34721A)                                                                                                                                                 | 226-305-501     | 4     | Local and Toll — Operation Tests Using Test Set SD-31858-01 (J34701A)                                                                                                                                                          |
| 226-200-507            | 6     | Line Finders — Operation Tests Using Test Set SD-90210-01 (J34704A) or SD-90416-01 (J94704A)                                                                                                                              | 226-305-502     | 4     | Local and Toll — Operation Tests — Using Test Set SD-31859-01 (J34722B)                                                                                                                                                        |
| 226-200-508            | 4     | Line Finders — Line Tests Using Test Set SD-90210-01 (J34704A) or SD-90416-01 (J94704A)                                                                                                                                   | 226-305-503     | 6     | Local and Toll — Operation Test Using Test Set SD-90210-01 (J34704A) or SD-90416-01 (J94704A)                                                                                                                                  |
| 226-200-509            | 4     | Line Finders — Line Tests Using 2-Party Message Rate Type Test Set — SD-31151-01 (X-61404A), SD-31258-01 (J34702A) or SD-31456-01 (J34715A)                                                                               | 226-305-504     | 2     | Incoming and Intermediate — Seizure Test                                                                                                                                                                                       |
| 226-200-510            | 4     | Line Finders — Line Tests Using Individual Message Rate Type Test Set — ES-30417-01 (X-61351), SD-31246-01 (J34703A), or SD-31524-01 (J34718A)                                                                            | 226-310-500     | 3     | Toll Transmission — Operation Tests Using Test Set SD-31858-01 (J34701A)                                                                                                                                                       |
| 226-205-500            | 4     | Line Finders — With Control Circuit — Operation Tests Using Dial Hand Test Set                                                                                                                                            | 226-310-501     | 5     | Loop Dialing Toll Transmission — Operation Tests Using Test Set SD-30387-01 (J34713A)                                                                                                                                          |
| 226-210-500            | 2     | Line Finders — Serving Two Classes of Lines — Normal Post Spring Operation Tests                                                                                                                                          | 226-310-502     | 5     | Loop Dialing Toll Transmission — Operation Tests Using Test Set ES-30007-01 (X-61341)                                                                                                                                          |
| 226-215-500            | 6     | Line and Trunk Finder Group and Chain Circuit — Miscellaneous Tests                                                                                                                                                       | 226-310-503     | 5     | Loop Dialing Toll Transmission — Associated Jack Method Of Coin Control — Coin Control Tests Using Test Sets SD-30387-01 (J34713A) or ES-30007-01 (X-61341)                                                                    |
| 226-220-500            | 7     | Trunk Finders for Concentrating Intercepting and Verification Request Trunks — Operation Tests Using Trunk Test Set SD-90469-01 (J94710A) or SD-90469-02 (J94710A)                                                        | Add 226-310-504 | 1     |                                                                                                                                                                                                                                |
| 226-220-501            | 7     | Trunk Finders for Concentrating Intercepting and Verification Request Trunks — Operation Tests Using Test Set SD-31456-01 (J34715A) or SD-31524-01 (J34718A)                                                              | 226-310-504     | 3     | Loop and Repeated Dialing Toll Transmission — Operation Tests Using Trunk Test Set SD-90469-01 or SD-90469-02 (J94710A)                                                                                                        |
| <b>226-3 SELECTORS</b> |       |                                                                                                                                                                                                                           | 226-310-505     | 5     | Repeated Dialing Toll Transmission — Operation Tests Using Toll Train and Coin Box Trunk Test Set ES-241636                                                                                                                    |
| 226-300-500            | 5     | Pulsing Tests Using Pulsing Test Set SD-31481-01 (J34717A)                                                                                                                                                                | 226-310-506     | 1     | Repeated Dialing Toll Transmission Selectors and Toll Coin Control Switches — Coin Control and Operation Tests Using Toll Train and Coin Box Trunk Test Set ES-241636                                                          |
| 226-300-501            | 4     | Rotary Test Using Dial Hand Test Set                                                                                                                                                                                      | 226-310-507     | 1     | Repeated Dialing Toll Transmission — Associated Jack Method of Coin Control — Coin Control Tests Using Toll Train and Coin Box Trunk Test Set ES-241636                                                                        |
| 226-300-503            | 4     | Rotary Test Using No. 40C Test Set                                                                                                                                                                                        | 226-315-500     | 3     | Loop and Repeated Dialing A-B Toll Transmission Selectors — Operation Tests Using Test Set SD-90469-01 (J94710A)                                                                                                               |
| 226-300-504            | 4     | Rotary Test Using Test Set SD-31616-01 (J34716A)                                                                                                                                                                          | 226-315-501     | 3     | Loop Dialing A-B Toll Transmission — Operation Tests Using Test Set SD-30387-01 (J34713A) or ES-30007-01 (X-61341)                                                                                                             |
|                        |       |                                                                                                                                                                                                                           | 226-315-502     | 4     | Loop Dialing Toll and A-B Toll Transmission and Other Selectors With Loop Compensating Resistances — Pulse Repeating and Pulsing Tests Using Pulse Repeating SD-31667-01 (J34720A) and Pulsing SD-31481-01 (J34717A) Test Sets |

| Section Number | Issue | Subject                                                                                                                                       | Section Number          | Issue | Subject                                                                                                                                                      |
|----------------|-------|-----------------------------------------------------------------------------------------------------------------------------------------------|-------------------------|-------|--------------------------------------------------------------------------------------------------------------------------------------------------------------|
| 226-315-503    | 3     | Toll and A-B Toll Transmission — Operation Tests Using Test Set SD-90416-01 (J94704A)                                                         | 226-340-511             | 7     | 8- and 10-Party Reverting Call — Timing Tests Using Relay Timing Test Set SD-90418-01 (J94713A)                                                              |
| 226-320-500    | 2     | Coin Control — Pulsing Tests Using Pulsing Test Set SD-31481-01                                                                               | 226-340-512             | 1     | 10-Party Terminal Per Line Reverting Call — Operation Tests Using Dial Hand Test Set and Test Circuit SD-31478-01 or SD-31479-01                             |
| 226-320-501    | 2     | Coin Control — Timing Tests Using Relay Timing Test Set SD-90418-01 (J94713A)                                                                 | 226-340-513             | 2     | 10-Party Terminal Per Line Reverting Call — Operation Tests Using Dial Hand Test Set and Test Circuit SD-30998-01                                            |
| 226-320-502    | 4     | Loop Dialing Coin Control — Operation Tests Using Test Set SD-30387-01 (J34713A) or ES-30007-01 (X-61341)                                     | 226-340-514             | 2     | Reverting Call — 5-, 10-, and 20-Party Terminal Per Line — Operation Tests Using Test Set SD-31858-01 (J34701A) and Test Line SD-31857-01                    |
| 226-325-500    | 2     | Code — Call Through Tests — From Associated Auxiliary Trunk Circuit Using Dial Hand Test Set                                                  | 226-340-515             | 2     | Reverting Call — 5-, 10-, and 20-Party Terminal Per Line — Operation Tests Using Test Set SD-31859-01 (J34722B) and Test Line SD-31857-01                    |
| 226-330-501    | 2     | Selector Repeaters — Rotary and C Relay Timing Tests Using Relay Timing Test Set SD-90418-01 (J94713A)                                        | <b>226-4 CONNECTORS</b> |       |                                                                                                                                                              |
| 226-330-502    | 3     | Selector Repeaters — Operation Tests Using Test Sets SD-31858-01 (J34701A), SD-90469-01 or SD-90469-02 (J94710A)                              | 226-400-500             | 8     | Pulsing Tests — Using Pulsing Test Set SD-31481-01 (J34717A)                                                                                                 |
| 226-340-500    | 3     | Reverting Call — Pulsing Tests Using Pulsing Test Set SD-31481-01 (J34717A)                                                                   | 226-400-501             | 7     | Timing Tests Using Relay Timing Test Set SD-90418-01 (J94713A)                                                                                               |
| 226-340-501    | 3     | Reverting Call Selectors — Operation Tests Using Test Set SD-90416-01 (J94704A) and Test Line SD-32198-01                                     | 226-400-502             | 2     | Seizure Test                                                                                                                                                 |
| 226-340-502    | 3     | Reverting Call — Operation Tests Using Test Set SD-90469-02 (J94710A) and Test Line SD-32198-01                                               | 226-400-503             | 2     | Operation Tests Using A.E. Co.'s Test Set                                                                                                                    |
| 226-340-503    | 3     | 2- and 4-Party Reverting Call — Operation Tests Using Dial Hand Test Set and Test Circuit SD-30998-01                                         | 226-405-500             | 5     | Local — Operation Tests Using Test Set SD-31858-01 (J34701A) and Test Line SD-31857-01                                                                       |
| 226-340-504    | 2     | 2- and 4-Party Reverting Call — Operation Tests Using Dial Hand Test Set and Test Circuit SD-31478-01 or SD-31479-01                          | Add 226-405-501         | 1     |                                                                                                                                                              |
| 226-340-505    | 3     | Reverting Call — 2-Party Selective and 4-Party Semiselective — Operation Tests Using Test Set SD-31858-01 (J34701A) and Test Line SD-31857-01 | 226-405-501             | 6     | Local — Operation Tests Using Test Set SD-31859-01 (J34722B) and Test Line SD-31857-01                                                                       |
| 226-340-506    | 3     | Reverting Call — 2-Party Selective and 4-Party Semiselective — Operation Tests Using Test Set SD-31859-01 (J34722B) and Test Line SD-31857-01 | 226-410-500             | 7     | Local Level Hunting — Operation Tests — Using Connector Test Set SD-31637-01 or SD-31637-02 (J34719A) — Step-by-Step Systems                                 |
| 226-340-507    | 2     | 8-Party Reverting Call — Operation Tests Using Dial Hand Test Set and Test Circuit SD-30998-01                                                | 226-410-501             | 6     | Local Level Hunting — Operation Tests — Using Connector Test Set SD-30502-01 (J34711A)                                                                       |
| 226-340-508    | 2     | 8-Party Reverting Call — Operation Tests Using Test Set SD-31858-01 (J34701A) and Test Line SD-31857-01                                       | Add 226-415-500         | 2     |                                                                                                                                                              |
| 226-340-509    | 2     | 8-Party Reverting Call — Operation Tests Using Test Set SD-31859-01 (J34722B) and Test Lines SD-31857-01 and SD-30981-01                      | 226-415-500             | 6     | Local and Combination — Operation and Pulsing Tests Using Connector Test Set SD-31637-01 or SD-31637-02 (J34719A) and Pulsing Test Set SD-31481-01 (J34717A) |
| 226-340-510    | 1     | 8-Party Reverting Call — Operation Tests Using Dial Hand Test Set and Test Circuit SD-31478-01 or SD-31479-01                                 | 226-415-501             | 6     | Local and Combination — Operation and Pulsing Tests Using Connector Test Set SD-30502-01 (J34711A) and Pulsing Test Set SD-31481-01 (J34717A)                |
|                |       |                                                                                                                                               | 226-415-502             | 7     | Local and Combination — Rapid Operation Tests — Using Dial Hand Test Set and Test Line SD-31653-01                                                           |
|                |       |                                                                                                                                               | 226-415-503             | 5     | Local and Combination — Rapid Operation Test — Using Connector Test Set SD-30502-01 (J34711A) and Pulsing Test Set SD-31481-01 (J34717A)                     |

| Section Number  | Issue | Subject                                                                                                                                                     | Section Number                         | Issue | Subject                                                                                                                                                    |
|-----------------|-------|-------------------------------------------------------------------------------------------------------------------------------------------------------------|----------------------------------------|-------|------------------------------------------------------------------------------------------------------------------------------------------------------------|
| 226-415-504     | 6     | Local and Combination — Rapid Operation Test — Using Connector Test Set SD-31637-01 or SD-31637-02 (J34719A) and Pulsing Test Set SD-31481-01 (J34717A)     | 226-440-502                            | 2     | Coin Control — Operation Tests Through Auxiliary Line Circuit Using Test Set SD-31858-01 (J34701A)                                                         |
| 226-415-505     | 3     | Local and Combination — Local Operation Tests Using Test Set SD-90416-01 (J94704A) or SD-90210-01 (J34704A) and Test Line SD-32198-01                       | <b>226-5 TRUNKS AND TRUNK CIRCUITS</b> |       |                                                                                                                                                            |
| 226-415-506     | 6     | Local and Combination — Local Operation Tests Using Trunk Test Set SD-90469-01 or SD-90469-02 (J94710A) and Test Line SD-32198-01                           | 226-500-500                            | 1     | Auxiliary Trunk Circuit SD-32071-01 Arranged for Right of Way on Emergency Calls — Operation Tests Using Dial Hand Test Set                                |
| 226-415-507     | 6     | Local and Combination — Operation Tests Using Test Set SD-90210-01 (J34704A) or SD-90416-01 (J94704A) and Test Line SD-32198-01, SD-32164-01 or SD-31261-01 | 226-501-500                            | 1     | Auxiliary Trunk Circuits SD-32070-01 and SD-32104-01 Arranged for Right of Way on Emergency Calls — Operation Tests Using Dial Hand Test Set               |
| 226-420-500     | 4     | Combination Toll Operation Tests Using Test Set SD-31858-01 (J34701A) and Test Line SD-31857-01 (J33017F)                                                   | 226-502-500                            | 3     | Auxiliary Trunk Circuit — Prepayment Coin Service — Operation Tests Using Test Set SD-31858-01 (J34701A)                                                   |
| 226-420-501     | 3     | Combination — Toll Operation Tests Using Test Set SD-31859-01 (J34722B) and Test Line SD-31857-01 (J34017F)                                                 | 226-502-501                            | 2     | Auxiliary Trunk Circuit SD-32025-01 — Prepayment Coin Service — Operation Tests Using Trunk Test Set SD-90469-02 (J94710A)                                 |
| 226-425-500     | 3     | Toll and Combination — Toll Operation Tests Using Trunk Test Set SD-90469-01 or SD-90469-02 (J94710A) and Test Line SD-32198-01                             | 226-503-500                            | 1     | Auxiliary Trunk Circuit SD-32341-01 — Operation Test Using Dial Hand Test Set                                                                              |
| Add 226-430-500 | 1     | Loop Dialing Toll — Operation and Pulsing Tests Using Connector Test Set SD-31637-01 or SD-31637-02 (J34719A) and Pulsing Test Set SD-31481-01 (J34717A)    | 226-504-500                            | 1     | Auxiliary Trunk Circuit for Automatic Timed Release SD-32540-01 — Timing Test                                                                              |
| 226-430-500     | 5     |                                                                                                                                                             | 226-505-500                            | 1     | Auxiliary Line Circuit SD-35002-01 — Hotel-Motel Service — Operation Tests                                                                                 |
| 226-430-501     | 4     | Loop Dialing Toll — Operation Tests Using Test Set SD-30387-01 (J34713A) or ES-30007-01 (X-61341)                                                           | 226-507-500                            | 2     | Permanent Signal Holding Trunk SD-32370-01 — Miscellaneous Tests                                                                                           |
| 226-430-502     | 3     | Repeated Dialing Toll — Operation Tests Using Toll Train and Coin Box Trunk Test Set ES-241636                                                              | 226-508-500                            | 1     | Interoffice Trunks to Step-by-Step Offices — Operation Test Using Trunk Test Set ES-30096-01                                                               |
| 226-435-500     | 4     | Loop Dialing Toll Level Hunting — Operation Tests Using Test Set SD-30387-01 (J34713A) or ES-30007-01 (X-61341)                                             | 226-508-501                            | 1     | Interoffice Trunks — Continuity and Polarity Test Using Test Set SD-31426-01                                                                               |
| 226-435-501     | 4     | Loop Dialing Toll Level Hunting — Operation Tests Using Connector Test Set SD-31637-01 or SD-31637-02 (J34719A)                                             | 226-508-502                            | 1     | Interoffice Trunks — Continuity and Polarity Tests Using Test Set SD-31725-01 (J34721A)                                                                    |
| 226-437-500     | 1     | Connectors and Toll Transmission Selectors — 1000-Cycle Transmission Tests — Using Portable Transmission Measuring Set — Step-by-Step Systems               | Add 226-508-503                        | 1     | Interoffice Trunks — Operation Tests Using Test Set SD-31859-01 (J34722B)                                                                                  |
| 226-440-500     | 1     | Coin Connector and Associated Coin Control Trunk Circuit — Coin and Rering Tests                                                                            | 226-508-503                            | 2     |                                                                                                                                                            |
| 226-440-501     | 2     | Coin Control — Prepayment Coin Service — Operation Test Using Test Set SD-90469-02 (J94710A)                                                                | 226-508-504                            | 2     | Interoffice Trunks — Operation Tests Using Test Set SD-90469-01 or SD-90469-02 (J94710A)                                                                   |
|                 |       |                                                                                                                                                             | 226-508-505                            | 2     | Interoffice Trunks Operator Identified to CAMA Office — Operation Tests                                                                                    |
|                 |       |                                                                                                                                                             | 226-511-500                            | 1     | Incoming Trunk Circuits SD-31703-01 — Operation Tests Using Test Sets SD-31858-01 (J34701A), SD-90469-01 or SD-90469-02 (J94710A)                          |
|                 |       |                                                                                                                                                             | 226-514-500                            | 2     | 2-Way Operator Office Trunks and Associated Coin Control Trunk — Coin, Noncoin, and Rering Tests Using Trunk Test Set SD-90469-01 or SD-90469-02 (J94710A) |
|                 |       |                                                                                                                                                             | 226-517-500                            | 2     | Coin Trunks — Pulsing Tests — Per Cent Break Method Using Pulsing Test Set SD-31481-01 (J34717A) and Pulse Repeating Test Set SD-31667-01 (J34720A)        |

| Section Number  | Issue | Subject                                                                                                                                                                                          | Section Number | Issue | Subject                                                                                                                                                                     |
|-----------------|-------|--------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|----------------|-------|-----------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| 226-517-501     | 5     | Coin Trunks — Operation Tests Using Loop Dialing Toll Train and Coin Trunk Test Set ES-30007-01 (X-61341) or SD-30387-01 (J34713A)                                                               | 226-524-503    | 5     | Recording-Completing Trunks — Operation Test Using Test Set SD-31858-01 (J34701A)                                                                                           |
| 226-517-502     | 5     | Coin Trunks — Operation Tests Using Repeated Dialing Toll Train and Coin Box Trunk Test Set ES-241636 (X-61116)                                                                                  | 226-524-504    | 2     | Outgoing Trunk Circuit SD-35059-01 — 0+, 0— ONI Operation — TSPS/RTA — Operation Tests — Using Trunk Test Set SD-31858-01 (J34701A) or SD-90469-01 or SD-90469-02 (J94710A) |
| 226-521-502     | 2     | Coin Trunk Circuit SD-31592-02 Arranged for Coin First Service — Operation Tests — Using Trunk Test Set SD-90469-01 or SD-90469-02 (J94710A) — Step-by-Step Systems                              | 226-525-500    | 1     | Operators' Recording-Completing Trunks — Operation Tests — "A" Switchboards                                                                                                 |
| 226-521-503     | 2     | Coin-Trunk Circuit SD-31592-02 — Arranged for Coin First Service — Operation Tests — Using Test Set SD-31858-01 (J34701A)                                                                        | 226-527-500    | 6     | Trunks From Local Selector Levels — Continuity Tests Using Dial Hand Test Set                                                                                               |
| 226-521-504     | 2     | Coin Trunk Circuit SD-31592-02 and Auxiliary Coin Trunk Circuit SD-32538-01 — Arranged for Dial-Tone-First Service — Operation Tests — Using Trunk Test Set SD-90469-01 or SD-90469-02 (J94710A) | 226-527-501    | 2     | Trunks From Local Selector Levels — Continuity Test Using Trunk Test Set ES-30096-01                                                                                        |
| 226-521-505     | 2     | Coin Trunk Circuit SD-31592-02 and Auxiliary Coin Trunk Circuit Arranged for Dial-Tone-First Service — Operation Tests — Using Test Set SD-31858-01 (J34701A)                                    | 226-528-500    | 1     | Trunks From Selector Levels to Information Desks — Operation Tests Using Trunk Test Set ES-30096-01                                                                         |
| Add 226-521-506 | 1     |                                                                                                                                                                                                  | 226-529-500    | 1     | Trunks From Selector Levels to Special Service Positions — Operation Tests Using Trunk Test Set ES-30096-01                                                                 |
| 226-521-506     | 2     | Coin Trunk Circuit SD-32539-01 — Arranged for Coin First Service — Operation Tests — Using Trunk Test Set SD-90469-01 or SD-90469-02 (J94710A)                                                   | 226-531-500    | 1     | Trunks From Selector Levels to Recording Positions — Operation Tests Using Trunk Test Set ES-30096-01                                                                       |
| 226-521-507     | 2     | Coin Trunk Circuit SD-32539-01 — Arranged for Coin First Service — Operating Tests — Using Test Set SD-31858-01 (J34701A)                                                                        | 226-532-500    | 1     | Trunks From Vacant Local Selector Levels to Intercepting Positions — Operation Test Using Trunk Test Set ES-30096-01                                                        |
| 226-521-508     | 2     | Coin Trunk Circuit SD-32539-01 — Arranged for Dial-Tone-First Service — Operation Tests — Using Trunk Test Set SD-90469-01 or SD-90469-02 (J94710A)                                              | 226-533-500    | 3     | Trunks From Local Selector Levels to Desks and Switchboard Positions — Operation Tests Using Dial Hand Test Set                                                             |
| 226-521-509     | 2     | Coin Trunk Circuit SD-32539-01 — Arranged for Dial-Tone First Service — Operation Tests — Using Test Set SD-31858-01 (J34701A)                                                                   | 226-534-500    | 3     | 911 Emergency Service Trunk — Operation Tests — Using Trunk Test Set SD-90469-01, SD-90469-02 (J94710A), or SD-31858-01 (J34701A)                                           |
| Add 226-522-300 | 2     |                                                                                                                                                                                                  | 226-535-500    | 1     | Trunks From Selector Levels to No. 12 Local Test Desks — Operation Test Using Trunk Test Set ES-30096-01                                                                    |
| 226-522-300     | 1     | Local Coin Overtime (LCOT) Charging Circuit SD-35046-01 — Description, Operation, and Trouble Locating — Step-by-Step Systems                                                                    | 226-536-500    | 1     | Trunks From Selector Levels to 1-C Repair Clerks' Desk — Operation Test Using Trunk Test Set ES-30096-01                                                                    |
| 226-524-500     | 2     | Loop Dialing Recording-Completing Trunks From Coin Box Trunk Groups — Operation Tests Using Trunk Test Set SD-30387-01 (J34713)                                                                  | 226-539-500    | 1     | Trunk From Levels of Repeated Dialing — Toll Transmission Selectors — Continuity Test Using Test Set SD-90469-01 (J94710A)                                                  |
| 226-524-501     | 1     | Repeated Dialing Recording-Completing Trunks From Coin Box Trunk Groups — Operation Tests Using Toll Train and Coin Box Trunk Test Set ES-241636                                                 | 226-540-500    | 1     | Trunks From Levels of Repeated Dialing — A-B Toll Transmission Selectors — Continuity Tests Using Test Set SD-90469-01 (J94710A)                                            |
| 226-524-502     | 8     | Recording-Completing Trunks — Coin and Noncoin — Operation Tests Using Trunk Test Set SD-90469-01 or SD-90469-02 (J94710A) Step-By-Step Systems                                                  | 226-541-500    | 1     | Trunk From Levels of Loop Dialing — Toll and A-B Toll Transmission Selectors — Continuity Tests Using Test Set SD-90469-01 (J94710A)                                        |
|                 |       |                                                                                                                                                                                                  | 226-542-500    | 2     | Trunks From Levels of Loop and Repeated Dialing — Toll Intermediate Selectors — Continuity and Polarity Tests Using Test Set SD-90469-01 or SD-90469-02 (J94710A)           |

| Section Number | Issue | Subject                                                                                                                                                                                                                          | Section Number | Issue | Subject                                                                                                                                                                                                    |
|----------------|-------|----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|----------------|-------|------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| 226-543-500    | 3     | Interswitch Trunks From Levels of Loop Dialing Toll Transmission and Toll Intermediate Selectors — Test of C and S Leads Using Dial Hand Test Set                                                                                | 226-559-500    | 2     | Intercepting and Verification Request Trunks From Connectors — Intercepting Handled at DSA Switchboard — Operation Tests Using Trunk Test Set SD-90469-01 or SD-90469-02 (J94710A)                         |
| 226-546-500    | 1     | Trunks From Vacant Connector Terminals — Operation Tests Using Trunk Test Set ES-30096-01                                                                                                                                        | 226-560-500    | 1     | Intercepting and Verification Request Trunks From Connectors — Intercepting Handled at Toll Switchboard or Operating Room Desk — Operation Tests Using Dial Hand Test Set                                  |
| 226-550-500    | 1     | Intercepting Trunks From Local Selector Levels — Intercepting Handled at Toll Switchboard or Operating Room Desk — Operation Tests Using Trunk Test Set SD-90469-01 and SD-90469-02 (J94710A)                                    | 226-561-500    | 3     | Intercepting and Verification Request Trunks From Connectors — Intercepting Handled at DSA Switchboard — Operation Tests Using Dial Hand Test Set                                                          |
| 226-551-500    | 2     | Intercepting Trunks From Local Selector Levels — Intercepting Handled at DSA Switchboards — Operation Tests Using Trunk Test Set SD-90469-01 and SD-90469-02 (J94710A)                                                           | 226-562-500    | 1     | Intercepting and Verification Request Trunks From Connectors — Intercepting Handled at Toll Switchboard or Operating Room Desk — Operation Tests Using Trunk Test Set SD-90469-01 or SD-90469-02 (J94710A) |
| 226-552-500    | 2     | Intercepting Trunks From Toll Selector Levels — Intercepting Handled at DSA Switchboard — Operation Tests Using Trunk Test Set SD-90469-01 or SD-90469-02 (J94710A)                                                              | 226-565-500    | 7     | Individual Line Message-Rate Trunks — Line Finder Type — Operation Tests Using Individual Line Message-Rate Type Test Set SD-31246-01 (J34703A) or SD-31524-01 (J34718A)                                   |
| 226-553-500    | 1     | Intercepting Trunks From Toll Selector Levels — Intercepting Handled at Toll Switchboard or Operating Room Desk — Operation Tests Using Trunk Test Set SD-90469-01 or SD-90469-02 (J94710A)                                      | 226-565-501    | 5     | Individual Line Message Rate Trunks — Line Finder Type — Operation Tests — Using 2-Party Message Rate Type Test Set SD-31258-01 (J34702A) or SD-31456-01 (J34715A)                                         |
| 226-554-500    | 1     | Intercepting Trunks From Trunk Finders to a No. 14C, 14D, or 15C Switchboard Arranged to Trip Machine Ringing Before Extending Call to Operator — Operation Tests Using Trunk Test Set SD-90469-01 or SD-90469-02 (J94710A)      | 226-566-500    | 2     | 2-Party Message Rate Trunks — Pulsing Tests — Per Cent Break Method Using Pulsing Test Set SD-31481-01 (J34717A) and Pulse Repeating Test Set SD-31667-01 (J34720A)                                        |
| 226-554-501    | 2     | Intercepting Trunks From Trunk Finders to a No. 14C, 14D or 15C Switchboard Arranged to Trip Machine Ringing After Extending Call to Operator — Operation Tests Using Trunk Test Set SD-90469-01 and SD-90469-02 (J94710A)       | 226-566-501    | 4     | 2-Party Message Rate Trunks — Line Finder Type — Operation Tests Using Test Set SD-31151-01 (X-61404A) SD-31258-01 (J34702A) or SD-31456-01 (J34715A)                                                      |
| 226-555-500    | 1     | Intercepting Trunks From Trunk Finders to Toll Switchboard or Operating Room Desk Arranged to Trip Machine Ringing Before Extending Call to Operator — Operation Tests Using Trunk Test Set SD-90469-01 or SD-90469-02 (J94710A) | 226-569-500    | 5     | PBX Trunks from Selector Levels SD-31757-01 — Operation Tests Using Test Set ES-241798, SD-30502-01 (J34711A), SD-31637-01 or SD-31637-02 (J34719A)                                                        |
| 226-555-501    | 1     | Intercepting Trunks From Trunk Finders to Toll Switchboard or Operating Room Desk Arranged to Trip Machine Ringing After Extending Call to Operator — Operation Tests Using Trunk Test Set SD-90469-01 or SD-90469-02 (J94710A)  | 226-572-500    | 1     | Toll Diverting Trunks — Operation Tests Using Trunk Test Set SD-90469-02 (J94710A)                                                                                                                         |
| 226-556-500    | 2     | Outgoing 2-Wire Intercepting Trunks From Trunk Finders Arranged for Regular or Trouble Intercept to Operator or to Machine Announcement — Operation Tests Using Test Set SD-90469-01 or SD-90469-02 (J94710A)                    | 226-575-500    | 2     | Outgoing Trunks — Test of DC Key Pulsing — 15C Switchboard                                                                                                                                                 |
| 226-557-500    | 1     | Intercepting Trunk — From Connectors and Selectors Using an Announcement Machine — Operation Tests Using Dial Hand Test Set                                                                                                      | 226-577-500    | 2     | Outgoing Dialing Trunks — Operation Tests — "A" Switchboards                                                                                                                                               |
|                |       |                                                                                                                                                                                                                                  | 226-588-500    | 6     | Trunk Transmission Tests — Step-by-Step Offices Not Provided With Manual Trunk Test Frame                                                                                                                  |
|                |       |                                                                                                                                                                                                                                  | 226-588-501    | 1     | PBX Trunk Relay Equipment — 1000-Hertz Transmission Test — Using Portable Transmission Measuring Set — Step-by-Step Systems                                                                                |

| Section Number                                      | Issue | Subject                                                                                                                                                    | Section Number                                                 | Issue | Subject                                                                                                                                                                                                         |
|-----------------------------------------------------|-------|------------------------------------------------------------------------------------------------------------------------------------------------------------|----------------------------------------------------------------|-------|-----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| Add 226-590-500                                     | 1     |                                                                                                                                                            | 226-700-503                                                    | 1     | Traffic Registers Associated With Repeaters — Operation Tests                                                                                                                                                   |
| 226-590-500                                         | 4     | Trunk Transmission Tests — Step-by-Step Offices Provided With Manual Outgoing Trunk Test Frame SD-32349-01                                                 | 226-705-500                                                    | 3     | Line Message Registers Associated With Line Finder Equipment — Cross Connection and Operation Tests Using Test Set SD-30490-01 (J34706A) and Test Line SD-31610-01 or Equivalent                                |
| 226-590-501                                         | 1     | Trunk Transmission Tests — Circuits Terminated at Commercial ACD — Step-by-Step Systems                                                                    | 226-705-501                                                    | 1     | Line Message Registers Associated With Line Finder Equipment Arranged for Overtime Charging — Cross Connection and Operation Tests Using Test Set SD-30490-01 (J34706A) and Test Line SD-31610-01 or Equivalent |
| 226-591-101                                         | 2     | Automatic Outgoing Trunk Test Frame — Description                                                                                                          | 226-705-502                                                    | 1     | Low Resistance Line Message Registers — Cross Connection and Operation Tests Using Test Set SD-32150-01 (J34725A) and Test Line SD-31610-01 or Equivalent                                                       |
| 226-591-300                                         | 2     | Compiling Data for Control Tapes — Automatic Outgoing Trunk Test Frame                                                                                     | <b>226-8 ALARMS, SWITCHBOARDS, AND MISCELLANEOUS EQUIPMENT</b> |       |                                                                                                                                                                                                                 |
| 226-591-301                                         | 2     | Preparation of Control Tapes — Automatic Outgoing Trunk Test Frame                                                                                         | 226-800-500                                                    | 6     | Switch Trouble and Fuse Alarms — Operation Tests                                                                                                                                                                |
| 226-591-501                                         | 2     | Operational and Transmission Tests on Outgoing Dial Trunks Using Automatic Outgoing Trunk Test Frame SD-32504-01                                           | 226-801-500                                                    | 8     | Trouble and Fuse Alarms — Miscellaneous Circuits — Operation Tests                                                                                                                                              |
| 226-591-510                                         | 1     | Automatic Outgoing Trunk Test Frame — SD-32504-01 — Tests                                                                                                  | 226-802-500                                                    | 1     | Cable Protective Device Alarm, Cable Insulation Alarm and Permanent Signal Alarm Circuit SD-31912-01 — Operation Tests                                                                                          |
| 226-591-701                                         | 1     | Adjustment of Line Build-Out Networks — Automatic Outgoing Trunk Test Frame SD-32504-01                                                                    | 226-803-500                                                    | 3     | Permanent Alarms — Selectors, Connectors, P.B.X. Trunks, and Reverting Call Selectors — Operation Tests                                                                                                         |
| <b>226-6 PULSE REPEATERS AND OUT-TRUNK SWITCHES</b> |       |                                                                                                                                                            | 226-804-500                                                    | 1     | Pulse Generator and Counting Circuit SD-32310-01 — Alarm and Transfer Test                                                                                                                                      |
| Add 226-600-500                                     | 1     |                                                                                                                                                            | 226-806-500                                                    | 1     | Precise Busy Tone Supply J87353A — Tests                                                                                                                                                                        |
| 226-600-500                                         | 5     | Outgoing Repeaters — Pulsing and Continuity Test — Using Trunk Test Set SD-90469-02 (J94710A) or Using Pulsing Test Set SD-31481-01 (J34717A)              | 226-807-500                                                    | 1     | Voice Alarm and Control Circuit SD-27980-01 for Announcement System 7A — Tests                                                                                                                                  |
| 226-600-501                                         | 2     | Outgoing Repeaters — Pulsing Tests — Per Cent Break Method Using Pulse Repeating Test Set SD-31667-01 (J34720A) and Pulsing Test Set SD-31481-01 (J34717A) | 226-807-501                                                    | 1     | Interface and Alarm Circuit SD-35067-01 for 13A Announcement System — Tests                                                                                                                                     |
| 226-600-502                                         | 1     | Repeaters — C Relay Release Test Using Dial Hand Test Set                                                                                                  | 226-808-501                                                    | 1     | Telecommunications Alarm Surveillance and Control (TASC) — Interconnection Circuit Tests — Step-by-Step Offices                                                                                                 |
| 226-600-503                                         | 4     | Repeaters — B and C Relay Timing Tests Using Relay Timing Test Set SD-90418-01 (J94713A)                                                                   | 226-810-500                                                    | 4     | Line Load Control Equipment — Operation Tests                                                                                                                                                                   |
| 226-605-500                                         | 3     | Rotary Out-Trunk Switch SD-32253-01 — Operation Test Using Dial Hand Test Set                                                                              | 226-813-500                                                    | 1     | Calling Line Identification Circuits for Intra SXS Office Calls — Tests                                                                                                                                         |
| 226-610-500                                         | 6     | Rotary Out-Trunk Switches Arranged for Preselection — Operation Tests Using Test Set SD-31426-01 (J34714A)                                                 | 226-814-500                                                    | 1     | Emergency Manual Circuits for Manual Operation and Interception of Subscriber Lines and Trunk Circuits — Operation Tests Using Dial Hand Test Set                                                               |
| 226-610-501                                         | 7     | Rotary Out-Trunk Switches Arranged for Preselection — Operation Tests Using Trunk Test Set SD-90469-02 (J94710A)                                           | 226-816-500                                                    | 2     | Line Adapter Circuit SD-32072-01 Arranged for Right of Way on Emergency Calls — Operation Tests Using Dial Hand Test Set                                                                                        |
| <b>226-7 TRAFFIC AND MESSAGE REGISTERS</b>          |       |                                                                                                                                                            | 226-818-500                                                    | 1     | Emergency Line circuit SD-32313-01 — Operation Tests Using Dial Hand Test Set                                                                                                                                   |
| 226-700-500                                         | 4     | Traffic Registers Associated With Line and Trunk Finders — Operation Tests                                                                                 |                                                                |       |                                                                                                                                                                                                                 |
| 226-700-501                                         | 2     | Traffic Registers Associated With Selectors — Operation Tests                                                                                              |                                                                |       |                                                                                                                                                                                                                 |
| 226-700-502                                         | 3     | Traffic Registers Associated With Connectors — Operation Tests                                                                                             |                                                                |       |                                                                                                                                                                                                                 |

| Section Number  | Issue | Subject                                                                                                                                      | Section Number  | Issue | Subject                                                                                                                                                                          |
|-----------------|-------|----------------------------------------------------------------------------------------------------------------------------------------------|-----------------|-------|----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| 226-819-500     | 2     | Emergency Transfer Circuit Per SD-96425-01 to Provide Emergency Manual Service for Dial Subscribers — Operation Tests                        | 226-834-501     | 1     | Portable Remote Office Test Line (ROTL-3) — Trouble Locating Procedures                                                                                                          |
| 226-820-500     | 1     | Trunk Group Usage Circuit SD-32049-01 — Operation Tests                                                                                      | 226-834-700     | 3     | Adjustment of Line Build-Out Network — Remote Office Test Line (ROTL-3)                                                                                                          |
| 226-822-500     | 2     | Coin Timing and Coin Collect and Monitor Circuits for Overtime Charging — Operation Tests Using Trunk Test Set SD-90469-01 (J94710A)         | 226-834-701     | 2     | Portable Remote Office Test Line (ROTL-3) — Adjustment of Line Build-Out Network                                                                                                 |
| 226-824-500     | 2     | Timing Intervals for Coin and Message Rate Overtime Charging Using Test Set SD-32031-01 (J34723)                                             | 226-836-101     | 1     | 30A Level Distribution Register — Description                                                                                                                                    |
| 226-826-500     | 4     | Plugging-Up Circuits — Operation Tests                                                                                                       | Add 226-836-500 | 1     |                                                                                                                                                                                  |
| 226-828-500     | 3     | Test Distributors — Pulsing Tests Using Pulsing Test Set SD-31481-01 (J34717A)                                                               | 226-836-500     | 3     | Contact Noise Measurements Using 30A Level Distribution Register                                                                                                                 |
| 226-828-501     | 7     | Test Distributors — Timing Tests Using Relay Timing Test Set SD-90418-01 (J94713A)                                                           | 226-838-500     | 1     | Auxiliary Line Circuits Arranged for Right of Way on Emergency Calls — Operation Tests Using Dial Hand Test Set                                                                  |
| 226-829-100     | 1     | Remote Office Test Line (ROTL) — Description                                                                                                 | 226-838-501     | 1     | Common Systems — Line Circuit SD95873-01 (or Equivalent) — Public Emergency Reporting — Tests                                                                                    |
| 226-829-500     | 1     | Remote Office Test Line (ROTL) SD-32521-01 — Tests                                                                                           | 226-840-500     | 3     | Auxiliary Coin Lines — Postpayment Type — Operation Test                                                                                                                         |
| 226-829-700     | 2     | Adjustment of Line Build-Out Network — Remote Office Test Line SD-32521-01                                                                   | 226-842-500     | 3     | Auxiliary Line Circuit — Prepayment Coin Service — Operation Test Using Test Set SD-31858-01 (J34701A)                                                                           |
| 226-830-500     | 1     | Line Insulation Test Frame — Maintenance and Calibration Tests                                                                               | 226-842-501     | 3     | Auxiliary Line Circuits — Prepayment Coin Service — Operation Test Using Test Set SD-90469-02 (J94710A)                                                                          |
| ▲ ♦ 226-831-000 | 1     | Remote Office Test Line (ROTL-2)                                                                                                             | 226-844-500     | 3     | MF Key Pulsing Senders Arranged to Transmit Dial Pulses — Operation Tests Using Manual Test Circuit SD-95400-01 — No. 1 and No. 3 Type Toll Switchboards and No. 15C Switchboard |
| 226-831-100     | 2     | Expanded Remote Office Test Line Arrangements — Descriptive Information                                                                      | 226-846-500     | 3     | DC Key Pulsing Senders Arranged to Transmit Dial Pulses — Operation Tests Using Manual Test Circuit SD-90635-01 — No. 1 and No. 3 Type Toll Switchboards and No. 15C Switchboard |
| 226-832-500     | 1     | Call-Through Tests Using Call-Through Test Set SD-90603-01 (J94715) or SD-21069-01 (J24714)                                                  | 226-846-501     | 2     | DC Key Pulsing Senders — Operation Tests Using Automatic Test Circuit SD-90424-01 — No. 1 and No. 3 Type Toll Switchboards and 15C Switchboards                                  |
| Add 226-833-500 | 1     |                                                                                                                                              | 226-847-501     | 1     | Automatic Test Circuit — For Key pulsing Senders SD-90424-01 — Operation Tests — Step-by-Step Offices                                                                            |
| 226-833-500     | 3     | Call-Thru Tests Using Automatic Call-Thru Test Set SD-32522-01 (J34728) — No. 1 and 350A Step-by-Step, 355A and 35E97 Community Dial Offices | 226-848-500     | 3     | Cord Circuit Supervisory Relays — Current Flow Tests — Nos. 14C, 14D, and 15C "A" Switchboards                                                                                   |
| 226-834-100     | 3     | Remote Office Test Line (ROTL-3) — Description — Step-by-Step Offices                                                                        | 226-850-500     | 3     | Cord Circuit Sleeve Relays — Current Flow Tests — Nos. 14C, 14D, and 15C "A" Switchboards                                                                                        |
| 226-834-101     | 2     | Portable Remote Office Test Line (ROTL-3) — Description — Step-by-Step Offices                                                               | 226-852-500     | 2     | Recording Completing Cord Circuits — 15C or 15D "A" Switchboard                                                                                                                  |
| 226-834-300     | 3     | Remote Office Test Line (ROTL-3) — Acceptance Tests                                                                                          | 226-854-500     | 3     | Intercepting and Special Service Cord Circuits — Operation Test Using Testing Circuit SD-31025-01 or SD-90501-01                                                                 |
| 226-834-301     | 2     | Portable Remote Office Test Line-3 (ROTL-3) — Acceptance Tests                                                                               |                 |       |                                                                                                                                                                                  |
| • 226-834-310   | 1     | Mini-RTTU (Remote Trunk Test Unit) With RTMB (Remote Trunk Make Busy) Option — Data Base Operating Instructions                              |                 |       |                                                                                                                                                                                  |
| 226-834-500     | 1     | Remote Office Test Line (ROTL-3) — Trouble Locating Procedures                                                                               |                 |       |                                                                                                                                                                                  |



| Section Number | Issue | Subject                                                                         |
|----------------|-------|---------------------------------------------------------------------------------|
| 226-856-500    | 3     | Cord Circuits — A-C Continuity Test — DSA<br>Switchboards Nos. 14C, 14D and 15C |

| Section Number | Issue | Subject                                                                                                                  |
|----------------|-------|--------------------------------------------------------------------------------------------------------------------------|
| 226-858-500    | 1     | DSA Switchboards — 1000-Cycle Transmission Tests — Using Portable Transmission Measuring Set — Step-by-Step Systems      |
| 226-860-300    | 2     | Method of Handling Complaints and Requests for All Offices Involving Charge Irregularities on Crossbar Tandem CAMA Calls |

