

CORD PBX SWITCHBOARD



INCOMING CALLS—are received at this manually operated switchboard and distributed by the attendant.

OUTGOING CALLS—are placed through the same switchboard and connected by the attendant.


INTERCOMMUNICATING CALLS—also are connected through the switchboard by the attendant.

CONFERENCE CALLS—can be established by the attendant for any five station users, or four station users and one outside party, or three station users and two outside parties.

FINISHES—Lined oak and unfinished oak
Durable plastic on edges and writing shelf

DESIGN—A low design of switchboard which enables your attendant to converse more conveniently with persons over the top of the P.B.X. when acting as receptionist. Also large writing shelf containing only a dial provides greater surface for directory reference and ticket writing etc.

EQUIPMENT ARRANGEMENT No. 555 SWITCHBOARD




MAXIMUM CAPACITY

Station Lines, 10 per strip	60
Station Lines, 20 per strip	120
Central Office or Tie Trunks	13*
Cord Pairs	15

*Conference Service will reduce this capacity by 2 for each Conference Unit.

DIMENSIONS

2' — 5 $\frac{1}{16}$ " Wide
3' — 10 $\frac{1}{16}$ " High
2' — 5 $\frac{1}{16}$ " Deep measured at Keyshelf
1' — 10 $\frac{3}{8}$ " Maximum width of Side Panels
Writing Shelf — 30" above floor



SPECIAL COMMUNICATIONS SERVICES



**DIAL INTERCOMMUNICATING
SYSTEMS**




THE CALL DIRECTOR



TWX - "DIAL AND TYPE"



MOBILE TELEPHONE SYSTEMS



**SPEAKERPHONE—
"HANDS-FREE" TELEPHONE**



SPECIAL LONG DISTANCE SERVICES

BELL



Communications is our business