


TRIAD CIRCUIT

LOCAL BATTERY BRACKET TYPE MASTERPHONE

SCHEMATIC

APFD.
CHKD.
ENGR.
DRWG

CHANGES
ADDED MAT'L FOR CKT
LABEL
12.20.3 (T 13502)
14.1.0
8706 1-51-57



NOTE:
ALL WIRING IS FLEXIBLE

NOTE

PRINT CKT. LABELS
ON 16 LB. BASIC WHITE
SULPHITE PAPER.

4.23.36

5.5

00000000000000000000


21199

K. S. & S. CO. CHICAGO

SCHEMATIC

LOCAL BATT. TEL. TRIAD CKT. (SIMPLIFIED WIRING)

21093




HOOK SWITCH
SHOWN IN
OPERATING POS.

NOTE:
ALL WIRING IS FLEXIBLE.

NOTE:1
WHEN COND. IS SPECIFIED IN THE LINE CKT. CONNECT
COND. AS SHOWN. REMOVE STRAP "X" AND CONNECT WIRE
"Y" TO BINDING POST GN-6 INSTEAD OF L-2.


NOTE:2
WHEN COND. IS SPECIFIED IN THE RECEIVER CKT.,
CONNECT COND. AS SHOWN AND REMOVE STRAP "X".



SEE NOTES 1 & 2

TO LINE
TO GRD.

DRY CELLS



21093 STRAIGHT LINE &
4 PTY HARMONIC

PTY*1,2,3,4
8 PTY HARMONIC

PTY*5,6,7,8

APPD.
CHKD.
ENGR.
DRWG.

CHANGES
RETRACED WITHOUT
CHANGE TRACING LOST.
4-13-42.
A.J.P.

NOTE
PRINT CKT. LABELS
ON 16 LB. BASIC WHITE
SULPHITE PAPER



4-13-42.
10-23-41.
A.J.P.

K. S. & S. Co. CHICAGO

LOCAL BATTERY DESK SET BOX CIRCUIT

(SIMPLIFIED WIRING)

21208



NOTE:
ALL WIRING IS FLEXIBLE.

FIG. 2

WHEN COND. IN RECEIVER AND RINGER CKT. OR FIG. 2 IS SPECIFIED CONNECT COND. AS SHOWN REMOVE STRAP "X" AND CONNECT WIRE "Y" TO BINDING POST GN INSTEAD OF L2.

FIG. 3


WHEN COND. IN RINGER CKT. OR FIG. 3 IS SPECIFIED CONNECT COND. AS SHOWN AND OMIT WIRE "Y".

FIG. 4

WHEN COND. IN RECEIVER CKT. OR FIG. 4 IS SPECIFIED CONNECT COND. AS SHOWN AND REMOVE STRAP "X".

DRY CELL S

RINGER CONNECTIONS FOR STRAIGHT LINE OR PARTY LINE SERVICE



21208

APPD.
CHKD.
ENGR.
DRWG.

CHANGES

RETRACED & CHANGED PER
9-23-37
W.R.
ADDED COLOR DESIG. "RED"
TO STRAP.
9-30-37
W.R.

ADDED MATERIAL FOR
CKT. LABEL (T-13502)
12-20-37
A.C.H.

NUMBERS NOT
STAMPED ON GEN.
(FOR WIRING INF. ONLY)

9-30-37
9-23-37
4-1-37

NOTE

PRINT CKT. LABELS
ON 16 LB. BASIC WHITE
SULPHITE PAPER



W.R.
9-9-37

TRIAD CIRCUIT

LOCAL BATTERY UNIT TYPE MASTERPHONE

21198

SCHEMATIC



APPD. 11-30-38
CHKD. 11-30-38
ENGR. 11-30-38
DRWG.

CHANGES

CHGD PER MARKED PRINT.
5.27.37
J.H. (T-13301)

ADDED MATERIAL FOR
CKT. LABEL (T-13502)
12.15.37
A.J.B. E.S. (T-13931)

CHGD PICTURE OF HOOK SW. AND
ADDED NOTES "A" & "B."
11-30-38
E.S. (T-13931)


ADDED NOTE "C"
2.21.39 (T-12978)
MLD a 12-1-39

21198

2.21.39
11-30-38
5.27.37
5.5.36
E.S.

NOTE

PRINT CKT LABELS
ON 16LB. BASIC WHITE
SULPHITE PAPER




NOTE:
ALL WIRING IS FLEXIBLE.

NOTE 1

WHEN COND. IS SPECIFIED IN THE LINE CKT., CONNECT COND. AS SHOWN. REMOVE STRAP "X" AND CONNECT WIRE "Y" TO BINDING POST GN-6 INSTEAD OF L-2.

NOTE 2

WHEN COND. IS SPECIFIED IN THE RECEIVER CKT. CONNECT COND. AS SHOWN AND REMOVE STRAP "X".



RETRA
8.23
P.C.

ADDE
LABE
12.20
M.L.

CHGD
FROM
2.13.4
MLL
22

CHGD
AS PE
10.22
F.S.